

Linksys

## Linksys LGS124-UK network switch Unmanaged Gigabit Ethernet (10/100/1000) 1U Black



**Brand :** Linksys

**Product code:** LGS124-UK

**Product name :** LGS124-UK

24-Port Gigabit Switch

[Linksys LGS124-UK network switch Unmanaged Gigabit Ethernet \(10/100/1000\) 1U Black:](#)



### Features:

- Wired connection speed up to 1000 Mbps
- 24 Gigabit Ethernet auto-sensing ports
- Quality of Service (QoS) traffic prioritization
- Power-saving features
- Easy plug & play connection

Linksys LGS124-UK. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24. MAC address table: 8000 entries. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Rack mounting, Form factor: 1U

Management features		Design	
Switch type *	Unmanaged	LED indicators	✓
Quality of Service (QoS) support	✓	<b>Power</b>	
<b>Ports &amp; interfaces</b>		Number of power supply units	1
Basic switching RJ-45 Ethernet ports quantity *	24	AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	AC input frequency	50 - 60 Hz
Gigabit Ethernet (copper) ports quantity	24	Power consumption (typical)	14.16 W
ExpressCard slot	✗	<b>Power over Ethernet (PoE)</b>	
<b>Network</b>		Power over Ethernet (PoE) *	✗
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	<b>Other features</b>	
10G support *	✗	Bandwidth	48 Gbit/s
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T	<b>Operational conditions</b>	
Flow control support	✓	Operating temperature (T-T)	0 - 50 °C
Auto-sensing	✓	Storage temperature (T-T)	-20 - 70 °C
<b>Data transmission</b>		Operating relative humidity (H-H)	10 - 90%
Throughput	1.488 Mpps	Storage relative humidity (H-H)	10 - 90%
MAC address table *	8000 entries	<b>Weight &amp; dimensions</b>	
<b>Design</b>		Width	440 mm
Rack mounting *	✓	Depth	200 mm
Form factor	1U	Height	44 mm
Product colour	Black	Weight	2.37 kg
Housing material	Metal	<b>Certificates</b>	
		Certification	FCC Class A, CE
		<b>Logistics data</b>	
		Harmonized System (HS) code	85176990



0745883632343



745883632343

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.