ASUS BW-16D1HT Retail Silent optical disc drive Internal Blu-Ray RW Black


Brand : ASUS

Product code: 90DD0200-B20010

Product name : BW-16D1HT Retail Silent

16X Blu-Ray Disc Drive, SATA, 750 g

ASUS BW-16D1HT Retail Silent. Product colour: Black, Disc loading type: Tray, Mounting: Vertical/Horizontal. Purpose: Desktop, Optical drive type: Blu-Ray RW, Interface: Serial ATA. DVD+R write speed: 16x, CD-R write speed: 48x, CD-RW write speed: 24x. CD-R read speed: 48x, CD-RW read speed: 40x, CD-ROM read speed: 48x. DVD drive average random access time: 160 ms, CD-ROM drive average random access time: 150 ms, BD-ROM average random access time: 180 ms





دند/

a 📽 🏥



Reading speed

BD-ROM read speed	12x
BD-R Dual Layer read speed	8x
BD-R read speed	12x
BD-RE Dual Layer read speed	6x
BD-RE read speed	8x

System requirements

, ,	
Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, X64, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium, X64, Windows 7 Home Premium, X64, Windows 7 Home Premium, X64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8, Windows 8 Enterprise, Windows 8, Windows 8 Enterprise, Windows 8, Windows 8, 1, Windows 8.1 Enterprise, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1, Pro, Windows 8, 1 Pro x64, Windows 8, 1 x64, Windows Vista Business, X64, Windows Vista Enterprise, Windows Vista Home Basic, X64, Windows Vista Home Premium, X64, Windows Vista Ultimate x64, Windows XP Professional, Windows XP Professional, X64
Operational conditions	
Operating relative humidity (H-H) Operating temperature (T-T) Storage temperature (T-T) Storage relative humidity (H-H)	20 - 80% 5 - 40 °C -20 - 60 °C 15 - 90%
Weight & dimensions	
Width Depth Height Weight	146 mm 170 mm 41 mm 750 g
Packaging content	
Bundled software	Cyberlink Power2Go 8 E-Green
Logistics data	
Harmanized System (HE) code	84717020

Harmonized System (HS) code

84717030



4716659418870

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.