![BenQ]

BenQ PD2725U computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : BenQ
Product code: 9H.LJXLA.TBE
Product name : PD2725U

- 100% sRGB and 95% P3 color spaces
- DisplayHDR 400 with wide gamut space for professional results
- Thunderbolt 3 for easy dual monitor setup

27", IPS, 4K UHD, 3840x2160, 60 Hz, 1200:1, 2 x 2.5W, Tilt, Swivel, Pivot, 2 x HDMI, Thunderbolt 3, USB Type B, 2 x USB Type A, DisplayPort, 614.8x599.78x188.11mm, 8.3kg

BenQ PD2725U. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display

Display diagonal *	68.6 cm (27")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	5 ms
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	3840 x 2160
Aspect ratio	16:9
Contrast ratio (typical) *	1200:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Response time (fast)	5 ms
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	DisplayHDR 400, High Dynamic Range 10 (HDR10)
Colour gamut standard	DCI-P3
sRGB coverage (typical)	100%

Performance

Flicker-free technology	✔
Low Blue Light technology	✔

Ports & interfaces

HDMI *	✔
HDMI ports quantity	2
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.4
Thunderbolt 3 ports quantity	1
HDCP	✔
HDCP version	2.2

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Height adjustment *	✔
Height adjustment	15 cm
Pivot	✔
Pivot angle	0 - 90°
Swivelling	✔
Swivel angle range	-30 - 30°
Tilt adjustment	✔
Tilt angle range	-5 - 20°
Picture-in-Picture	✔

Power

Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	44 kWh
Energy consumption (HDR) per 1000 hours *	44 kWh
Power consumption (typical) *	44 W
Power consumption (standby) *	0.5 W

Multimedia

Number of speakers	2
RMS rated power	5 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Graphics design
Product colour *	Black
Front bezel colour	Black
Detachable stand	✔
Feet colour	Grey

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
DVI port	✘

Power

Power consumption (max)	185 W
AC input voltage	100 - 240 V
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	400184

Weight & dimensions

Width (with stand)	614.8 mm
Depth (with stand)	188.1 mm
Height (with stand)	499.8 mm
Weight (with stand)	8.3 kg
Width (without stand)	614.8 mm
Depth (without stand)	80.3 mm
Height (without stand)	360 mm
Weight (without stand)	5.6 kg

Other features

Country of origin	China

Logistics data

Harmonized System (HS) code	85285210

4718755084973