



HP M24m Conferencing Monitor

Brand : HP

Product code: 678U5AA

Product name : M24m Conferencing Monitor

M24m Conferencing Monitor

[HP M24m Conferencing Monitor:](#)

Productivity all built-in

Welcome to a better conferencing experience. The integrated 5MP webcam, dual noise-canceling microphones, and built-in speakers makes this sleek 60,45 cm(23.8-inch) FHD monitor the centerpiece of your connected daily life. It's designed for ease and simplicity without compromising quality so you can feel as good as you look on every call.

HP M24m Conferencing Monitor. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Swivelling	✓
Display resolution *	1920 x 1080 pixels	Swivel angle range	-45 - 45°
HD type *	Full HD	Tilt angle range	-5 - 23°
Native aspect ratio *	16:9	Power	
Panel type *	IPS	Energy efficiency class (SDR) *	E
Backlight type	Edge LED	Energy efficiency class (HDR) *	E
Display brightness (peak)	250 cd/m ²	Energy consumption (SDR) per 1000 hours *	16 kWh
Display brightness (typical)	300 cd/m ²	Power consumption (typical) *	30 W
Response time *	5 ms	Power consumption (standby) *	0.5 W
Anti-glare screen	✓	Power consumption (max)	120 W
Screen shape *	Flat	AC input voltage	100 - 240 V
Supported graphics resolutions	1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1280 x 720 (HD 720), 720 x 400, 1280 x 800 (WXGA), 1280 x 1024 (SXGA), 800 x 600 (SVGA), 1440 x 900 (WXGA+), 640 x 480 (VGA), 1024 x 768 (XGA), 1600 x 900	AC input frequency	50/60 Hz
		Energy efficiency scale	A to G
Contrast ratio (typical) *	1000:1	European Product Registry for Energy Labelling (EPREL) code	1222321
Contrast ratio (dynamic)	8000000:1	Operational conditions	
Maximum refresh rate *	75 Hz	Operating temperature (T-T)	5 - 35 °C
Viewing angle, horizontal	178°	Operating relative humidity (H-H)	5 - 95%
Viewing angle, vertical	178°	Storage relative humidity (H-H)	20 - 80%
Pixel pitch	0.2745 x 0.2745 mm	Weight & dimensions	
Pixel density	93 ppi	Width (with stand)	539.5 mm
Horizontal scan range	30 - 85 kHz	Depth (with stand)	211.4 mm
Vertical scan range	48 - 75 Hz	Height (with stand)	523.4 mm
Viewable size, horizontal	52.7 cm	Weight (with stand)	6.3 kg
Viewable size, vertical	29.6 cm	Width (without stand)	539.5 mm
Display diagonal (metric)	60.5 cm	Depth (without stand)	47.9 mm
Surface hardness	3H	Height (without stand)	372.2 mm

Display		Packaging data	
Colour depth	8 bit	Package width	596 mm
Colour gamut standard	sRGB	Package depth	195 mm
Colour gamut	99%	Package height	416 mm
sRGB coverage (typical)	99%	Package weight	9.2 kg
Performance		Packaging content	
Low Blue Light technology	✓	Stand included	✓
Multimedia		Cables included	AC, USB Type-C to USB Type-C
Number of speakers	2	Carbon footprint	
Megapixel (approx.)	5 MP	Total carbon footprint (kg of CO2e)	210
Built-in camera *	✓	Carbon emissions, manufacturing (kg of CO2e)	131
Design		Carbon emissions, logistics (kg of CO2e)	3
Market positioning *	Business	Carbon emissions, end-of-life (kg of CO2e)	4
Product colour *	Black	Total carbon emissions, w/o use phase (kg of CO2e)	72
Ports & interfaces		Other features	
USB Type-A downstream ports quantity	2	Country of origin	China
USB Type-C downstream ports quantity	1	Introduction year	2022
USB Type-C DisplayPort Alternate Mode	✓	Weight	6.3 kg
USB Power Delivery	✓	Height	372.2 mm
USB Power Delivery up to	65 W	Width	539.5 mm
HDMI *	✓	Depth	47.9 mm
HDMI ports quantity	1	Brand-specific features	
HDMI version	1.4	HP GTIN (EAN/UPC)	197192360361
DisplayPorts quantity	1		
DisplayPort version	1.2		
Audio output	✓		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Height adjustment *	✓		
Height adjustment	10 cm		



0196548350407




196548350407



0197192360361




197192360361



0197192720332




197192720332



0197192720349



197192720349



0197192720356



197192720356



0197192720363




197192720363



0197192720387




197192720387



0197192720370



197192720370



5715063348161

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.