



MPG A1000G PCIE5
MPG A850G PCIE5
MPG A750G PCIE5
Power Supply Unit

User Guide

전원 공급 장치 사용 설명서

電源供應器使用手冊

PC電源使用手冊

Блок питания Руководство пользователя


Specifications/ 사양/ 規格/ 规格/ Спецификация

1000W					
Voltage	+5V	+3.3V	+12V	-12V	+5Vsb
Max load	22.0A	22.0A	83.5A	0.3A	3.0A
Min load	0.0A	0.0A	0.0A	0.0A	0.0A
Combined power (+5V&+3.3V)	120W		1000W	3.6W	15.0W
Total Power	1000W				
Regulation	± 5%	± 5%	± 5%	± 5%	± 5%
Ripple & Noise	30mVp-p	30mVp-p	50mVp-p	40mVp-p	40mVp-p


850W					
Voltage	+5V	+3.3V	+12V	-12V	+5Vsb
Max load	22.0A	22.0A	70.8A	0.3A	3.0A
Min load	0.0A	0.0A	0.0A	0.0A	0.0A
Combined power (+5V&+3.3V)	120W		850W	3.6W	15.0W
Total Power	850W				
Regulation	± 5%	± 5%	± 5%	± 5%	± 5%
Ripple & Noise	30mVp-p	30mVp-p	50mVp-p	40mVp-p	40mVp-p

750W					
Voltage	+5V	+3.3V	+12V	-12V	+5Vsb
Max load	22.0A	22.0A	62.5A	0.3A	3.0A
Min load	0.0A	0.0A	0.0A	0.0A	0.0A
Combined power (+5V&+3.3V)	120W		750W	3.6W	15.0W
Total Power	750W				
Regulation	± 5%	± 5%	± 5%	± 5%	± 5%
Ripple & Noise	30mVp-p	30mVp-p	50mVp-p	40mVp-p	40mVp-p

Dimensions/ 치수/ 外型尺寸/ Размеры







Detachable Connectors/ 분리 가능한 커넥터/ 可拆卸接頭/ 可拆卸接头/ Кабельные интерфейсы








Number of Power Connectors/
 전원 커넥터 수량/
 電源接頭數量/ 电源接头数量/
 Кол-во силовых соединителей

Power Connectors	A1000G PCIE5	A850G PCIE5	A750G PCIE5
ATX12V (Motherboard) 20+4 pin	1	1	1
12VHPWR 16pin	1	1	1
EPS12V (CPU) 4+4 pin	2	2	2
PCIe (VGA) 6+2 pin	6	6	6
SATA 15 pin	12	8	8
Peripheral (PATA) 4 pin	4	4	4
FDD 4 pin	1	1	1

Connectivity and Cable Lengths/ 연결 및 케이블 길이/ 連接頭和電纜長度/ 连接性和电缆长度/ Подключение и длина кабелей





Model Number

Model No.: 7ZP7C, 7ZP7B, 7ZP7A

