



SPECIFICATIONS

Model Name	GeForce RTX™ 4070 Ti SUPER 16G GAMING X SLIM
Graphics Processing Unit	NVIDIA® GeForce RTX™ 4070 TI SUPER
Interface	PCI Express® Gen 4
CUDA® Cores	8448 Units
Core Clocks	Extreme Performance: 2685MHz (MSI Center) Boost: 2670 MHz
Memory Speed	21 Gbps
Memory	16GB GDDR6X
Memory Bus	256-bit
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz HDR and 8K@60Hz HDR and Variable Refresh Rate (VRR) as specified in HDMI™ 2.1a)
HDCP Support	Y
Power consumption	285 W
Power connectors	16-pin x 1
Recommended PSU	TBD
Card Dimension (mm)	307 x 125 x 51 mm
Weight (Card / Package)	1094 g / 1676 g
DirectX Version Support	12 Ultimate
OpenGL Version Support	4.6
Maximum Displays	4
G-SYNC® technology	Y
Digital Maximum Resolution	7680 x 4320

FEATURES



TRI FROZR 3
Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.



TORX FAN 5.0
Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



Airflow Control
Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.



Copper Baseplate
A solid nickel-plated copper baseplate transfers heat from the GPU to all heat pipes for better cooling..



Core Pipe
Precision-machined heat pipes ensure max contact to the GPU and spread heat along the full length of the heatsink.



Metal Backplate
Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.




Zero Frozr
The fans completely stop when temperatures are relatively low, eliminating all noise.



MSI Center
The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.

CONNECTIONS



1. DisplayPort
2. HDMI™