



## j5create JCD373-N USB-C® Lightweight Multi Adapter

**Brand :** j5create

**Product code:** JCD373-N

**Product name :** JCD373-N USB-C® Lightweight Multi Adapter

JCD373 USB-C® Lightweight Multi Adapter, White

[j5create JCD373-N USB-C® Lightweight Multi Adapter:](#)

Our USB-C® Multi-Port Hub with Power Delivery provides extra connectivity for your computer. This pocket-sized multi-adapter with 2 USB™ 3.1 Type-A ports allows you to connect an external keyboard, mouse, or USB™ flash drive. With high-speed transmission up to 5 Gbps, data transfer is quick and easy. The HDMI™ port allows you to mirror or extend your screen and directly output 4K UHD @ 30 Hz or Full HD 1080p video to an HDTV, monitor, or projector.

Equipped with a USB-C® Power Delivery 3.0 charging port. It offers charging up to 60W when connected to a USB-C® power adapter. The hub also provides direct access to your SD™ & microSD™ memory cards. The audio/mic combo jack allows you to connect your headphone set or speakers.



| Ports & interfaces                                |   | Software                            |  |
|---|---|-------------------------------------|--|
| Host interface *                                  | USB 3.2 Gen 1 (3.1 Gen 1) Type-C  | Linux operating systems supported ❌ |  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2   | Operational conditions              |  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity   | 1   | Operating temperature (T-T)         | 0 - 40 °C  |
| USB Power Delivery                                | ✓   | Storage temperature (T-T)           | -17 - 68 °C  |
| USB Power Delivery revision                       | 3.0   | Operating relative humidity (H-H)   | 0 - 85%  |
| USB Power Delivery up to                          | 60 W  | Storage relative humidity (H-H)     | 0 - 85%  |
| HDMI ports quantity *                             | 1   | Weight & dimensions                 |  |
| Combo headphone/mic port                          | ✓   | Width                               | 39 mm  |
| Performance                                       |   | Depth                               | 11 mm  |
| Card reader integrated *                          | ✓   | Height                              | 122 mm   |
| Compatible memory cards                           | MicroSD (TransFlash), SD  | Weight                              | 51.5 g   |
| HD type   | 4K Ultra HD   | Packaging data                      |  |
| Maximum refresh rate                              | 30 Hz   | Quantity per pack                   | 1 pc(s)  |
| Product colour *                                  | White   | Package width                       | 193 mm   |
| Hub interfaces                                    | 3.5mm, HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C | Package depth                       | 125 mm   |
|   |   | Package height                      | 25 mm  |
| Plug and Play                                     | ✓   | Package weight                      | 100 g  |
| Housing material                                  | Acrylonitrile butadiene styrene (ABS)   | Packaging content                   |  |
| Country of origin                                 | Taiwan  | Cables included                     | USB Type-C   |
| Power   |   | Quick start guide                   | ✓  |
| Input current                                     | 3 A   | Packaging content                   | 1 x JCD373 USBxC® MultixPort Hub with Power Delivery, 1 x Quick Installation Guide |
| Power supply type                                 | USB   | Technical details                   |  |
| Output voltage                                    | 5 V   | Warranty period                     | 2 year(s)  |
| Output current                                    | 0.38 A  | Other features                      |  |
| Power consumption (typical)                       | 1.96 W  | Cable length                        | 0.15 m   |
| Software  |   | Maximum operating temperature       | 40 °C  |
| Windows operating systems supported               | Windows 10  |                                     |  |

| Software                        |   |
|---------------------------------|---|
| Mac operating systems supported | Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Yes |



4712795086027

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-OCT-2024. Prints or copies of Information are only valid on the printed Publication date