

GIGABYTE H610M H Motherboard - Supports Intel Core 14th CPUs, 6+1+1 Hybrid Digital VRM, up to 5600MHz DDR4 (OC), 1xPCle 3.0 M.2, GbE LAN, USB 3.2 Gen 1

Brand: GIGABYTE Product code: H610M H

Product name : H610M H Motherboard - Supports Intel Core 14th CPUs, 6+1+1 Hybrid Digital VRM, up to 5600MHz DDR4 (OC), 1xPCle 3.0 M.2, GbE LAN, USB 3.2 Gen 1

- Supports Intel® Core™ 14th/ 13th /12th processors
- Dual Channel Non-ECC Unbuffered DDR5, 2 DIMMs
- 6+1+1 Hybrid Digital VRM Design
- GbE LAN with Bandwidth Management
- NVMe PCIe 3.0 x4 M.2
- High Quality Audio Capacitors and Audio Noise Guard
- Smart Fan 6 Features Multiple Temperature Sensors , Hybrid Fan Headers with FAN STOP
- GIGABYTE APP Center, Simple and Easy Use
- Anti-Sulfur Resistors Design

Micro ATX, Intel H610 Express chipset, LGA 1700 socket, 2xDDR4 DIMM slots, 7.1-ch audio, Gigabit LAN

GIGABYTE H610M H Motherboard - Supports Intel Core 14th CPUs, 6+1+1 Hybrid Digital VRM, up to 5600MHz DDR4 (OC), 1xPCle 3.0 M.2, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets	Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel Pentium G LGA 1700	VGA (D-Sub) ports quantity * HDMI ports quantity * Headphone outputs Microphone in USB connector type	1 1 3 ✓ USB Type-A
Maximum internal memory supported by processor	64 GB	Network Ethernet LAN	√
Memory		Ethernet interface type	Gigabit Ethernet
Supported memory types *	DDR5-SDRAM	Wi-Fi *	×
Number of memory slots *	2	Features	
Memory slots type Memory channels ECC Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Unbuffered memory	DIMM Dual-channel ✓ 4400,4800,5200,5600 MHz 5600 MHz 64 GB ✓	Motherboard chipset * Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported	Intel H610 Express 7.1 channels Brown Fan, Temperature, Voltage PC micro ATX Intel Windows 10 x64, Windows 11 x64
Storage controllers		Expansion slots	
Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported	4	PCI Express x1 slots PCI Express x16 slots Number of M.2 (M) slots BIOS	1 1 1
Graphics		BIOS type *	UEFI AMI
Parallel processing technology support * Maximum resolution HDCP DirectX version	Not supported 4096 x 2160 pixels ✓ 12.0	BIOS type ** BIOS memory size ACPI version Clear CMOS jumper Desktop Management Interface	128 Mbit 5.0 ✓

nternal I/O		BIOS	
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	2	System Management BIOS (SMBIOS) version	2.7
connectors *	1	Logistics data	
Number of SATA III connectors * Total number of SATA connectors Front panel audio connector	4	Country of origin Products per shipping (inner) case	China 1 pc(s)
Front panel connector	V	Battery	
ATX Power connector (24-pin) CPU fan connector Number of chassis fan connectors	√ √ 2	Battery weight Lithium weight per battery Number of battery cells	3 g 0.07 g 1
EPS power connector (8-pin) TPM connector	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Serial port headers	1	Battery type	CR2032
12V power connector	√	Packaging data	
RGB LED pin header	✓	Package width	265 mm
Rear panel I/O ports		Package depth	265 mm
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Package height Package weight	54 mm 849 g
ports quantity *	_	Weight & dimensions	
Ethernet LAN (RJ-45) ports * PS/2 ports quantity	1 2	Width Depth Height	230 mm 215 mm 35 mm
		Packaging content	
		Cables included Batteries included Drivers included Bundled software	SATA Norton Internet Security (OEM version), LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331854041

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.