



# Epson WorkForce Pro WF-C5890DWF Inkjet A4 4800 x 1200 DPI 34 ppm Wi-Fi

**Brand :** Epson

**Product family:** WorkForce Pro **Product code:** C11CK23401BY

**Product name :** WF-C5890DWF



Print, Scan, Copy, Fax, A4, 4800 x 1200 DPI, CIS, WLAN, LAN, USB 2.0, 18.7 kg

Epson WorkForce Pro WF-C5890DWF. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 34 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Print, Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, Grey

Printing		Input & output capacity	
Print technology *	Inkjet	Auto document feeder (ADF) input capacity	50 sheets
Printing *	Colour printing	Maximum input capacity	1830 sheets
Duplex printing *	✓	<b>Paper handling</b>	
Maximum resolution *	4800 x 1200 DPI	Maximum ISO A-series paper size *	A4
Print speed (black, normal quality, A4/US Letter) *	34 ppm	Paper tray media types *	Photo paper, Plain paper
Print speed (colour, normal quality, A4/US Letter)	34 ppm	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print speed (ISO/IEC 24734) black	25 ppm	ISO B-series sizes (B0...B9)	B5, B6
Print speed (ISO/IEC 24734) colour	25 ppm	Non-ISO print media sizes	Legal, Letter
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm	Envelopes sizes	10, C4, C5, C6, DL
Duplex print speed (colour, normal quality, A4/US Letter)	16 ppm	Photo paper sizes	10x15,13x18 cm
		Paper tray media weight	64 - 256 g/m <sup>2</sup>
Copying		Ports & interfaces	
Copying *	Colour copying	Direct printing *	✓
Maximum copy resolution *	600 x 1200 DPI	USB port	✓
Maximum number of copies	999 copies	USB 2.0 ports quantity	2
Copier resize	25 - 400%	<b>Network</b>	
Scanning		Wi-Fi *	✓
Duplex scanning *	✓	Ethernet LAN *	✓
Scanning *	Colour scanning	Ethernet LAN data rates	10,100,1000 Mbit/s
Optical scanning resolution *	1200 x 2400 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scanner type *	Flatbed & ADF scanner	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA2-AES, WPA2-PSK, WPA3-SAE
Scan technology	CIS	Management protocols	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
Scan to	E-mail, FTP, Memory card, Network folder, PC	Mobile printing technologies	Apple AirPrint, Epson Connect, Google Cloud Print
Image formats supported	JPEG, TIFF	<b>Design</b>	
Document formats supported	PDF	Product colour *	Black, Grey
Fax		Market positioning *	Business
Faxing *	Colour faxing	Built-in display *	✓
Modem speed	33.6 Kbit/s	Control type	Touch
Fax memory	550 pages	Colour display	✓
Speed dialling	✓	<b>Power</b>	
Error Correction Mode (ECM)	✓	Power consumption (copying)	27 W
		Power consumption (ready)	11.7 W
Features			
Recommended duty cycle	250 - 5000 pages per month		
Maximum duty cycle *	75000 pages per month		
Duplex functions *	Print, Scan		
Printing colours *	Black, Cyan, Magenta, Yellow		

Features		Power	
Page description languages	ESC/P-R, PCL 5c, PCL 6, PDF 1.7, PostScript 3	Power consumption (sleep)	1.2 W
		Power consumption (off)	0.2 W
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	0.18 kWh/week
Total number of input trays *	4	AC input voltage	220 - 240 V
Total input capacity *	250 sheets	AC input frequency	50 - 60 Hz
Total output capacity *	150 sheets	System requirements	
Multi-Purpose tray	✓	Windows operating systems supported	Windows 10, Windows 11, Windows 8, Windows 8.1
Multi-Purpose tray input capacity	80 sheets	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Auto document feeder (ADF)	✓	Server operating systems supported	Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
		Weight & dimensions	
		Width	425 mm
		Depth	535 mm
		Height	357 mm
		Weight	18.7 kg



8715946711904

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-OCT-2024. Prints or copies of Information are only valid on the printed Publication date