



DeepCool Morpheus WH Tower White

Brand : DeepCool

Product code: R-MORPHEUS-WHAPA1-G-1

Product name : Morpheus WH

ATX+, Mini-ITX/Micro-ATX/ATX/E-ATX, 3.5"/2.5", 9 Slots, 1× 420 mm ARGB, USB3.0, 3.5 mm, 528 × 250 × 551 mm, 15.5 Kg, White

DeepCool Morpheus WH. Form factor: Tower, Type: PC, Product colour: White. Power supply location: Bottom, Supported power supply form factors: ATX. Front fans diameters supported: 120,180,140,200 mm, Side fans diameters supported: 140,120 mm, Rear fans diameters supported: 140,120 mm. Supported HDD sizes: 2.5,3.5", SSD form factor: 2.5". Width: 250 mm, Depth: 528 mm, Height: 551 mm



Design		Cooling	
Material	ABS, SPCC, Tempered glass	Number of front fans supported (max)	3
Form factor *	Tower	Front fans diameters supported	120,180,140,200 mm
Type *	PC	Number of side fans supported (max)	3
Product colour *	White	Side fans diameters supported	140,120 mm
Supported motherboard form factors *	ATX, micro ATX, Mini-ATX, EATX	Number of rear fans supported (max)	1
Number of 3.5" bays *	2	Rear fans diameters supported	140,120 mm
Number of 2.5" bays	3	Number of top fans supported (max)	3
Number of internal 3.5" bays	2	Top fans diameters supported	120,180,140,200 mm
Number of expansion slots	9	Number of bottom fans supported (max)	3
Side window	✓	Bottom fans diameters supported	120,180,140,200 mm
Suitable for	Gaming	Front radiator sizes supported	140,240,360,120,280,420 mm
Illumination	✓	Side radiator sizes supported	140,240,360,120,280,420 mm
Illumination colour	Multi	Bottom radiator sizes supported	140,240,360,120,280,420 mm
Illumination location	Case fans	Rear radiator sizes supported	120,140 mm
Tempered glass panel(s)	✓	Top radiator sizes supported	140,240,360,120,280,420 mm
Anti-dust filter	✓	Storage	
Cable management	✓	Supported HDD sizes *	2.5,3.5"
On/off button	✓	SSD form factor	2.5"
LED indicators	✓	Weight & dimensions	
Maximum CPU cooler height	19.5 cm	Width	250 mm
Maximum graphics card length	48 cm	Depth	528 mm
Maximum PSU length	18 cm	Height	551 mm
		Weight	15.5 kg
Power supply			
Power supply included *	✗		
Power supply location	Bottom		
Supported power supply form factors	ATX		
Ports & interfaces			
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4		
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1		

Ports & interfaces

Combo headphone/mic port





6933412774754

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-OCT-2024. Prints or copies of Information are only valid on the printed Publication date