



## Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White

**Brand :** Philips

**Product family:** V Line

**Product code:** 271V8AW/00

**Product name :** 271V8AW/00

271V8AW LCD monitor

Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White:

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode and flicker-free for easy-on-the-eyes.

Philips V Line 271V8AW/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: White



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot *	✓
Display resolution *	1920 x 1080 pixels	Cable lock slot type	Kensington
HD type *	Full HD	Height adjustment *	✗
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 20°
Panel type *	IPS	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
LED backlight	✓	Plug and Play	✓
Backlight type	W-LED	LED indicators	Operation, Stand-by
Touchscreen *	✗	<b>Power</b>	
Display brightness (typical)	250 cd/m <sup>2</sup>	Energy efficiency class (SDR) *	E
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	21 kWh
Contrast ratio (typical) *	1000:1	Power consumption (typical) *	35.39 W
Maximum refresh rate *	75 Hz	Power consumption (standby) *	0.5 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50/60 Hz
Response time (fast)	4 ms	Power supply type	Internal
Pixel pitch	0.311 x 0.311 mm	<b>Operational conditions</b>	
Pixel density	82 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 83 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	56 - 76 Hz	Operating relative humidity (H-H)	20 - 80%
Viewable size, horizontal	59.8 cm	Operating altitude	0 - 3658 m
Viewable size, vertical	33.6 cm	Non-operating altitude	0 - 12192 m
Display diagonal (metric)	68.6 cm	<b>Weight &amp; dimensions</b>	
DDC/CI	✓	Width (with stand)	613 mm
Haze rate	25%	Depth (with stand)	231 mm
Surface hardness	3H		
Display sRGB	✓		
<b>Performance</b>			
NVIDIA G-SYNC *	✗		
AMD FreeSync *	✗		

<b>Performance</b>		<b>Weight &amp; dimensions</b>	
VESA Adaptive Sync support	✓	Height (with stand)	456 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Weight (with stand)	3.74 kg
Flicker-free technology	✓	Width (without stand)	613 mm
Low Blue Light technology	✓	Depth (without stand)	50 mm
<b>Multimedia</b>		Height (without stand)	363 mm
Number of speakers	2	Weight (without stand)	3.28 kg
Built-in speaker(s) *	✓	<b>Packaging data</b>	
Built-in camera *	✗	Package width	663 mm
<b>Design</b>		Package depth	131 mm
Market positioning *	Home	Package height	464 mm
Product colour *	White	Package weight	5.41 kg
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
Built-in USB hub *	✗	Stand included	✓
VGA (D-Sub) ports quantity	1	Cables included	HDMI, Power
HDMI *	✓	Manual	✓
HDMI ports quantity	1	<b>Other features</b>	
HDMI version	1.4	Exterior finish type	Textured
Audio output	✓	Picture enhancement	SmartImage
PC Audio in	✓	Recyclable packaging material	100%
HDCP	✓	Regulatory Approvals	CE Mark; FCC; ICES-003; CB; EAC; TUV Ergo; TUV/GS
HDCP version	1.4	EasyRead mode	✓
<b>Ergonomics</b>		LowBlue mode	✓
VESA mounting *	✓	Mean time between failures (MTBF)	30000 h
Panel mounting interface	100 x 100 mm		



8712581804398

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-OCT-2024. Prints or copies of Information are only valid on the printed Publication date