

DELL E Series E1715S LED display 43.2 cm (17") 1280 x 1024 pixels SXGA LCD Black

Brand : DELL Product family: E Series Product code: E1715SE

Product name : E1715S

- 43.2cm (17") SXGA 1280 x 1024 LED TN
- 5ms, 5:4, 250cd/m², 1000:1
- VGA, DisplayPort
- 43.2cm (17") SXGA 1280 x 1024 LED TN, 5:4, 250cd/m², 16.78M, 5ms, 170°/160°, 1000:1

DELL E Series E1715S LED display 43.2 cm (17") 1280 x 1024 pixels SXGA LCD Black:

The $Dell^{m}$ 17 Monitor – E1715S is your smart choice for reliability and essential features that can help drive productivity.

DELL E Series E1715S. Display diagonal: 43.2 cm (17"), Display resolution: 1280 x 1024 pixels, HD type: SXGA, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting. Product colour: Black











| Display | | Power | |
|---|--|---|--|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * | 43.2 cm (17") 1280 x 1024 pixels SXGA 5:4 LCD TN LED X 250 cd/m² 5 ms | Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code | 0.2 W 14 W 0.2 W 120 - 230 V 50 - 60 Hz 1.5 A Internal A to G 344935 |
| Screen shape * Supported graphics resolutions Aspect ratio | Flat 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA) 5:4 | Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) | 0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% |
| Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal | ewing angle, horizontal 170° ewing angle, vertical 160° splay number of colours * 16.78 million colours elel pitch 0.264 x 0.264 mm rizontal scan range 30 - 81 kHz rtical scan range 56 - 76 Hz ewable size, horizontal 33.8 cm ewable size, vertical 27 cm ewable size diagonal 43.2 cm gh Dynamic Range (HDR) | Operating altitude Non-operating altitude Weight & dimensions | 0 - 5000 m 0 - 12192 m |
| Viewing angle, vertical Display number of colours * Pixel pitch Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Viewable size diagonal High Dynamic Range (HDR) | | Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) | 374.5 mm 165.5 mm 389.5 mm 2.42 kg 374.5 mm 46.5 mm 306.9 mm 2.08 kg |
| supported DDC/CI Colour gamut 3D | ₹ ₹ 85% | Packaging data Package width Package depth Package height | 139.9 mm 446 mm 382 mm |

| Performance | | Packaging data | |
|---|---------------|---|-------------------------|
| NVIDIA G-SYNC * | × | Package weight | 3.69 kg |
| AMD FreeSync * | × | Package type | Box |
| Multimedia | | Packaging content | |
| Built-in speaker(s) * | × | Stand included | ✓ |
| Built-in camera * | × | Cables included | AC, VGA |
| Design | | Quick start guide | √ |
| Market positioning * | Business | Manual | ✓ |
| Product colour * | Black | Sustainability | |
| Feet colour | Black | Sustainability certificates | EPEAT Gold, ENERGY STAR |
| Ports & interfaces | | Carbon footprint | |
| Built-in USB hub * | X | Total carbon footprint (kg of CO2e) | 335 |
| VGA (D-Sub) ports quantity DVI port | 1 X | Total carbon emissions, standard deviation (kg of CO2e) | 66 |
| HDMI * DisplayPorts quantity | X 1 | Carbon emissions, manufacturing (kg of CO2e) | 302 |
| Audio input | × | Carbon emissions, logistics (kg of CO2e) | 27 |
| Headphone out * AC (power) in | X ✓ | Carbon emissions, energy usage (kg of CO2e) | 124 |
| Ergonomics | | Carbon emissions, end-of-life (kg of CO2e) | 2 |
| VESA mounting * | ✓ | Total carbon emissions, w/o use | 220 |
| Panel mounting interface | 100 x 100 mm | phase (kg of CO2e) | 330 |
| Cable lock slot * | ✓ | PAIA version | 9/5/2018 |
| Cable lock slot type | Kensington | Other features | |
| Height adjustment * Pivot | X X | On/off switch | ✓ |
| Swivelling | â | TV tuner integrated | × |
| Tilt adjustment | 7 | Compliance certificates | RoHS |
| Tilt angle range | -5.5 - 22° | Dell E-Value Code | E1715S |
| On Screen Display (OSD) | √ | Certification | CEL, TCO, VESA EDID |
| Plug and Play | * | Brand-specific features | |
| Power | | Dell Display Manager (DDM) compatibility | ✓ |
| Energy efficiency class (SDR) * | D | Thin Client | |
| Energy efficiency class (HDR) * | Not available | Thin client installed | × |
| Energy consumption (SDR) per 1000 hours * | 9 kWh | | |
| Power consumption (typical) * | 9 W | Logistics data | 05205210 |
| | | Harmonized System (HS) code | 85285210 |









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.