Verbatim
Technology you can trust

# PM-14

## Portable Monitor Full HD 1080p 14"

- Screen size 14"
- 1080 FULL HD — Full High Definition
- 16.7M — 16.7 Million colours
- IPS — In-Plane switching technology

## Expanded viewing

The Verbatim Portable Monitor gives you an extra dimension for your work and play. You can use it as a second screen for your laptop when you are travelling or giving one-on-one presentations, or to provide a large additional display for your phone, tablet, or portable gaming system*. Compact and versatile, the portable monitor gives you ultimate flexibility for increased productivity and entertainment while on the go.

The portable 14” display weighs only 540g and has a 6mm slim profile, 12mm at the base, so it fits easily in any travel bag. It’s the ideal solution to help you overcome one-screen limitations outside the office, extending your visual experience, anytime and anywhere.

* Ensure your device has a USB-C port supporting DisplayPort Alt Mode and power delivery.

www.verbatim.com

Verbatim
Technology you can trust

# PM-14

## Portable Monitor Full HD 1080p 14"

| General Information | | | |
|---|---|---|---|
| Approx. product dimensions WxHxD | 322 x 205 x 6/12mm (Min/Max) | | |
| Material | Panel: a-Si TFT-LCD; Monitor casing: Plastic; Sleeve: Neoprene | | |
| Colour | Black | Product weight (grams) approx | 540 |
| Tilt | 0° to 85° tilt | Pivot | NA |
| VESA mounting | NA | Kensington lock | NA |
| Swivel | NA | Portrait mode | NA |

| Display | |
|---|---|
| Panel type | IPS technology |
| Display size | 14" LED-Backlight |
| Brightness (typical) | 220-250 cd/m$^2$ (typical) |
| NTSC | 45% NSTC |
| Contrast (typical) | 1000:1 (typical) |
| Active area (mm) | 309.31 × 173.99 mm (H×V) |
| Pixel pitch (mm) | 0.1611 × 0.1611 mm (H×V) [157PPI] |
| Resolution (H x V) | 1920 x 1080 |
| Aspect ratio | 16:9 |
| Response time (typical) | Response time (typical GTG): 6ms<br>Response time (typical Tr+Tf): 11+9 ms<br>Response time (BtW): 10 ms |
| View angles LR,DU (CR>10) | H 178°/ V 178°(Min) |
| Panel surface | Matt |
| Display colours | 16.7M colours |

| PC Input Range | |
|---|---|
| Vertical frequency | 30 to 60Hz |
| Maximum display frequency | 1920 x 1080 / 60Hz (Resolution H*V/Fv) |

| Input/Output | |
|---|---|
| USB-C1/2 | 2 x USB-C supporting DisplayPort Alt Mode |
| HDMI | 1 x Standard HDMI (1.4) |
| USB-A | 1 x USB-A 2.0 |
| Earphone | 1 x 3.5 mm Audio jack |
| Speaker (typical ) | 2 x 1W (8Ω) |

| Power | |
|---|---|
| Consumption (typical) | On: ≤12W; Standby≤0.5W, Off≤0.5W |
| PD power | PD 5V3A (15W), 9V3A (27W), 12V3A (36W), 15V3A (45W), max. 20V 3.25A (65W) |
| Power mode indicator light | Power on: BLUE (LED) / Power saving: RED (LED) |
| Battery | N/A |

| Controls | |
|---|---|
| Physical controls | Power & Menu button; Up button (+), Down button (-) |
| On screen display | Picture adjust, Colour adjust, Audio adjust, Other settings (Language selection (EN, FR, DE, ES, IT, RUS), HDR, Reset), Signal source selection |
| Colour temperature | 9300K / 6500K / SRGB / User Mode (default 7500K) |
| Preset mode | Standard, Game, Movie, Photo, Vivid, User |

# PM-14

## Portable Monitor Full HD 1080p 14"

Verbatim
Technology you can trust

| Other Features | |
|---|---|
| Stand | Built-in kickstand, Tilt: from 0° up to 85° |
| Supported technology | IPS; HDR; FreeSync; Low blue light |
| EU energy class | A |
| **Compliance** | |
| EC declaration of conformity | The products here listed are in compliance with the requirements set out in the Council directive on the Approximation of the Laws of the Member States. |
| Electromagnetic compatibility | 2014/30/EC |
| Low voltage protection | 2014/35/EC |
| RoHS directive | 2011/65/EC |
| Standards | EN IEC 62368-1:2020 + A11:2020<br>EN 55032:2015 + A1:2020 + A11:2020<br>EN 55035:2017 + A11:2020 |
| **Storage and Operating Conditions** | |
| Storage temperature | -20°C to 60°C |
| Operating temperature | 0°C to 40°C |
| Operating humidity | 20% to 85% RH non-condensing |

| PN | Description | Bar Code | EAN128 Code | EAN14 Code |
|---|---|---|---|---|
| 49590 | Verbatim PM-14 Portable Monitor 14" Full HD 1080p | 023942495901 | (02)00023942495901(37)02(91)491<br>(02)00023942495901(37)06(91)491 | 20023942495905<br>50023942495906 |

| Logistic Information | |
|---|---|
| Pack dimensions LxWxH | 256 x 430 x 58 mm |
| Pack weight | 1 690 g |
| Pcs per pack | 1 |
| Inner cartons dimensions LxWxH | 442 x 132 x 280 mm |
| Inner cartons weight | 3 800 g |
| Pack per Inner Carton | 2 |
| Outer cartons dimensions LxWxH | 460 x 422 x 300 mm |
| Outer cartons weight | 11 880 g |
| Pcs per outer carton | 6 |
| Outer carton per layer | 4 Layers x 4 Outer Cartons + 3 Layers x 2 Outer Cartons |
| Layers per pallet | 7 (4+3) |
| Outer Carton per pallet | 22 |
| Pcs per pallet | 132 |

RoHS REACH

# PM-14

## Portable Monitor Full HD 1080p 14"

Verbatim
Technology you can trust

Front

Angled

Right side

Back angled

Pack content

Packaging 3D

Monitor with laptop

Monitor with tablet

Monitor with smartphone


Neoprene sleeve

Lifestyle 1


Lifestyle 2

**Pack Contents:**

- Verbatim PM-14 Portable Monitor 14" Full HD 1080p
- USB-C to USB-C cable 1.0m
- HDMI-HDMI cable 1.5m
- USB-A to USB-C cable 1.5m
- EU power supply with UK adapter (5V 3A)
- Neoprene protection leeve
- Quick start guide

**System Requirements**

- Interface:
  HDMI (power supply required, included)
  USB-C supporting DisplayPort Alt Mode
- OS Compatibility:
  Android OS, Windows 11/10/8
  Mac OS, iOS (adapter required for Lightning devices, not included.

**Warranty**

- 2 year limited warranty

For more information, please contact your key account manager

Publication date: 07-12-2023
© 2023 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.