


USB-C to Dual-HDMI Adapter - USB-C or A to 2x HDMI - 4K 60Hz - 100W Power Delivery Pass-Through - 1ft (30cm) Built-in Cable - USB to HDMI Multi-Monitor Converter for Laptop

**Product ID:** 109B-USBC-HDMI



Connect two 4K 60Hz HDMI displays to the USB Type-C or Type-A port of a laptop/desktop computer, using this USB-C to Dual-HDMI Adapter.

The USB video adapter features USB Power Delivery (PD) 3.0 pass-through (up to 100W), enabling powering and charging of a laptop when connected to a USB-C power adapter. The adapter runs on USB bus-power when no USB-C power adapter is connected. PD 3.0 features Fast Role Swap (FRS) that prevents USB data disruption when USB-C power is disconnected and the adapter switches to USB bus power.

The USB multi-monitor adapter is DisplayLink Certified and supports high-performance dual-monitor 4K 60Hz video resolutions with an integrated DisplayLink DL-6950 Controller.

The USB video adapter is compatible with Windows, macOS, Ubuntu, and Chrome OS. The integrated USB-C to USB-A adapter enables the flexibility of connecting to any host that is running a compatible operating system. The built-in 1ft (30cm) USB-C/A cable is ideal for on the go use. The length of the cable and the strain reliefs reduce connector/port strain.

This product is backed for 3-years by StarTech.com, including free 24/5 multi-lingual technical assistance.

## Certifications, Reports and Compatibility





## Applications

- Run multiple applications on extended HDMI displays while charging the laptop
- Add multi-monitor capabilities, utilizing a single USB-C or USB-A connection
- Add two external displays to a workstation

## Features

- **USB TO DUAL HDMI:** This USB-C or USB-A to Dual-HDMI Adapter adds up to two 4K 60Hz HDMI monitors to a computer; 100W Power Delivery pass-through with up to 90W host charging; 5.1ch HDMI Audio; 2x DisplayLink based HDMI Outputs
- **APPLE M1/M2 COMPATIBLE:** Works with macOS enabling extended dual displays on USB-C and Thunderbolt 3/4 laptops including Apple M1 / M2 MacBooks which are not natively capable of driving more than one external display; Requires Driver Download for macOS
- **DISPLAYLINK CERTIFIED:** Universal Adapter works w/ Windows, macOS, Ubuntu, and ChromeOS; Automatic driver install in Windows & ChromeOS; Works with USB 3.2 Gen 1 (5Gbps), USB-C, USB4, Thunderbolt 3/4; 1ft/30cm built-in cable to reduce port/connector strain
- **EXTERNAL VIDEO GRAPHICS ADAPTER:** Connect additional displays when extra video ports are not available on the laptop or dock; Use with two external monitors and a workstation laptop screen; Ideal for business productivity apps, not ideal for gaming
- **RELIABLE PERFORMANCE:** USB bus powered or 100W PD pass-through (10W reserved for adapter + 90W for laptop charging); Prevents device dropouts, video flickering, and power overdraw; Aluminum enclosure provides EMI shielding and helps with heat dissipation

---

## Hardware

|                           |                       |
|---------------------------|-----------------------|
| Warranty                  | 3 Years               |
| Active or Passive Adapter | Active                |
| AV Input                  | USB-C                 |
|                           | USB 3.2 Gen 1 (5Gbps) |
| Ports                     | 2                     |
| AV Output                 | HDMI                  |
| Audio                     | Yes                   |



|                  |                      |
|------------------|----------------------|
| USB Pass-Through | No                   |
| Chipset ID       | DisplayLink - DL6950 |

---

### Performance

|                             |  |
|-----------------------------|--|
| Maximum Digital Resolutions | 3840 x 2160 @ 60Hz   |
| Supported Resolutions       | 3840x2160, 2560x1440, 1920x1080, 1600x900, 1280x720<br/><br/><i>Lower resolutions may be supported</i> |
| Wide Screen Supported       | Yes  |
| Audio Specifications        | HDMI - 5.1 Channel Audio   |

---

### Connector(s)

|             |   |
|-------------|---|
| Connector A | 1 - USB 3.2 Type-C (Power Delivery + Data, 24 Pin, Gen 1, 5 Gbps)<br><br>1 - USB Type-A (9 pin, 5 Gbps) |
| Connector B | 2 - HDMI<br><br>1 - USB Type-C (24 pin) USB Power Delivery Only   |

---

### Software

|                  |   |
|------------------|---|
| OS Compatibility | Windows 7, 8, 8.1, 10, 11 <br/>macOS 10.11 - 10.12, 10.14 - 10.15, 11.0, 12.0, 13.0 <br/>Ubuntu 18.04, 20.04 <br/>ChromeOS v55+ |
|------------------|---|

---

### Special Notes / Requirements

|      |  |
|------|--|
| Note | USB Power Delivery is only available when a USB-C power adapter is connected to the PD pass-through port<br><br>USB-C Power Delivery is not available if using the USB-C to USB-A dongle |
|------|--|

---

### Power

|                                    |  |
|------------------------------------|--|
| Power Source                       | Bus Powered and Host USB-C Power Adapter |
| Laptop Charging via Power Delivery | 90W                                      |
| Power Consumption (In Watts)       | 10W                                      |

---

### Environmental



|                       |                           |
|-----------------------|---------------------------|
| Operating Temperature | 0C to 40C (32F to 104F)   |
| Storage Temperature   | -20C to 70C (-4F to 158F) |
| Humidity              | 20 to 80% RH              |

**Physical Characteristics**

|                   |                      |
|-------------------|----------------------|
| Color             | Gray                 |
| Material          | Aluminum and Plastic |
| Cable Length      | 11.8 in [30 cm]      |
| Product Length    | 4.4 in [11.3 cm]     |
| Product Width     | 2.4 in [6.0 cm]      |
| Product Height    | 0.6 in [1.5 cm]      |
| Weight of Product | 4.3 oz [121.0 g]     |

**Packaging Information**

|                           |                  |
|---------------------------|------------------|
| Package Quantity          | 1                |
| Package Length            | 2.4 in [6.0 cm]  |
| Package Width             | 4.5 in [11.4 cm] |
| Package Height            | 0.6 in [1.6 cm]  |
| Shipping (Package) Weight | 6.4 oz [180.0 g] |

**What's in the Box**

|                     |                                 |
|---------------------|---------------------------------|
| Included in Package | 1 - USB-C/USB-A to HDMI Adapter |
|                     | 1 - Quick-Start Guide           |

*\*Product appearance and specifications are subject to change without notice.*

