

## BenQ LK935 data projector Standard throw projector 5500 ANSI lumens DLP UHD 4K (3840x2160) 3D White

Brand : BenQ

Product code: 9H.JS277.14E

Product name : LK935

BenQ LK935. Projector brightness: 5500 ANSI lumens, Projection technology: DLP, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focal length range: 8.6 - 9.4 mm, Zoom ratio: 1.6:1, Throw ratio: 1.36 - 2.18. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0b





Projector		Ports & interfaces	
Smart projector * Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours	<ul> <li>X</li> <li>3810 - 5080 mm (150 - 200")</li> <li>5500 ANSI lumens</li> <li>DLP</li> <li>UHD 4K (3840x2160)</li> <li>3000000:1</li> <li>16:9</li> <li>1.07 billion colours</li> </ul>	S/PDIF out port HDMI ports quantity * 3D sync port 3G-SDI input 3G-SDI output AC (power) in DC-in jack Audio Return Channel (ARC)	
Vertical scan range	15 - 135 Hz	Network	
3D vertical scan range Keystone correction, horizontal Keystone correction, vertical Colour gamut	23 - 240 Hz -30 - 30° -30 - 30° 92%	Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi *	✓ 1 ★
Light source	5270	Features	
Light source Light source type * Service life of light source *	Laser 20000 h	HDCP HDCP version	<b>√</b> 2.2
Service life of light source (economic mode)	30000 h	<b>Multimedia</b> Built-in speaker(s) *	4
Lens system		RMS rated power	10 W
Focal length range	8.6 - 9.4 mm	Number of built-in speakers	1
F-number (relative aperture) Zoom capability Zoom ratio Throw ratio	1.809 ✓ 1.6:1 1.36 - 2.18	Design Market positioning * Product type * Product colour *	Business Standard throw projector White
Horizontal lens shift range Vertical lens shift range	-23 - 23% -60 - 60%	Display	
Video	-00 - 00 %	Built-in display *	×
Full HD *	1	Power	
3D * Supported graphics resolutions	✔ 640 x 480 (VGA), 3840 x 2160	Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (max)	AC 405 W 0.5 W 520 W

Ports & interfaces		Power	
HDMI connector type	Full-size	AC input voltage	100 - 240 V
HDMI version	2.0b	AC input frequency	50/60 Hz
HDBaseT port	1	Cord length	1.8 m
USB 2.0 ports quantity *	1	Operational conditions	
USB 2.0 Type-A ports quantity	1	• Operating temperature (T-T)	0 - 40 °C
Audio (L/R) in *	1		0-40 C
Audio (L/R) out	1	Weight & dimensions	
Serial interface type *	RS-232	Width	416 mm
VGA (D-Sub) ports quantity *	1	Depth	351 mm
		Height	166 mm
		Weight *	7 kg

Technical details Image lag time

Other features

Security updates end date

33.4 ms

31/12/2026





4718755091902

0840046048891



840046048891

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.