


NETGEAR GS724TP-300EUS network switch Managed L2/L3/L4 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Blue

Brand: NETGEAR **Product code**: GS724TP-300EUS

Product name: GS724TP-300EUS







Management features		Security	
Switch type *	Managed	SSH/SSL support	✓
Switch layer	L2/L3/L4	Multicast features	
Quality of Service (QoS) support	✓	Multicast support	1
Web-based management	√	Number of multicast groups filtered	128
System event log	✓	Protocols	
Ports & interfaces		Management protocols	SNMP v1/v2/v3
Basic switching RJ-45 Ethernet ports quantity *	24	Design	314111 V1/V2/V3
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Rack mounting * Stackable *	1
SFP module slots quantity	2	Product colour	Blue
Power connector	DC-in jack	LED indicators	Activity, Link, Speed
Network		Number of fans	3 fan(s)
Networking standards *	IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE	Performance	
		Firmware upgradeable	✓
	802.3ae, IEEE 802.3x, IEEE 802.3z	Mean time between failures (MTBF)	634966 h
10G support *	10000CFT 10000CFT 10000CFTV	Power	
Copper ethernet cabling technology	10BASE-T, 100BASE-T, 100BASE-TX, 1000BASE-T	Power supply included *	✓
Port mirroring	✓	AC input voltage	100 - 240 V
Full duplex	✓	Power consumption (max)	446.7 W
IP routing	✓	Power over Ethernet (PoE)	
Flow control support	√	Power over Ethernet (PoE) *	✓
Link aggregation	V	Total Power over Ethernet (PoE)	380 W
Broadcast storm control Spanning tree protocol	√	budget	300 W
VLAN support	V	Operational conditions	
Number of VLANs	64	Operating temperature (T-T)	0 - 50 °C
Optical fiber		Storage temperature (T-T)	-20 - 70 °C
Fiber ethernet cabling technology	1000BASE-LX, 1000BASE-SX	Operating relative humidity (H-H)	0 - 90%
3 3,	1000BASE-EX, 1000BASE-SX	Storage relative humidity (H-H)	0 - 95% 0 - 3000 m
Data transmission	F2 Chitte	Operating altitude	0 - 3000 III
Switching capacity * MAC address table *	52 Gbit/s	Weight & dimensions	
Store-and-forward	8000 entries	Width	440 mm
Number of queues	8	Depth	204 mm
or queues		Height	43 mm
Number of static routes	32	-	2.7 1.0
Number of static routes Jumbo frames support	32 •	Weight	3.7 kg

Data transmission		Packaging content	
Packet buffer memory	0.512 MB	Cables included	AC
Security		Quick start guide	✓
DHCP features	DHCP client	User guide	✓
Access Control List (ACL)	1	Manual	✓
IGMP snooping	*	Certificates	
Security algorithms MAC address filtering	802.1x RADIUS, HTTPS, SSL/TLS ✓	Certification	CE, FCC, VCCI, EN, C-Tick, CCC, CSA, UL/cUL, IEC





606449162660

0606449162660



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.