

Viewsonic LS740W data projector Standard throw projector 5000 ANSI lumens WXGA (1200x800) White

Brand : Viewsonic

Product code: LS740W

Product name : LS740W

- 3rd generation laser phosphor technology with up to a 30,000-hour lifespan

- 5,000 ANSI Lumens offering bright images in any environment

- Up to 300" ultra large screen with lower cost-per-inch

- Compact size and light weight reducing cost of transportation and installation

- Installation flexibility: 1.3x optical zoom, H/V keystone, 360° projection, and portrait mode
Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg
Viewsonic LS740W. Projector brightness: 5000 ANSI lumens, Projector native resolution: WXGA
(1200x800), Contrast ratio (typical): 3000000:1. Light source type: Laser, Service life of light source:
20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 7.51
mm, Zoom type: Manual. Analog signal format system: NTSC, PAL, SECAM, Supported video modes:
480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type:
Full-size, Service port type: USB Type-A





Projector		Network	
Smart projector *	×	Wi-Fi *	×
	1016 - 7620 mm (40 - 300")	Storage	
Projection distance	0.43 - 3.25 m	Card reader integrated *	x
Projector brightness *	5000 ANSI lumens	Features	~
Projector native resolution *	WXGA (1200x800)		M
Contrast ratio (typical) *	3000000:1 16:9	Interactive *	× 29 dB
Native aspect ratio * Number of colours	10:9 1.07 billion colours	Noise level (economic mode) HDCP	29 UB
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD)	4 1
Vertical scan range	23 - 120 Hz	on screen Display (05D)	• Danish, German, Hungarian, Arabic,
Keystone correction, horizontal	-15 - 15°		Dutch, Norwegian, English,
Keystone correction, vertical	-15 - 15°		Indonesian, Swedish, Spanish, Italian, Polish, Thai, Japanese,
Light source		On Screen Display (OSD) languages	
•	Leave		Simplified Chinese, Finnish, Korean,
Light source type *	Laser 20000 h		Russian, Vietnamese, Traditional Chinese, French, Greek, Czech,
Service life of light source * Service life of light source	20000 11		Slovak
(economic mode)	30000 h	Number of OSD languages	27
Lens system		HDCP version	1.4/2.2
Focus *	Manual	Noise level *	32 dB
Fixed focal length	7.51 mm	Multimedia	
F-number (relative aperture)	2.8	Built-in speaker(s) *	1
Zoom capability	1	RMS rated power	30 W
Zoom type	Manual	Number of built-in speakers	2
Digital zoom	2x	Design	
Throw ratio	0.49	Market positioning *	Business
Offset	132%	Product type *	Standard throw projector
Video		Product colour *	White
Analog signal format system *	NTSC, PAL, SECAM	Cable lock slot	1
Full HD *	1	Cable lock slot type	Kensington
3D *	×	Display	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p	Built-in display *	×
Ports & interfaces		Power	
	Full cizo	Power source *	AC
HDMI connector type HDMI version	Full-size 2.0	Power consumption (typical) $*$	245 W
	7 M		
		Power consumption (standby) *	0.5 W
Service port type USB 2.0 ports quantity *	USB Type-A 1	Power consumption (standby) * AC input voltage	0.5 W 100 - 240 V

Ports & interfaces		Operational conditions	
USB 2.0 Type-A ports quantity 1 Serial interface type * RS-232 PC Audio out HDMI ports quantity * 2 DVI port * X	1	Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
	Width Depth	337 mm 265 mm	
AC (power) in	4	Height Weight *	131.5 mm 4.5 kg
Network		Package width	496 mm
Smart TV *	×	Package depth	195 mm
Ethernet LAN *	1	Package height	387 mm
Ethernet LAN (RJ-45) ports	1	Package weight	6.6 kg
		Packaging content	

Remote control included *

Quick start guide

Technical details Image lag time

Warranty card

Logistics data Quantity per pack ∢

∢

1

49.9 ms

1 pc(s)





766907022599

0766907022599

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.