

Samsung Galaxy Tab S9 FE 5G Samsung Exynos LTE 128 GB 27.7 cm (10.9") 8 GB Wi-Fi 6 (802.11ax) Android 13 Grey

Brand : Samsung **Product family:** Galaxy Tab S9 **Product code:** SM-X516BZAAEUB

Product name: FE

- 10.9" 90Hz LCD Display
- The families most useful S $\mbox{\sc Pen}$
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X516BZAAEUB

Samsung Galaxy Tab S9 FE. Display diagonal: 27.7 cm (10.9"), Display resolution: 2304 x 1440 pixels, Display technology: LCD. Internal storage capacity: 128 GB. Processor family: Samsung Exynos, Processor model: 1380. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Front camera resolution (numeric): 12 MP. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Assisted GPS (A-GPS). Card reader integrated. Weight: 524 g. Operating system installed: Android 13. Product colour: Grey





Display		Battery	
Display diagonal *	27.7 cm (10.9")	Battery included	1
Display resolution *	2304 x 1440 pixels	Battery capacity *	8000 mAh
Display technology	LCD	Number of battery cells	2
Panel type	TFT	Battery voltage	10 V
Display brightness	600 cd/m ²	Battery weight	117.5 g
Display glass type	Gorilla Glass	Fast charging	1
Anti-glare screen	×	Battery recharge time	1.48 h
Pixel density	249 ppi	Battery life (max)	18 h
HD type	WUXGA+	Continuous video playback time	18 h
Native aspect ratio	16:10	Continuous audio playback time	113 h
Display number of colours	16 million colours	Browsing time (Wi-Fi)	16 h
Processor		Browsing time (4G)	16 h
Processor manufacturer *	Samsung	Rechargeable battery	✓
Processor family *	Samsung Exynos	Battery level indicator	1
Processor model *	1380	Power	
Processor cores	8	AC adapter power	45 W
Processor code	1380	Weight & dimensions	
Memory		Width	254.3 mm
Internal memory *	8 GB	Depth	6.5 mm
-		Height	165.8 mm
Storage		Weight	524 g
Internal storage capacity *	128 GB	Package width	273.9 mm
Card reader integrated *	✓	Package depth	184.5 mm
Compatible memory cards	MicroSD (TransFlash)	Package height	21.4 mm
Maximum memory card size	1 TB	Package weight	790 g
Graphics		Packaging content	
Graphics card	Mali-G68	Keyboard included	×
Audio		Stylus pen	7
Built-in speaker(s)	✓	Cables included	USB
Built-in microphone	✓	Headphones included	×
Number of built-in speakers	2	Quick start guide	✓
Speakers manufacturer	AKG	Warranty card	✓
Audio system	Dolby Atmos	Supplier features	
		• •	

Camera			Logistics data	
Rear camera		✓	Products per shipping (inner) case	1 pc(s)
Rear camera type *	Single camera		Shipping (inner) cases per master	10 pc(s)
Rear camera resolution (nun	•		(outer) case	27.4 cm
Rear camera aperture numb			Shipping (inner) case length Shipping (inner) case width	18.4 cm
Built-in camera	(50) ()		Shipping (inner) case height	2.14 cm
Rear camera field of view (Fi	r camera field of view (FOV) 75°		Quantity per pack	1 pc(s)
Digital zoom	4x		Pallet net height	120 cm
Auto focus ✓		Pallet net length	115.8 cm	
Panorama ✓		Pallet net width	80 cm	
Rear camera flash	·		Pallet net weight	412 kg
Video recording	√		Pallet weight (US)	412 kg
Maximum video resolution	•		Layers per pallet (US)	5 pc(s)
Resolution at capture speed 384		3840x2160@30fps	Master (outer) cases per pallet layer	10 pc(s)
Face detection		✓	(US)	
Front camera *		✓	Products per pallet (US)	500 pc(s)
Second camera resolution		12 MP	Pallet gross width	120 cm
Front camera resolution (nur	meric)	12 MP	Pallet gross length	80 cm
Front camera aperture numb	ber	2.4	Pallet gross height	115.8 cm
Front camera field of view (F	OV)	120°	Pallet gross weight	412 kg
angle			Products per pallet Products per pallet layer	500 pc(s) 100 pc(s)
Network Mehilo network generation	5G		Layers per pallet	5 pc(s)
Mobile network generation Mobile network connection *	√		Master (outer) cases per pallet layer	·
4G standard	LTE		Master (outer) case width	282 mm
Bluetooth	√		Master (outer) case length	226 mm
Bluetooth version Top Wi-Fi standard *	5.3 Wi-Fi 6 (8	302.11ax)	Master (outer) case height	201 mm
Wi-Fi standards	802.11a,	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5	Master (outer) case gross weight	8.24 kg
Wi-Fi Direct	(802.11a ✓	c), Wi-Fi 6 (802.11ax)	Products per master (outer) case	10 pc(s)
Near Field Communication (NFC)	X		Harmonized System (HS) code	8471300000
4G LTE	✓		Other features	
3G bands supported		1900,2100 MHz 850.900.1500.1800.1900.2100.2300.2500.2600		AZDD
4G bands supported	700,800, MHz	850,900,1500,1800,1900,2100,2300,2500,2600	Bluetooth profiles	A2DP
	700,800, MHz		Bluetooth profiles SIM card support	×
4G bands supported 5G bands supported Dual SIM support	700,800, MHz 700,800, MHz ✓	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH)	X 273.9 x 184.5 x 21.4 mm
4G bands supported 5G bands supported	700,800, MHz 700,800,	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight	X 273.9 x 184.5 x 21.4 mm 8.7 g
4G bands supported 5G bands supported Dual SIM support	700,800, MHz 700,800, MHz ✓	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH)	X 273.9 x 184.5 x 21.4 mm
4G bands supported 5G bands supported Dual SIM support SIM card type	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 Bluetooth	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 Bluetooth	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV)	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type *	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth Mobile tablet	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor *	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable	X 273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP)	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP)	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) *	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite)	700,800, MHz 700,800, MHz ✓ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓ ✓ ✓
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓ ✓ ✓
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite)	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo Buttons 234.87 x 146.79 mm C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo Buttons 234.87 x 146.79 mm C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster (QZSS)	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓ ✓ ✓ ✓ Aluminium, Glass
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite System (QZSS) Accelerometer	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓ ✓ ✓ Aluminium, Glass Samsung
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantiful Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite System (QZSS) Accelerometer Ambient light sensor	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo Buttons 234.87 x 146.79 mm C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster (QZSS) Accelerometer Ambient light sensor Gyroscope Hall sensor Position location *	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓ ✓ ✓ Aluminium, Glass Samsung No plug 600 cd/m²
4G bands supported 5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite Syster (QZSS) Accelerometer Ambient light sensor Gyroscope Hall sensor	700,800, MHz 700,800, MHz √ NanoSIM	850,900,1500,1800,1900,2100,2300,2500,2600 850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey IP68	Bluetooth profiles SIM card support Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h stereo Buttons 234.87 x 146.79 mm C 6 GB 1.5 h TFT 2304 x 1440 pixels 790 kg

Security		Technical details	
Fingerprint reader	✓	Integrated sensors	Accelerometer, Camera, Gyroscope
Password protection Face recognition	✓	Packaging content	Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card, Ejection
Software		Screen lock	Pin √
Platform *	Android		
Operating system version	13		
Operating system installed *	Android 13		



8806095163321

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.