



DELL P Series P2424HT computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black, Silver

Brand : DELL

Product family: P Series

Product code: DELL-P2424HT

Product name : P2424HT

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 300cd/m², 1000:1

- USB, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL P Series P2424HT computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black, Silver:

23.8-inch monitor puts productivity in reach with its touch screen, superior connectivity and articulating stand.

DELL P Series P2424HT. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Swivelling	✓
Display resolution *	1920 x 1080 pixels	Swivel angle range	-30 - 30°
HD type *	Full HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 60°
Display technology *	LCD	On Screen Display (OSD)	✓
Panel type *	IPS	Plug and Play	✓
Backlight type	LED	LED indicators	✓
Touchscreen *	✓	Power	
Display brightness (typical)	300 cd/m ²	Energy efficiency class (SDR) *	E
Response time *	8 ms	Energy efficiency class (HDR) *	Not available
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	18 kWh
Screen shape *	Flat	Power consumption (typical) *	18 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Power consumption (standby) *	0.5 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	190 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	16.78 million colours	Power supply type	Internal
Response time (fast)	5 ms	Energy efficiency scale	A to G
Pixel pitch	0.2745 x 0.2745 mm	European Product Registry for Energy Labelling (EPREL) code	1465328
Pixel density	93 ppi	Operational conditions	
Horizontal scan range	30 - 88 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 75 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	52.7 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size, vertical	29.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size diagonal	60.5 cm	Operating altitude	0 - 5000 m
Display diagonal (metric)	60.47 cm	Non-operating altitude	5000 - 12192 m
High Dynamic Range (HDR) supported	✗		

Display		Weight & dimensions	
Surface hardness	3H	Width (with stand)	538.8 mm
Colour depth	6 bit	Depth (with stand)	248.9 mm
sRGB coverage (typical)	99%	Height (with stand)	431.5 mm
Performance		Weight (with stand)	7.86 kg
Low Blue Light technology	✓	Width (without stand)	538.8 mm
Multimedia		Depth (without stand)	54.1 mm
RMS rated power	3 W	Height (without stand)	321 mm
Built-in speaker(s) *	✓	Weight (without stand)	3.86 kg
Built-in camera *	✗	Bezel width (side)	5.88 mm
Design		Bezel width (top)	5.87 mm
Market positioning *	Business	Bezel width (bottom)	1.86 cm
Product colour *	Black, Silver	Packaging data	
Front bezel colour	Black	Package weight	10.8 kg
Feet colour	Silver	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
USB upstream port type	USB Type-C	Power adapter included	✓
Number of USB Type-C upstream ports quantity	1	Remote control included	✗
USB Type-A downstream ports quantity	2	Stylus included	✗
USB Type-C downstream ports quantity	1	Quick start guide	✓
USB Type-C DisplayPort Alternate Mode	✓	DisplayPort cable length	1.8 m
USB Power Delivery	✓	Sustainability	
USB Power Delivery up to	90 W	Sustainability compliance	✓
HDMI *	✓	Sustainability certificates	ENERGY STAR
HDMI ports quantity	1	Doesn't contain	PVC/BFR
HDMI version	1.4	Carbon footprint	
DisplayPorts quantity	1	Total carbon footprint (kg of CO2e)	633
DisplayPort version	1.2	Total carbon emissions, standard deviation (kg of CO2e)	149
Headphone out *	✓	Carbon emissions, manufacturing (kg of CO2e)	397
Headphone connectivity	3.5 mm	Carbon emissions, logistics (kg of CO2e)	53
Microphone in	✗	Carbon emissions, energy usage (kg of CO2e)	177
PC Audio in	✗	Carbon emissions, end-of-life (kg of CO2e)	6
HDCP	✓	Total carbon emissions, w/o use phase (kg of CO2e)	456
HDCP version	1.4	PAIA version	1.3.2
AC (power) in	✓	Other features	
Network		RJ-45 ports quantity	1
Wi-Fi	✗	Heavy metals free	Hg (mercury)
Ergonomics		Compliance certificates	RoHS
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	11.1 cm		
Pivot	✗		



5397184821367

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date