



Lindy 30W USB Type A and C Charger UK Plug

Brand : Lindy

Product code: 73425

Product name : 30W USB Type A and C Charger UK Plug

UK Plug, 30 W, USB C, USB A, 100-240VAC, 50/60Hz 0.6A, PD 3.0, 40 g

Lindy 30W USB Type A and C Charger UK Plug:

The Lindy 30W USB Type A & C PD Charger can charge two devices simultaneously. 30W Power Delivery are supported by the USB Type C port while the USB Type A port provides fast charging with up to 18W. When both ports are used in parallel a maximum power of 15W will be provided.

Featuring both a USB Type C female and a USB Type A female port this charger is ideal for use with most popular smartphones and iOS devices. Supporting power delivery of 30W, connected devices can be provided with faster charging than what is possible from a standard Type C or A charger supplied with many devices.

For safe charging the device includes overcharge, overcurrent, overtemperature and short circuit protection. As this charger is rated at Level 6 for efficiency, it also meets the highest current level of energy efficiency standards.



Performance		Power	
Charger compatibility *	Universal	Output current (20V)	1.5 A
Power source type *	AC	Power consumption (no load)	0.1 W
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Average active efficiency	81.38%
USB Type-C ports quantity	1	Efficiency at low load (10%)	✓
Fast charging	✓	Compatible power plug types	UK
Fast charging technology	Power Delivery 3.0	Weight & dimensions	
Charger type *	Indoor	Width	26.8 mm
Number of simultaneously connected devices (max) *	2	Depth	85.3 mm
USB Power Delivery	✓	Height	41.6 mm
USB Power Delivery revision	3.0	Weight	40 g
Power protection features	Over current, Overheating, Over voltage, Short circuit	Packaging data	
Design		Package type	Box
Product colour *	White	Package width	80 mm
Housing material	Polyvinyl chloride (PVC)	Package depth	100 mm
Connector material	Copper	Package height	45 mm
		Package weight	60 g
Power		Operational conditions	
Input voltage	100 - 240 V	Operating temperature (T-T)	0 - 25 °C
Input frequency	50 - 60 Hz	Storage temperature (T-T)	-20 - 70 °C
Input current	0.6 A	Operating relative humidity (H-H)	0 - 90%
Maximum power	30 W	Storage relative humidity (H-H)	20 - 90%
Maximum output voltage	20 V	Packaging content	
Minimum output voltage	5 V	Manual	✓
Output voltage accuracy (±)	5%	Technical details	
Output current (5V)	3 A	Sustainability compliance	✓
Output current (9V)	3 A	Sustainability certificates	ErP
Output current (12V)	2.5 A	Compliance certificates	CE, REACH, RoHS, UKCA

Power

Output current (15V) 2 A



4002888734257

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date