



## iiyama TW2424AS-W1 Signage Display Digital signage flat panel 60.5 cm (23.8") Wi-Fi 250 cd/m<sup>2</sup> 4K Ultra HD Black Touchscreen Built-in processor Android 24/7

Brand : iiyama


Product code: TW2424AS-W1

Product name : TW2424AS-W1

23.8", 60.5cm, 1920 x 1080 IPS, Direct LED, 16:9, 4250 cd/m<sup>2</sup>, 1000:1, HDMI, USB, RJ45, 549.5 x 336 x 28mm, white

iiyama TW2424AS-W1 Signage Display Digital signage flat panel 60.5 cm (23.8") Wi-Fi 250 cd/m<sup>2</sup> 4K Ultra HD Black Touchscreen Built-in processor Android 24/7:

The ProLite TW2424AS-B1 interactive Touchpanel-PC is a perfect choice for high-use environments. The IPS panel, integrated in a slim and elegant bezel, delivers both excellent colour performance with wide viewing angles and noticeably sharper images. The In-cell 10tp PCAP touch technology ensures a fluid and natural touch experience. This monitor can operate in landscape, portrait and face-up orientation in 24/7 operating time. Thanks to the pre-installed Android 12 operating system, it is possible to easily customize the monitor by installing applications directly to it. In combination with the 32GB storage, Wi-Fi connection, LAN (RJ45) and Bluetooth connectors, it makes the monitor especially suited for POS systems or information points in retail shops to educate customers about your products, as well as virtually limitless smart home applications.



Display		Performance	
Panel type	IPS	HDCP	✓
LED backlighting type	Direct-LED	Mean time between failures (MTBF)	50000 h
Display diagonal *	60.5 cm (23.8")	Power	
Display resolution *	1920 x 1080 pixels	Power consumption (typical) *	19 W
Display brightness *	250 cd/m <sup>2</sup>	Power consumption (standby) *	0.5 W
HD type *	4K Ultra HD	Power consumption (off)	0.3 W
Touchscreen *	✓	AC input voltage	100 - 240 V
Touchscreen technology	Projected capacitive system	AC input frequency	50 - 60 Hz
Number of simultaneous touchpoints	10	Computer system	
Native aspect ratio	16:9	Computer system *	✓
Response time	14 ms	Built-in processor *	✓
Contrast ratio (typical)	1000:1	Processor manufacturer	Rockchip
Viewing angle, horizontal	178°	Processor family	ARM Rockchip
Viewing angle, vertical	178°	Processor model	RK3399
Display number of colours	16.7 million colours	Processor frequency	1.8 GHz
Pixel pitch	0.275 x 0.275 mm	Processor cores	2
Active display area (W x H)	527 x 296.5 mm	Internal memory	4 GB
Display diagonal (metric)	60.5 cm	Internal storage capacity	32 GB
Panel life	50000 h	Operating system installed	Android
Horizontal scan range	31 - 83 kHz	Operating system version	12
Surface hardness	3H	Weight & dimensions	
Ports & interfaces		Display width	549.5 mm
HDMI ports quantity *	1	Display depth	28 mm
HDMI input ports quantity	1	Display height	336 mm
VGA (D-Sub) input ports	1	Display weight	4.23 kg
USB port *	✓	Packaging data	
USB 2.0 Type-B ports quantity	2	Package width	580 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Package depth	126 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Package height	375 mm
Ethernet LAN *	✓	Package weight	6.15 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✓	Remote control included	✓
		Batteries included	✓

Ports & interfaces		Packaging content	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Stylus pen	✓
		Number of stylus pens	4
		Cables included	HDMI, Power, USB
Audio		Certificates	
Built-in speaker(s) *	✓	Certification	CE, EAC, RoHS support, ErP, WEEE, REACH, UKCA
Number of built-in speakers	2		
RMS rated power	5 W		
Design		Features	
Product design *	Digital signage flat panel	Base colour	Black
Placement supported *	Indoor	Base material	Metal
Product colour *	Black	Suitable for indoor use	✓
VESA mounting *	✓	Technical details	
Panel mounting interface	100 x 100 mm	OPS slot	1
Anti-glare screen	✓	Other features	
Performance		Quick start guide	✓
Purpose *	Commercial	Bluetooth	✓
On Screen Display (OSD)	✓	Bluetooth version	5.2
Operating hours (hours/days)	24/7	Power supply type	Internal
		Bluetooth Low Energy (BLE)	✓
		Plug and Play	✓



4948570122950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date