

Brother DCP-L3560CDW LED A4 600 x 2400 DPI 26 ppm Wi-Fi

Brand: Brother Product code: DCPL3560CDWZU1

Product name: DCP-L3560CDW

- Print up to 26 pages per minute
- Gigabit ethernet, 5GHz WiFi and USB
- User-friendly 8.8cm colour touchscreen
- 250 Sheet paper input capacity
- 50 Sheet Automatic Document Feeder (ADF)
- 1,000 Page yield inbox toner, 3,000 page mono 2,300 page colour high yield available A4, Colour, LED, USB, Wired, Wireless, 600×2400 dpi, $410 \times 444 \times 401$ mm, 20kg

Brother DCP-L3560CDW LED A4 600 x 2400 DPI 26 ppm Wi-Fi:

The office and home environment is continuously changing with the goal of increasing efficiency and productivity. Be confident that you have a reliable device that prints quickly and effortlessly, with:

- 2-Sided print, up to 10 sides per minute
- Scan up to 21 images per minute3
- 8.8cm Colour touchscreen
- Gigabit ethernet, 5GHz WiFi and USB
- 512MB Internal memory
- 50 Sheet Automatic Document Feeder (ADF)
- 250 Sheet paper input tray
- Comes with 1,000 black, 1,000 colour page yield toners, 2,300 black, 3,000 colour maximum yield available





| Printing | | Paper handling | |
|---|---|--|--|
| Duplex printing mode Print technology * Printing * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * | Auto LED Colour printing ✓ 600 x 2400 DPI 26 ppm | ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes JIS B-series sizes (B0B9) Envelopes sizes Custom media width Custom media length | A4, A5, A6 B5 Folio, Legal, Letter B5 C5, Com-10, DL, Monarch 76.2 - 216 mm 116 - 355.6 mm |
| Print speed (colour, normal quality, A4/US Letter) | 26 ppm | Ports & interfaces | |
| Time to first page (black, normal) Secure printing | 13.5 s ✓ | Direct printing * USB port USB 2.0 ports quantity | ✓ ✓ 1 |
| Copying | | Network | 1 |
| Duplex copying * Copying * Maximum copy resolution * Scanning Duplex scanning * Scanning * | Colour copying 600 x 600 DPI Colour scanning | Wi-Fi * Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards | 10/100/1000Base-T(X) 10,100,1000 Mbit/s 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Optical scanning resolution (ADF) Scanner type * Scan technology | nner type * Flatbed & ADF scanner | Wi-Fi Direct Security algorithms | ✓ WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP |
| Scan to | E-mail, FTP, File, Network folder | Performance | |
| Input colour depth | 48 bit | Internal memory * | 512 MB |
| Output colour depth Input greyscale depth | 24 bit 16 bit | Design | |
| Output greyscale depth | 8 bit | Product colour * | Black, White |
| Fax | | Market positioning * | Home & office |
| Faxing * | × | Built-in display * Display Control type | ✓ LCD Touch |

| Features | | Design | |
|--|---|--|------------------------|
| Maximum duty cycle * | 3000 pages per month Print | Colour display | ✓ |
| Duplex functions * | | Power | |
| Number of print cartridges * Printing colours * Page description languages | 2 Black, Cyan, Magenta, Yellow BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7 | Power consumption (printing) Power consumption (copying) Power consumption (ready) | 560 W 560 W 70 W |
| Input & output capacity | | Power consumption (sleep) Power consumption (off) | 10 W 0.04 W |
| Total number of input trays * Total input capacity * | 1 250 sheets | Energy Star Typical Electricity Consumption (TEC) | 0.41 kWh/week |
| Total output capacity * | 150 sheets | AC input voltage | 220 - 240 V |
| Auto document feeder (ADF) | ✓ | AC input frequency | 50/60 Hz |
| Auto document feeder (ADF) input capacity | 50 sheets | Weight & dimensions | |
| Paper handling | | Width Depth | 410 mm 444 mm |
| Maximum ISO A-series paper size * | A4 | Height | 401 mm |
| Paper tray media types * | Envelopes, Recycled paper, Thick paper, Thin paper | Weight | 20 kg |
| | | Packaging data | |
| | | Package width | 497 mm |
| | | Package depth | 536 mm |
| | | Package height | 533 mm |
| | | Package weight | 23.3 kg |

