



Brother HL-L3220CW Colour 600 x 2400 DPI A4 Wi-Fi

Brand : Brother

Product code: HLL3220CWZU1

Product name : HL-L3220CW

A4 Colourful and Connected LED Printer

[Brother HL-L3220CW Colour 600 x 2400 DPI A4 Wi-Fi:](#)

Discover fast and flawless colour printing with an LED device. Designed for busy homes and small offices, the HL-L3220CW offers quiet printing without sacrificing quality.

Brother HL-L3220CW. Print technology: LED, Colour. Number of print cartridges: 4. Maximum resolution: 600 x 2400 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 18 ppm. Display: LCD. Wi-Fi. Product colour: Black, White



Printing		Network	
Print speed (colour, normal quality, A4/US Letter)	18 ppm	Wi-Fi *	✓
Colour *	✓	Ethernet LAN *	✗
Print technology *	LED	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum resolution *	600 x 2400 DPI	Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
Print speed (black, normal quality, A4/US Letter) *	18 ppm		
Features		Performance	
Printing colours *	Black, Cyan, Magenta, Yellow	Internal memory *	256 MB
Number of print cartridges *	4	Design	
Page description languages *	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7	Market positioning *	Home & office
Input & output capacity		Product colour *	Black, White
Total number of input trays *	1	Built-in display *	✓
Total input capacity *	250 sheets	Display	LCD
Total output capacity *	150 sheets	Power	
Paper handling		Power consumption (printing) *	430 W
Maximum ISO A-series paper size *	A4	Power consumption (ready)	70 W
Paper tray media types *	Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thick paper, Thin paper	Power consumption (off)	0.04 W
ISO A-series sizes (A0...A9) *	A4, A5, A6	Energy Star Typical Electricity Consumption (TEC)	0.28 kWh/week
ISO B-series sizes (B0...B9)	B5	Weight & dimensions	
Non-ISO print media sizes	Folio, Legal, Letter	Width	399 mm
JIS B-series sizes (B0...B9)	B5, B6	Depth	399 mm
Custom media width	76.2 - 216 mm	Height	239 mm
Custom media length	116 - 355.6 mm	Weight	14.7 kg
Ports & interfaces		Packaging data	
USB port *	✓	Package width	488 mm
USB 2.0 ports quantity	1	Package depth	488 mm
		Package height	370 mm
		Package weight	17.5 kg

Packaging content

Cartridge(s) included	✓
Cables included	AC



4977766823692

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date