

GIGABYTE B650M D3HP AX Motherboard - Supports AMD AM5 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 1

Brand: GIGABYTE Product code: B650M D3HP AX

Product name : B650M D3HP AX Motherboard - Supports AMD AM5 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2

Gen 1

Micro ATX, Socket AM5, AMD B650 chipset, 4x DDR5 DIMM, 7.1-ch audio, Wi-Fi 6E, Bluetooth 5.3, AMI **UEFI BIOS**

GIGABYTE B650M D3HP AX Motherboard - Supports AMD AM5 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *		Socket AM5 AMD Ryzen™ 3, AMD Ryzen™ 5, AMD Ryzen™ 7, AMD Ryzen 9 7th	Headphone outputs Microphone in USB connector type	1 ✓ USB Type-A, USB Type-C
Compatible processor series *			Network	
Maximum number of SMP processors Supported processor sockets		1 Socket AM5	Ethernet LAN Ethernet interface type	2.5 Gigabit Ethernet
		SOCKEL AINS	LAN controller	Realtek RTL8125
Memory Supported memory types * Number of memory slots * Memory slots type Memory channels Non-ECC	DDR5-SDRA 4 DIMM Dual-chann		Wi-Fi * Top Wi-Fi standard Wi-Fi standards	Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4800,5200, MHz	5600,6000,6200,6400,6600,6800,7000,7200,7600	WLAN controller model	Realtek RTL8852CE
Supported memory clock speed (max) Maximum internal memory *	7600 MHz		Bluetooth Bluetooth version	√ 5.3
Unbuffered memory	√		Features	
Storage controllers			Motherboard chipset *	AMD B650
Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported RAID support RAID levels		4	Audio chip Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor *	Realtek ALC897 7.1 channels Brown Fan, Temperature, Voltage PC micro ATX
Graphics			Motherboard chipset family * Windows operating systems	AMD
Parallel processing technology support * Maximum resolution		Not supported	supported	Windows 10 x64, Windows 11 x64
		4096 x 2160 pixels	Expansion slots	
HDCP		✓	PCI Express x1 (Gen 3.x) slots	1
DirectX version		12.0	PCI Express x16 (Gen 4.x) slots	1
Discrete graphics support		✓	Number of M.2 (M) slots	2
Number of displays supported		1 3	BIOS	
			BIOS type *	UEFI AMI

Internal I/O		BIOS	
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * Number of SATA III connectors * Front panel audio connector Front panel connector ATX Power connector (24-pin) Number of EATX power connectors CPU fan connector Number of chassis fan connectors EPS power connector (8-pin) TPM connector 12V power connector RGB LED pin header Rear panel I/O ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * Ethernet LAN (RJ-45) ports * PS/2 ports quantity HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	2 2 4 ✓ 1	BIOS BIOS memory size ACPI version Clear CMOS jumper Clear CMOS button Desktop Management Interface (DMI) version System Management BIOS (SMBIOS) version	256 Mbit 5.0 ✓ ✓ 2.7 2.7
	✓2✓✓✓	Logistics data Country of origin Products per shipping (inner) case Battery	China 1 pc(s)
	2 3	Battery weight Lithium weight per battery Number of battery cells Battery technology Battery type	3 g 0.07 g 1 Lithium-Manganese Dioxide (LiMnO2) CR2032
	1 1 1 1 2.1	Packaging data Package width Package depth Package height Package weight	270 mm 268 mm 68 mm 1.7 kg
	2 1.4	Weight & dimensions Width Depth Height	244 mm 244 mm 35 mm
		Packaging content Cables included Batteries included Antenna included Bundled software	SATA Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details Warranty period	3 year(s)





4719331859510

0889523040584



889523040584

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.