## Samsung Galaxy S23 FE SM-S711B 16.3 cm (6.4") Dual SIM 5G USB Type-C 8 GB 256 GB 4500 mAh Cream

Brand : Samsung

Product family: Galaxy

Product code: SM-S711BZWGEUB

## Product name : SM-S711B

- Super Sharp Photos

- Power to share
- Captivating Clarity
- Effortless performance

Galaxy S23 FE

Samsung Galaxy S23 FE SM-S711B. Display diagonal: 16.3 cm (6.4"), Display resolution: 1080 x 2340 pixels. Processor family: Samsung Exynos, Processor model: 2200. RAM capacity: 8 GB, Internal storage capacity: 256 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Battery capacity: 4500 mAh. Product colour: Cream. Weight: 209 g





Display		Network		
Display diagonal *	16.3 cm (6.4") Flat	5G bands supported	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz	
Screen shape		Wi-Fi Direct	1	
Display technology marketing name	Dynamic AMOLED 2X	Near Field Communication (NFC)	4	
Panel type Display glass type	AMOLED Gorilla Glass Gorilla Glass 5	Subscription		
		Subscription type *	No subscription	
Gorilla Glass version		Ports & interfaces		
Display resolution *	1080 x 2340 pixels 16 million colours	USB port *	1	
Display number of colours Maximum refresh rate	16 million colours 120 Hz	USB connector type	USB Type-C	
	120 112	USB version	3.2 Gen 1 (3.1 Gen 1)	
Processor		Headphone connectivity	USB Type-C	
Processor family * Processor model *	Samsung Exynos 2200	Design		
Processor model *	8	Form factor *	Bar	
Processor boost frequency	2.8 GHz	Product colour *	Cream	
	1.0 0.12	International Protection (IP)	code IP68	
Storage	212.1.05	Protection features	Dust resistant, Water resistant	
User memory RAM capacity *	219.1 GB 8 GB	Performance		
Internal storage capacity *	256 GB	Fingerprint reader	√	
Camera		Navigation		
Camera Bear camera resolution (numeric) *	50 MP	Navigation GPS (satellite)	4	
Rear camera resolution (numeric) *	50 MP	-	↓ ↓	
	50 MP 12 MP	GPS (satellite) GLONASS BeiDou	4 4 4	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution		GPS (satellite) GLONASS BeiDou Galileo		
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric)	12 MP 8 MP	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System		
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number	12 MP 8 MP 1.8	GPS (satellite) GLONASS BeiDou Galileo		
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric)	12 MP 8 MP	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location *		
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture	12 MP 8 MP 1.8 2.2	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * <b>Multimedia</b>	v v v v v	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom	12 MP 8 MP 1.8 2.2 2.4 3x	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location *	m v stereo	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom	12 MP 8 MP 1.8 2.2 2.4 3x 30x	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * <b>Multimedia</b>	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA,	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type *	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * <b>Multimedia</b> Speakers	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) *	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera 10 MP	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * <b>Multimedia</b> Speakers	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF 3G2, 3GP, AVI, FLV, H.262, M4V,	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera 10 MP 2.4	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite System (QZSS) Position location * <b>Multimedia</b> Speakers Audio formats supported Video formats supported	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) *	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera 10 MP 2.4 ✓	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite Syster (QZSS) Position location * <b>Multimedia</b> Speakers Audio formats supported Video formats supported <b>Software</b>	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF 3G2, 3GP, AVI, FLV, H.262, M4V, MKV, WEBM	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash *	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera 10 MP 2.4	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite Syster (QZSS) Position location * <b>Multimedia</b> Speakers Audio formats supported Video formats supported <b>Software</b> Platform *	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF 3G2, 3GP, AVI, FLV, H.262, M4V,	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Video capture resolution (max)	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera 10 MP 2.4 ✓ 7680 x 4320 pixels	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite Syster (QZSS) Position location * Multimedia Speakers Audio formats supported Video formats supported Software Platform * Battery	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF 3G2, 3GP, AVI, FLV, H.262, M4V, MKV, WEBM	
Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution (numeric) Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Optical zoom Digital zoom Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Video capture resolution (max) Maximum frame rate	12 MP 8 MP 1.8 2.2 2.4 3x 30x Single camera 10 MP 2.4 ✓ 7680 x 4320 pixels 960 fps	GPS (satellite) GLONASS BeiDou Galileo Quasi-Zenith Satellite Syster (QZSS) Position location * <b>Multimedia</b> Speakers Audio formats supported Video formats supported <b>Software</b> Platform *	m stereo 3GA, AAC, AMR, APE, AWB, DFF, DSF, IMY, Mid, MIDI, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF 3G2, 3GP, AVI, FLV, H.262, M4V, MKV, WEBM	

Network		Battery	
SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Wi-Fi Wi-Fi standards	sile network generation * 5G   card type * NanoSIM + eSIM   standards * UMTS, WCDMA   standard * LTE-TDD & LTE-FDD   standard * Sub6 FDD, Sub6 TDD   Fi ✓   standards 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)   etooth * ✓   stands supported 5.3   bands supported 850,900,1900,2100 MHz	Talk time (4G) Browsing time (Wi-Fi) Browsing time (4G) Continuous audio playback time Continuous video playback time Sensors	39 h 20 h 19 h 69 h 22 h
Bluetooth * Bluetooth version 3G bands supported 4G bands supported		Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor	
		Weight & dimensions Width Depth	76.5 mm 8.2 mm

Height

Weight \*

158 mm

209 g



8806095136967

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.