



DELL E Series E1715S LED display 43.2 cm (17") 1280 x 1024 pixels SXGA LCD Black

Brand : DELL

Product family: E Series

Product code: E1715S

Product name : E1715S

- 43.2cm (17") SXGA 1280 x 1024 LED TN
- 5ms, 5:4, 250cd/m², 1000:1
- VGA, DisplayPort
- 43.2cm (17") SXGA 1280 x 1024 LED TN, 5:4, 250cd/m², 16.78M, 5ms, 170°/160°, 1000:1

DELL E Series E1715S LED display 43.2 cm (17") 1280 x 1024 pixels SXGA LCD Black:

The Dell™ 17 Monitor – E1715S is your smart choice for reliability and essential features that can help drive productivity.
DELL E Series E1715S. Display diagonal: 43.2 cm (17"), Display resolution: 1280 x 1024 pixels, HD type: SXGA, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	43.2 cm (17")	Plug and Play	✓
Display resolution *	1280 x 1024 pixels	Power	
HD type *	SXGA	Energy efficiency class (SDR) *	D
Native aspect ratio *	5:4	Energy efficiency class (HDR) *	Not available
Display technology *	LCD	Energy consumption (SDR) per 1000 hours *	9 kWh
Panel type *	TN	Power consumption (typical) *	9 W
Backlight type	LED	Power consumption (standby) *	0.2 W
Touchscreen *	✗	Power consumption (max)	14 W
Display brightness (typical)	250 cd/m ²	Power consumption (off)	0.2 W
Response time *	5 ms	AC input voltage	120 - 230 V
Screen shape *	Flat	AC input frequency	50 - 60 Hz
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA)	Input current	1.5 A
Aspect ratio	5:4	Power supply type	Internal
Contrast ratio (typical) *	1000:1	Energy efficiency scale	A to G
Maximum refresh rate *	60 Hz	European Product Registry for Energy Labelling (EPREL) code	344935
Viewing angle, horizontal	170°	Operational conditions	
Viewing angle, vertical	160°	Operating temperature (T-T)	0 - 40 °C
Display number of colours *	16.78 million colours	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.264 x 0.264 mm	Operating relative humidity (H-H)	10 - 80%
Horizontal scan range	30 - 81 kHz	Storage relative humidity (H-H)	5 - 90%
Vertical scan range	56 - 76 Hz	Operating altitude	0 - 5000 m
Viewable size, horizontal	33.8 cm	Non-operating altitude	0 - 12192 m
Viewable size, vertical	27 cm	Weight & dimensions	
Viewable size diagonal	43.2 cm	Width (with stand)	374.5 mm
High Dynamic Range (HDR) supported	✗	Depth (with stand)	165.5 mm
DDC/CI	✓	Height (with stand)	389.5 mm
Colour gamut	85%	Weight (with stand)	2.42 kg
3D	✗	Width (without stand)	374.5 mm

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Depth (without stand)	46.5 mm
AMD FreeSync *	✗	Height (without stand)	306.9 mm
Multimedia		Weight (without stand)	2.08 kg
Built-in speaker(s) *	✗	Packaging data	
Built-in camera *	✗	Package width	139.9 mm
Design		Package depth	446 mm
Market positioning *	Business	Package height	382 mm
Product colour *	Black	Package weight	3.69 kg
Feet colour	Black	Package type	Box
Ports & interfaces		Packaging content	
Built-in USB hub *	✗	Stand included	✓
VGA (D-Sub) ports quantity	1	Cables included	AC, VGA
DVI port	✗	Quick start guide	✓
HDMI *	✗	Manual	✓
DisplayPorts quantity	1	Sustainability	
Audio input	✗	Sustainability certificates	EPEAT Gold, ENERGY STAR
Headphone out *	✗	Other features	
AC (power) in	✓	On/off switch	✓
Network		TV tuner integrated	✗
Wi-Fi	✗	Compliance certificates	RoHS
Ergonomics		Dell E-Value Code	E1715S
VESA mounting *	✓	Certification	CEL, TCO, VESA EDID
Panel mounting interface	100 x 100 mm	Brand-specific features	
Cable lock slot *	✓	Dell Display Manager (DDM) compatibility	✓
Cable lock slot type	Kensington	Thin Client	
Height adjustment *	✗	Thin client installed	✗
Pivot	✗	Logistics data	
Swivelling	✗	Harmonized System (HS) code	85285210
Tilt adjustment	✓		
Tilt angle range	-5.5 - 22°		
On Screen Display (OSD)	✓		



5397063348107



4053162943230



0787999219797



787999219797



7427449368349

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.