



## Vertiv GXT5-1000IRT2UXL uninterruptible power supply (UPS) Double-conversion (Online) 1 kVA 1000 W 8 AC outlet(s)

**Brand :** Vertiv

**Product code:** GXT5-1000IRT2UXL



**Product name :** GXT5-1000IRT2UXL

1000 VA / 1000 W, 400x430x85 mm, 230 VAC, 50 Hz / 60 Hz, C14

[Vertiv GXT5-1000IRT2UXL uninterruptible power supply \(UPS\) Double-conversion \(Online\) 1 kVA 1000 W 8 AC outlet\(s\):](#)

Liebert® GXT5™ (GXT5-1000IRT2UXL) is a 1000VA/1000W 230 V online double conversion UPS in a 2U tower/rack mount design with unity power factor (1.0) and offers efficiency up to 93% at full load. This UPS is ENERGY STAR® 2.0 certified with higher efficiency, offers easy plug-and-pay installation, and is equipped with total of 8 output receptacles, 6 of those are individual programmable output receptacles, as well as LCD multi-language color display and gravity sensing.

Vertiv GXT5-1000IRT2UXL. UPS topology: Double-conversion (Online), Output power capacity: 1 kVA, Output power: 1000 W. AC outlet types: C13 coupler, Power plug: C14 coupler, AC outlets quantity: 8 AC outlet(s). Battery voltage: 36 V. Form factor: Tower, Product colour: Black, Display type: LCD. Width: 430 mm, Depth: 400 mm, Height: 85 mm

| Features                        |                            | Battery                           |             |
|---------------------------------|----------------------------|-----------------------------------|-------------|
| UPS topology *                  | Double-conversion (Online) | Battery voltage                   | 36 V        |
| Output power capacity *         | 1 kVA                      | <b>Design</b>                     |             |
| Output power *                  | 1000 W                     | Form factor *                     | Tower       |
| Waveform *                      | Sine                       | Product colour *                  | Black       |
| Input operation voltage (min) * | 230 V                      | Display type                      | LCD         |
| Input operation voltage (max) * | 230 V                      | LED indicators                    | ✓           |
| Input frequency *               | 40 - 70 Hz                 | <b>Operational conditions</b>     |             |
| Efficiency (On-line mode)       | 93%                        | Operating temperature (T-T)       | 0 - 40 °C   |
| Power factor                    | 0.99                       | Storage temperature (T-T)         | -20 - 60 °C |
| <b>Ports &amp; interfaces</b>   |                            | Operating relative humidity (H-H) | 0 - 95%     |
| AC outlet types                 | C13 coupler                | <b>Weight &amp; dimensions</b>    |             |
| Power plug                      | C14 coupler                | Width                             | 430 mm      |
| AC outlets quantity             | 8 AC outlet(s)             | Depth                             | 400 mm      |
|                                 |                            | Height                            | 85 mm       |
|                                 |                            | Weight                            | 16.5 kg     |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date