



ASUS ProArt PA32UCG-K computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : ASUS

Product family: ProArt

Product code: 90LM03H0-B05370

Product name : PA32UCG-K

32" IPS 3840x2160, Non-Glare, 1000cd/m², 1000:1, 5ms, 120Hz, HLG/HDR10/Dolby Vision, Flicker-free, 2x 3W, 55W, VESA 100x100, 14.64 Kg

ASUS ProArt PA32UCG-K. Display diagonal: 81.3 cm (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



| Display | | Ports & interfaces | |
|---------------------------------------|---|---|--------------|
| Display diagonal * | 81.3 cm (32") | DVI port | ✗ |
| Display resolution * | 3840 x 2160 pixels | HDMI * | ✓ |
| HD type * | 4K Ultra HD | HDMI ports quantity | 3 |
| Native aspect ratio * | 16:9 | HDMI version | 2.0/2.1 |
| Display technology * | LED | DisplayPorts quantity | 1 |
| Panel type * | IPS | DisplayPort version | 1.4 |
| Touchscreen * | ✗ | Thunderbolt 3 ports quantity | 2 |
| Display brightness (typical) | 1000 cd/m ² | Audio input | ✗ |
| Response time * | 5 ms | Headphone out * | ✓ |
| Display surface | Matt | Headphone outputs | 1 |
| Anti-glare screen | ✓ | Headphone connectivity | 3.5 mm |
| Screen shape * | Flat | Charging port type | USB Type-C |
| Supported graphics resolutions | 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160 | Ergonomics | |
| Supported video modes | 1080p, 1440p, 2160p | VESA mounting * | ✓ |
| Aspect ratio | 4:3, 16:9 | Panel mounting interface | 100 x 100 mm |
| Contrast ratio (typical) * | 1000:1 | Cable lock slot * | ✓ |
| Contrast ratio (dynamic) | 1000000:1 | Cable lock slot type | Kensington |
| Dynamic contrast ratio marketing name | SmartContrast | Height adjustment * | ✓ |
| Maximum refresh rate * | 120 Hz | Height adjustment | 13 cm |
| Viewing angle, horizontal | 178° | Pivot | ✓ |
| Viewing angle, vertical | 178° | Pivot angle | -90 - 90° |
| Display number of colours * | 1.073 billion colours | Swivelling | ✓ |
| Pixel pitch | 0.1845 x 0.1845 mm | Swivel angle range | -90 - 90° |
| High Dynamic Range (HDR) supported | ✓ | Tilt adjustment | ✓ |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) | Power | |
| Colour gamut standard | sRGB | Energy efficiency class (SDR) * | G |
| sRGB coverage (typical) | 100% | Energy efficiency class (HDR) * | G |
| Adobe RGB coverage | 99.5% | Energy consumption (SDR) per 1000 hours * | 60 kWh |
| | | Energy consumption (HDR) per 1000 hours * | 60 kWh |
| | | Power consumption (typical) * | 55 W |
| | | Power consumption (PowerSave) | 0.5 W |
| Performance | | | |
| NVIDIA G-SYNC * | ✗ | | |

| | | | |
|--|-----------------------------|---|-------------|
| Performance | | Power | |
| AMD FreeSync * | ✓ | AC input voltage | 100 - 240 V |
| AMD FreeSync type | FreeSync Premium Pro | AC input frequency | 50 - 60 Hz |
| Flicker-free technology | ✓ | Energy efficiency scale | A to G |
| Low Blue Light technology | ✓ | European Product Registry for Energy Labelling (EPREL) code | 932198 |
| Multimedia | | Weight & dimensions | |
| Number of speakers | 2 | Width (with stand) | 727 mm |
| RMS rated power | 3 W | Depth (with stand) | 240 mm |
| Built-in speaker(s) * | ✓ | Height (with stand) | 470 mm |
| Built-in camera * | ✗ | Weight (with stand) | 14.6 kg |
| Design | | Width (without stand) | 727 mm |
| Market positioning * | Graphics design | Depth (without stand) | 93 mm |
| Product colour * | Black | Height (without stand) | 426 mm |
| Frameless design | ✓ | Weight (without stand) | 9.7 kg |
| Front bezel colour | Grey | Packaging data | |
| Detachable stand | ✓ | Package width | 923 mm |
| Feet colour | Black | Package depth | 386 mm |
| Ports & interfaces | | Package height | 525 mm |
| Built-in USB hub * | ✓ | Package weight | 19.8 kg |
| USB hub version | 2.0 / 3.2 Gen 1 (3.1 Gen 1) | Package type | Box |
| USB upstream port type | USB Type-C | Packaging content | |
| Number of upstream ports | 1 | Stand included | ✓ |
| Number of USB Type-C upstream ports quantity | 1 | Logistics data | |
| USB Type-A downstream ports quantity | 3 | Harmonized System (HS) code | 85285210 |
| USB Power Delivery up to | 60 W | | |



0195553016469



195553016469



4711081016458

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.