



## Sony VPL-FHZ85 data projector Large venue projector 8000 ANSI lumens 3LCD WUXGA (1920x1200) White

**Brand :** Sony

**Product code:** VPL-FHZ85/W

**Product name :** VPL-FHZ85

- Brighter for longer
- Beautifully slim and stylish
- Sophisticated design and superior installation flexibility

3 LCD, 40 - 600", 8000lm, 30dg, 36db

Sony VPL-FHZ85. Projector brightness: 8000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h. Focus: Auto, Zoom type: Auto/Manual, Zoom ratio: 1.6:1. Analog signal format system: NTSC 3.58, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Supported graphics resolutions: 1920 x 1200 (WUXGA), Supported video modes: 480p, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232C



Projector		Ports & interfaces	
Smart projector *	✓	DVI port *	✓
Screen size compatibility *	1016 - 15240 mm (40 - 600")	<b>Network</b>	
Projector brightness *	8000 ANSI lumens	Ethernet LAN *	✓
Projection technology *	3LCD	Ethernet LAN (RJ-45) ports	1
Projector native resolution *	WUXGA (1920x1200)	<b>Storage</b>	
Contrast ratio (typical) *	8000:1	Card reader integrated *	✗
Native aspect ratio *	16:9	<b>Features</b>	
Keystone correction, horizontal	30°	Noise level (economic mode)	34 dB
Keystone correction, vertical	30°	Noise level *	36 dB
<b>Light source</b>		<b>Multimedia</b>	
Light source type *	Laser	Built-in speaker(s) *	✗
Service life of light source *	20000 h	<b>Design</b>	
<b>Lens system</b>		Market positioning *	Portable
Focus *	Auto	Product type *	Large venue projector
Zoom capability	✓	Product colour *	White
Zoom type	Auto/Manual	<b>Display</b>	
Zoom ratio	1.6:1	Built-in display *	✗
Throw ratio	1.39:1 - 2.23:1	<b>Power</b>	
<b>Video</b>		Power source *	AC
Analog signal format system *	NTSC 3.58, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM	Power consumption (typical) *	397 W
Full HD *	✓	Power consumption (standby) *	0.3 W
3D *	✗	AC input voltage	100 - 240 V
Supported graphics resolutions	1920 x 1200 (WUXGA)	AC input frequency	50 - 60 Hz
Supported video modes	480p, 576p, 720p, 1080i, 1080p	<b>Operational conditions</b>	
<b>Ports &amp; interfaces</b>		Operating temperature (T-T)	0 - 45 °C
S-Video inputs quantity	1	Storage temperature (T-T)	-10 - 60 °C
Serial interface type *	RS-232C	Operating relative humidity (H-H)	35 - 85%
PC Audio in	✓	Storage relative humidity (H-H)	10 - 90%
PC in (D-Sub)	✓	<b>Weight &amp; dimensions</b>	
VGA (D-Sub) ports quantity *	1	Width	460 mm
HDMI ports quantity *	1	Depth	169 mm
Composite video in *	1	Height	494 mm
Component video (YPbPr/YCbCr) in * 1	1	Weight *	13 kg

**Logistics data**

Harmonized System (HS) code 85286200



4548736132849

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date