



## Neomounts desk monitor arm

**Brand :** Neomounts

**Product code:** DS70-750BL1

**Product name :** Neomounts desk monitor arm

Neomounts DS70-750BL1 full motion desk monitor arm for 17-27" screens - Black

**Neomounts desk monitor arm:**

The Neomounts DS70-750BL1 is a full motion desk mount for one flat screen up to 27" with a maximum weight capacity of 7 kg. The versatile tilt (90°), rotate (360°) and swivel (180°) technology allows the mount to change to any viewing angle to fully benefit from the capabilities of your screen. Additionally, the mount features gas spring height adjustment (73-481 cm) and depth adjustment (0-37,8 cm), to create the perfect working position.

The DS70-750BL1 is suitable for screens that meet VESA hole pattern 75x75 or 100x100mm. Unused hole patterns can be covered using one of Neomounts VESA adapter plates. The DS70-750BL1 is equipped with an Easy-release VESA system for easy installation and comes with both desk clamp and grommet.



| Mounting  |                      | Design                           |                    |
|---|----------------------|----------------------------------|--------------------|
| Minimum screen size *                                   | 43.2 cm (17")        | Product colour *                 | Black              |
| Maximum weight capacity *                               | 7 kg                 | Orientation                      | Landscape/Portrait |
| Maximum weight capacity (per curved/ultra-wide display) | 7 kg                 | <b>Weight &amp; dimensions</b>   |                    |
| Maximum screen size *                                   | 68.6 cm (27")        | Width                            | 117 mm             |
| Mounting  | Clamp/Grommet        | Depth                            | 440 mm             |
| Mounting type *   | Desk                 | Height                           | 679 mm             |
| Minimum VESA mount *                                    | 75 x 75 mm           | <b>Packaging data</b>            |                    |
| Maximum VESA mount *                                    | 100 x 100 mm         | Quantity per pack                | 1 pc(s)            |
| Panel mounting interface                                | 75 x 75,100 x 100 mm | Package width                    | 240 mm             |
| Number of displays supported *                          | 1                    | Package depth                    | 116 mm             |
| Desk thickness (min)                                    | 1 cm                 | Package height                   | 365 mm             |
| Desk thickness (max)                                    | 8.5 cm               | Package net weight               | 3.1 kg             |
| Ergonomics  |                      | Other features                   |                    |
| Height adjustment                                       | ✓                    | Minimum weight                   | 2 kg               |
| Height adjustment type                                  | Gas spring           | Width adjustment range           | 0 - 378 mm         |
| Height adjustment range                                 | 73 - 481 mm          | <b>Logistics data</b>            |                    |
| Adjustable depth  | ✓                    | Master (outer) case width        | 495 mm             |
| Depth adjustment range                                  | 0 - 440 mm           | Master (outer) case length       | 380 mm             |
| Tilt adjustment   | ✓                    | Master (outer) case height       | 365 mm             |
| Tilt angle range  | -45 - 45°            | Master (outer) case gross weight | 19.5 kg            |
| Swivelling  | ✓                    | Products per master (outer) case | 6 pc(s)            |
| Swivel angle range                                      | -90 - 90°            | Country of origin                | China              |
| Rotating  | ✓                    | Master (outer) case net weight   | 15.2 kg            |
| Angle of rotation                                       | 360°                 | Harmonized System (HS) code      | 7326909890         |
| Cable management  | ✓                    | Products per pallet (EU)         | 96 pc(s)           |
| Design  |                      |                                  |                    |
| Housing material  | Steel                |                                  |                    |



8717371449193

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date