

VERSATILITY
AT YOUR
FINGERTIPS

AVerVision F17+

Flexible Arm Interactive Visualiser (Document Camera)



AVerVision F17+ is a visualiser suitable for every classroom. Its 13-megapixel camera delivers 4K image quality, letting you easily present teaching material with its 23X zoom. Helping to inspire students' limitless creativity through hybrid interactive learning has never been easier than with the F17+.











HDMI



Beautiful Image Quality

The 13-megapixel camera combined with its 23X total zoom allows you to display your teaching material in a brilliant manner and lets students push their boundaries of imagination.



360-degree Flexible Arm

Bend and adjust the gooseneck however you want to always find the best viewing angle of people and teaching materials.



Image Streaming in 4K Quality

Present your teaching materials to the class with 4K resolution video quality via HDMI connectivity from your device to the display.



Ideal for Hybrid Learning

F17+ is the right fit for hybrid classrooms. With a single button to snapshot and record, F17+ can instantly make any teaching materials digital and interactive. Furthermore, teachers can also use the F17+ as an USB camera to start online teaching right away.



The Included AVerTouch Software Enhances Remote Teaching

The powerful AVerTouch software exclusively designed for AVer visualisers comes included with the F17+. One touch will connect your visualiser to your computer for easy content sharing while cloud sync support will offer automatic annotation, capture, and recording backup functions. By using AVerTouch, not only will it amplify the teaching scope of teachers but also improve the quality of students' learning.





Film slides / Filmstrips



Real-time movements

INPUT



Documents



3D objects



X-rays

Product Specifications





Interactive flat panel



TV monitor

Microscope Adaptor, Anti-Glare Sheet,

AVerVision F17+, USB Type-A to Type-C Cable,

VGA Cable, Power Adapter, Remote Control,

Carrying Bag

Quick Start Guide



Projection screen



Digital monitor

Part no. 61PF01P000AB EAN code 4719552127160

Image Sensor 1/3.06" CMOS **Light Source** Embedded LED Lamp HDMI I/O **Total Pixels** 13 Megapixels 1 in; 1 out **Output Resolution** 1 in: 1 out 4K at 60 / 30Hz, Full HD 1080p at 60Hz, HD 720p at 60Hz Type-A x 1 (USB Thumb Drive) **USB 2.0 Ports** Type-C x 1 (PC) Output Resolution Full HD 1080p at 60Hz, HD 720p at 60Hz (via VGA) Audio Line out (3.5 mm), Mic in (3.5 mm), Built-in Mic **TV Lines** 1,500 (max.) Kensington Slot 23X Digital Zoom Operating: 200 x 380 x 525 mm Folded: 230 x 305 x 73 mm Frame Rate 60fps (max.) **Focus** Auto / Manual **Net Weight** 2.5 kg (5.51 lbs) Larger than A3 Landscape **Shooting Area** DC 12V / 2A **Power Source** AC 100 to 240V, 50 / 60Hz **Image Rotation** 0° / 180° **Internal Storage** 200 Pictures at XGA (1024 x 768) **Power Consumption** 10 Watts (Lamp on), 9 Watts (Lamp off) SDHC Card & USB Thumb Drive (Up to FAT32 / 32 GB) **External Storage** Visualiser: 5 Years; Accessories: 1 Year **One-touch Recording** AVerTouch, Sphere Lite Software Yes Windows® 7, 10, 11 **One-touch Capturing** Windows® OS Image Effects Color, B&W, Negative Mac® OS macOS® X 10.15, 11, 12 Chrome™ OS 88 or later **Image Adjustments** Auto / Manual (Available via the Sphere Lite App only)

Single, Continuous

Yes, up to 3

Yes

Yes

Normal (Microscope), Motion, High Quality

Product Appearance

Display Modes

User Profiles

ePTZ



Package Contents



©2023 AVer Information Europe B.V. All rights reserved. All brand names and logos are trademarks of their respective companies.





^{*} Specifications may vary depending on location and are subject to change without notice.