

Blackmagic MultiView 4 HD



B7, .68, 24. ! ?7>4)40A 4 HD 4= , 8 ?7>4@40A0<>3, >70>= C: ? =48 ?7>, 90: ?=7C 8: 94: < 4
.: 8; 70>07C 49/0: 09/09> &D# @4/0: =: ?<.0= : 9 , =49270 /4=; 7, C! +: ? , 9 8: 94: <
, 9C.: 8-49, >4: 9 : 1 &D , 9/ HD 1: <8, >=, 9/ 1<, 80 <, >0=, , 77 , >30 =, 80 >480. E, . 3
@40A ., 9 /4=; 7, C: @0<7, C= A43 491: <8, >4: 9 =?. 3 , = . ?=>: 8 7, -07=, , ?/4: 80>0<=
, 9/ 8: <0. ! ?7>4)40A 4 HD 3, = - : >3 &D# , 9/ HD! # : ?> ; ?>= 1: < 8: 94: <492 : 9
; <: 10=4: 9, 7 &D# /4=; 7, C=, ; <: 50.>: <=: < 0@09 -42 =. <009 >070@4=4: 9=!

\$185

Connections

SD. Vide# ." \$(' &
4 B 10--4 &D-&D# , 9/ HD-&D#.

SD. Vide# O(' \$(' &
1 B HD-&D#.

SD. Ra'e&
270! -, 1.5G, 3G.

SD. Vide# M(' i Vie* O(' \$(' &
1 B 10--4 HD-&D#.

HDM. Vide# M(' i Vie* O(' \$(' &
1 B HD! # >C; 0 A .: 990.>: <. #?>; ?>
=?; ; : <= ED#D : 1>30 8: 94: <.

SD. Rec #cki" g
#9 , 77 &D# : ?>; ?>=, , ?>: =A4. 3492
-0>A009 =>, 9/ , </ /0F944: 9
: < 3423 /0F944: 9.

Refe%e" ce ." \$('
" : 90

M(' i Ra'e S(\$\$#%'
A?>: /0>0.>4: 9 : 1 &D : < HD.

U\$da'e&
(&B 2.0 3423 =; 00/ (480! -/=)
49>0<1, .0.

C#" -g(%a'i#"
(&B 2.0



Standards

SD Vide# S'a" da%d&
525459.94 " ' &C, 625450 \$A

HD Vide# S'a" da%d&
720; 50, 720; 59.94, 720; 60,
1080; 23.98, 1080; 24, 1080; 25,
1080; 29.97, 1080; 30, 1080; 50,
1080; 59.94, 1080; 60, 1080\$=F23.98,
1080\$=F24, 1080450, 1080459.94,
1080460

2K Vide# S'a" da%d&
2K DCh 23.98; , 2K DCh 24; ,
2K DCh 25;

SD. C#! \$ ia" ce
&! \$' E 259! , &! \$' E 292! ,
&! \$' E 296! , &! \$' E 425! -B, ll' (%
B' .656 , 9/ ll' (% B' .601.

A(di# Me'e%&
E, . 3 @40A,) (=>, 9/ , </.

S#(%ce R#('i" g
" : 90

SD. Vide# Sa! \$ i" g
4:2:2 , 9/ 4:4:4.

SD. A(di# Sa! \$ i" g
' 070@4=4: 9 =>, 9/ , </ =, 8; 70 <, >0 : 1
486HD , 9/ 24--4>.

SD. C# #P%eci&i#"
10--4> 4:2:2 , 9/ 4:4:4.

SD. C# #S\$ace
+ () : < %GB 1: < 49; ?>=, + ()
1: < : ?> ; ?>=.

SD. A(' # S* i' chi" g
A?>: 8, >4, , 77C =070. >= -0>A009 &D-&D#
, 9/ HD-&D# : 9 0, . 3 49; ?> =: >3, >
0, . 3 49; ?> . , 9 -0 <?99492 , /4G0<09>
>070@4=4: 9 =>, 9/ , </.

SD. Me'ada'a S(\$\$#%'
)4/0: ; , C7: , / 4/09>4F. , >4: 9 , 9. 47, <C
, >, , =; 0< &! \$' E 352! .

Control

B(i' i" C#" "%# Pa" e
" : 90

E+'e%" a C#" "%# Pa" e
" : 90

Displa"

" : 90

Soft! are

S#f' * a%e C#" "%#
! ?>4) 40A =: 1>A, <0 49. 7?/0/ 1<00 1: <
* 49/: A=™ , 9/ ! , . ™.

.'"e%" a S#f' * a%e U\$g%ade
)4, 49. 7?/0/ ?; / , >0< , ; ; 74. , >4: 9.

Operating S"stems



! , . 10.12 &40<< ,
! , . 10.13 H423 &40<< , : < 7, >0<.



* 49/: A= 8.1 : < * 49/: A= 10.

Power Requirements

Power Supply (PSU),
+12V: 9A @ 0.7A; A0 = ?; ; TC 49.7?/0/
A43 49>0<9, >4: 9, 7 = .60> , / , ; >0<= 1: <
, 71 : ?9>>40=. C, -70 >40 ; : 49>.

Power Factor (PF) > 0.95
! ?>4)40A 4 HD =0>>492= ; <0=0<@0/
, 9/ <0=>: <0/ 49=>, 9>7C , > ; : A0< : 9.

Power Consumption (W)
5.5 W, >=>
Operating Voltage Range
6V: 36V DC

Physical Specifications



Environmental Specifications

Operating Temperature (°C)
0°C to 40°C (32°F to 104°F)

Storage Temperature (°C)
-20°C to 45°C (-4°F to 113°F)

Relative Humidity (%)
0% to 90% (9/9/09=492)

What's Included

Blackmagic Design Multi View 4 HD
+12V: 9A @ 0.7A; A0 = ?; ; TC A43 49>0<9, >4: 9, 7 = .60> , / , ; >0<=

Warranty

3+0, < 4840/ ! , 9?1, .>?<0<'= * , <<, 9>C.

A77 408= : 9 >34= A0- =40 , <0 . : ; C<423> B7, . 68, 24. D0=429 \$>C. >/. 2019, , 77 <423>= <0=0<0/.

A77 <, /08, <6= , <0 ; <; 0<C : 1 >30< <0=; 0. >4#0 : A90<=. ! &%%\$ 0B. 7?/0= =, 70=>, B0=//?>40= , 9/ =34; ; 492 . : =>=.

' 34= A0- =40 ?=0= <08, <60>492 =0<4. 0= >: , /@0<4=0 : 9 >34</ ; , <C A0- =40= >: ; <0@4: ?= @4=4: <= >: : ?< =40.

+ : ? . , 9 : > : ?> , > , 9C >480 -C . 3, 92492 . : : 640 =0>>492=, [S<4@ . C \\$: H. C](#)

Blackmagic Design Authori#ed Reseller