

GIGABYTE B760I AORUS PRO Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand: GIGABYTE Product code: B760I AORUS PRO

Product name: B760I AORUS PRO Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN,

USB 3.2 Gen 2

USB 2.0 connectors *

Mini-ITX, LGA 1700 socket, Intel B760 Express chipset, 2x DDR5 DIMM, Wi-Fi 6E, Bluetooth 5.3, AMI UEFI

GIGABYTE B760I AORUS PRO Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor		Rear panel I/O ports		
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets Maximum internal memory supported by processor		Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold LGA 1700 96 GB	Ethernet LAN (RJ-45) ports * HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version Headphone outputs Microphone in S/PDIF out port WiFi-AP antenna jack	1 1 2.0 1 1.2 2 4
Supported memory types * Number of memory slots *	DDR5-SDRAM 2		USB connector type	USB Type-A, USB Type-C
Memory slots type Memory channels	DIMM Dual-channel		Network	002 .,,p0, 002 .,,p0 0
ECC ECC compatibility Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory	CC & Non-ECC 4 4000,4800,5200,5400,5600, MHz 8000 MHz 96 GB 1GB, 2GB, 4GB, 8GB, 12GB,	.5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800,8000	Ethernet LAN Ethernet interface type Wi-Fi * Top Wi-Fi standard Wi-Fi standards	2.5 Gigabit Ethernet Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi
Storage controllers			Di i ii	6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported storage drive types Supported storage drive interfaces *		HDD & SSD M.2, SATA III	Bluetooth Bluetooth version	√ 5.3
Number of HDDs supported		2	Features	
Number of storage drives supported RAID support RAID levels		4 ✓ 0, 1	Motherboard chipset * Audio output channels * Product colour	Intel B760 Express 7.1 channels Black
Graphics			PC health monitoring	Fan, Temperature, Voltage, Water
Parallel processing support * Maximum resolutio HDCP DirectX version	3,	Not supported 4096 x 2304 pixels ✓ 12.0	Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported	cooling PC mini ITX Intel Windows 10 x64, Windows 11 x64
Internal I/O			Supported	

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	PCI Express x16 slots Number of M.2 (M) slots	1 2
Number of SATA III connectors *	2	BIOS	
Total number of SATA connectors Audio connector Front panel audio connector Front panel connector ATX Power connector (24-pin) CPU fan connector Chassis intrusion connector EPS power connector (8-pin) 12V power connector	2 1 1 1 1 1 1	BIOS type * BIOS memory size ACPI version Clear CMOS jumper Desktop Management Interface (DMI) version System Management BIOS (SMBIOS) version Logistics data	UEFI AMI 256 Mbit 5.0 ✓ 2.7
RGB LED pin header		Country of origin	China
Rear panel I/O ports		Products per shipping (inner) case	1 pc(s)
USB 2.0 ports quantity *	2 4 1	Battery	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *		Battery weight Lithium weight per battery Number of battery cells	3 g 0.07 g 1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Battery technology Battery type	Lithium-Manganese Dioxide (LiMnO2) CR2032
		Packaging data	
		Package width Package depth Package height Package weight	235 mm 227 mm 95 mm 1.49 kg
		Weight & dimensions	
		Width Depth Height	170 mm 170 mm 35 mm
		Packaging content	
		Cables included Bundled software	SATA Norton Internet Security
		Technical details	
		Warranty period	3 year(s)





4719331854843

0889523037317



889523037317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.