



## BenQ PD2706UA computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

**Brand :** BenQ

**Product code:** 9H.LLKL.B.QBE

**Product name :** PD2706UA

- Create with the comfort of ergo arm and enjoy the productivity  
 - Equipped with 95% P3 color space to guarantee consistent color applications  
 - 27" 4K UHD 16:9 IPS LED monitor with 90W USB Type-C connectivity  
 27" IPS 4K (3840 x 2160), HDR10, 5 ms, 178°/178°, 1200:1, 60Hz, 16:9, 2 x 2,5 BT, 100 - 240V, 553 - 703 x 614 x 459.4mm, 10 kg  
 BenQ PD2706UA. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDMI *	✓
Display resolution *	3840 x 2160 pixels	HDMI ports quantity	1
HD type *	4K Ultra HD	HDMI version	2.0
Native aspect ratio *	16:9	DisplayPorts quantity	1
Display technology *	LCD	DisplayPort version	1.4
Panel type *	IPS	Headphone out *	✓
Backlight type	LED	<b>Ergonomics</b>	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (peak)	400 cd/m <sup>2</sup>	Panel mounting interface	100 x 100 mm
Display brightness (typical)	350 cd/m <sup>2</sup>	Cable management	✓
Response time *	5 ms	Cable lock slot *	✓
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Flat	Height adjustment	15 cm
Aspect ratio	4:3, 16:9	Pivot	✓
Contrast ratio (typical) *	1200:1	Pivot angle	-90 - 90°
Maximum refresh rate *	60 Hz	Swivelling	✓
Viewing angle, horizontal	178°	Swivel angle range	275 - 275°
Viewing angle, vertical	178°	Tilt adjustment	✓
Display number of colours *	1.07 billion colours	Tilt angle range	-5 - 30°
Pixel density	163 ppi	On Screen Display (OSD)	✓
Horizontal scan range	27 - 135 kHz	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, German, Dutch, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish
Vertical scan range	24 - 76 Hz		
Display diagonal (metric)	68.5 cm		
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400, High Dynamic Range 10 (HDR10)		
Colour gamut standard	sRGB	<b>Power</b>	
Colour gamut	99%	Energy efficiency class (SDR) *	G
sRGB coverage (typical)	99%	Energy efficiency class (HDR) *	G

<b>Performance</b>		<b>Power</b>	
Flicker-free technology	✓	Energy consumption (SDR) per 1000 hours *	42 kWh
Low Blue Light technology	✓	Energy consumption (HDR) per 1000 hours *	44 kWh
Smart modes	Animation, Black & White, M-Book, ePaper	Power consumption (typical) *	27.5 W
<b>Multimedia</b>		Power consumption (standby) *	0.5 W
Number of speakers	2	Power consumption (max)	152 W
RMS rated power	5 W	AC input voltage	100 - 240 V
Built-in speaker(s) *	✓	Energy efficiency scale	A to G
Built-in camera *	✗	European Product Registry for Energy Labelling (EPREL) code	1389781
<b>Design</b>		<b>Weight &amp; dimensions</b>	
Market positioning *	Graphics design	Width (with stand)	614 mm
Product colour *	Black	Depth (with stand)	459.4 mm
<b>Ports &amp; interfaces</b>		Height (with stand)	553 mm
Built-in USB hub *	✓	Weight (with stand)	10 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Width (without stand)	614 mm
USB upstream port type	USB Type-C	Depth (without stand)	81.3 mm
Number of USB Type-C upstream ports quantity	1	Height (without stand)	553.7 mm
USB Type-A downstream ports quantity	3	Weight (without stand)	6.2 kg
USB Type-C downstream ports quantity	1	<b>Packaging content</b>	
USB Type-C DisplayPort Alternate Mode	✓	Stand included	✓
USB Power Delivery	✓	Cables included	DisplayPort, HDMI, USB
USB Power Delivery up to	90 W	DisplayPort cable length	1.8 m
		HDMI cable length	1.8 m
		<b>Other features</b>	
		Contrast enhancer	✓
		Certification	TUV, Solidworks, calman, Pantone Validated, Pantone SkinTone



4718755090370

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date