



## EZVIZ BC1 Smart Add-On Battery Camera

**Brand :** EZVIZ


**Product code:** CS-BC1-A0-2C2WPBL

**Product name :** EZVIZ BC1 Smart Add-On Battery Camera



- Hub Base Station Required
- Up to 1 year of battery life on a single charge
- Secure the interior/exterior of your home for peace of mind
- Colour Night Vision for superior 24/7 security
- Built in Alarm Active Defence
- Compatible with Amazon Alexa, Google Assistant and IFTTT
- 2 years' warranty and 24/7 Tech Support

2 MP, 1/2.8" CMOS, FHD, Smart H.265, IR, DNR, WDR, IP 66, Wi-Fi, MicroSD, 12900 mAh, 5W  
 EZVIZ BC1 Smart Add-On Battery Camera. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired & Wireless. Mounting type: Wall, Product colour: White, Form factor: Turret. Minimum illumination: 0.5 lx, Lens viewing angle, horizontal: 108°, Lens viewing angle, diagonal: 128°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"), Number of effective pixels (H x V): 1920 x 1080 pixels. Lens diameter: 2.8 mm



Performance		Storage	
Type *	IP security camera	Card reader integrated	✓
Placement supported *	Indoor & outdoor	Compatible memory cards	MicroSD (TransFlash)
Connectivity technology *	Wired & Wireless	Maximum memory card size	256 GB
Virtual assistant	Amazon Alexa & Apple Siri	Ports & interfaces	
Day/night mode	✓	Ethernet LAN (RJ-45) ports	1
Antenna type	Internal	DC-in jack	✓
Design		Security	
Form factor *	Turret	Video motion detection	✓
Mounting type *	Wall	Detection distance	10 m
Product colour *	White	Motion sensor	✓
Housing material	Plastic	Motion sensor technology	Passive infrared (PIR) sensor
Protection features	Dust resistant, Water resistant	Management features	
International Protection (IP) code	IP66	Web-based management	✓
Weatherproof	✓	Web browser	✓
Camera		Firmware upgradeable	✓
Minimum illumination	0.5 lx	Remotely operated	✓
Lens viewing angle, horizontal	108°	Power	
Lens viewing angle, diagonal	128°	Power source type *	AC, Battery
Image sensor		Power consumption (typical)	5 W
Number of sensors	1	Power consumption (max)	5 W
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	DC output voltage	5
Progressive scan	✓	Battery technology	Lithium
Sensor type *	CMOS	Battery capacity	12900 mAh
Number of effective pixels (H x V)	1920 x 1080 pixels	Rechargeable battery	✓
Lens system		Battery voltage	5 V
Number of lenses *	1	Operational conditions	
Lens diameter	2.8 mm	Operating temperature (T-T)	-20 - 45 °C

<b>Night vision</b>		<b>Operational conditions</b>	
Night vision *	✓	Operating relative humidity (H-H)	0 - 95%
Night vision distance	12 m	<b>System requirements</b>	
LED type	IR	Linux operating systems supported	✓
<b>Video</b>		<b>Weight &amp; dimensions</b>	
Maximum resolution *	1920 x 1080 pixels	Width (with stand)	62.8 mm
Total megapixels *	2 MP	Depth (with stand)	62.8 mm
Video compression formats	H.265	Height (with stand)	104.8 mm
Supported graphics resolutions	1920 x 1080 (HD 1080)	Weight (with stand)	851 g
Supported video modes	1080p	<b>Packaging data</b>	
Frame rate	30 fps	Package width	260 mm
Noise reduction	✓	Package depth	180 mm
Noise reduction technology	3D noise reduction	Package height	217 mm
3D NR (Noise Reduction)	✓	Package weight	1.3 kg
Full HD	✓	<b>Sustainability</b>	
Image quality adjustment	DNR	Sustainability certificates	UL ECOLOGO
Digital Wide Dynamic Range (DWDR)	✓	Compliance certificates	CE, REACH, RoHS, WEEE
<b>Audio</b>		<b>Packaging content</b>	
Built-in speaker(s)	✓	Number of cameras *	1
Built-in microphone	✓	Cables included	AC, USB
<b>Network</b>		Mounting kit	✓
Ethernet LAN *	✓	Mounting brackets included	✓
Ethernet interface type	Gigabit Ethernet	Screws included	✓
Wi-Fi *	✓	Manual	✓
Bluetooth *	✗	AC adapter included	✓
Frequency band	2.4 GHz	Quick start guide	✓
<b>Storage</b>		Wall mounting kit	✓
Built-in HDD *	✗	<b>Other features</b>	
		Magnetic base	✓
		<b>Technical details</b>	
		Microphone type	Omnidirectional
		Integrated PIR sensor	✓
		Lens mount interface	M12



6941545602530



5060563451706

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date