



## AOC Q27P3QW computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD Black

**Brand :** AOC

**Product code:** Q27P3QW

**Product name :** Q27P3QW

Screen size (inch) 27, Panel resolution 2560x1440, Refresh rate 75 Hz, Panel type IPS, HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync

AOC Q27P3QW computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD Black:

### 27" QHD flat IPS display for enhanced productivity in any office setting

The AOC Q27P3QW is a 27" flat-screen IPS monitor with an attractive three-sided ultrathin bezel design that will facilitate and enhance your workday. Enjoy the beauty and detail of QHD (2560 x 1440) resolution, wide viewing angles, and peak 350-nit brightness. This model includes a variety of connectivity options, including a built-in 2MP webcam with Windows Hello™ for easy remote collaboration coupled with 5W + 5W internal speakers for high-quality sound.



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Quad HD	Wall mountable	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Panel type *	IPS	Cable lock slot type	Kensington
Backlight type	W-LED	Height adjustment *	✓
Touchscreen *	✗	Height adjustment	15 cm
Display brightness (typical)	350 cd/m <sup>2</sup>	Pivot	✓
Response time *	4 ms	Swivelling	✓
Anti-glare screen	✓	Swivel angle range	-180 - 180°
Screen shape *	Flat	Tilt adjustment	✓
Supported graphics resolutions	2560 x 1440	Tilt angle range	-5 - 35°
Aspect ratio	16:9		Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Polish, Portuguese, Russian, Swedish
Contrast ratio (typical) *	1000:1	On Screen Display (OSD) languages	
Contrast ratio (dynamic)	50000000:1		
Maximum refresh rate *	75 Hz	Number of OSD languages	16
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Pixel pitch	0.2331 x 0.2331 mm		
Pixel density	109 ppi		
Display diagonal (metric)	68.6 cm		
High Dynamic Range (HDR) supported	✓		
Surface hardness	3H		
sRGB coverage (typical)	117%		
NTSC coverage (typical)	102%		
DCI-P3 coverage	102%		
		Power	
		Energy efficiency class (SDR) *	F
		Energy efficiency class (HDR) *	F
		Energy consumption (SDR) per 1000 hours *	26 kWh
		Energy consumption (HDR) per 1000 hours *	26 kWh
		Power consumption (typical) *	26 W
		Power consumption (standby) *	0.5 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz

<b>Performance</b>		<b>Power</b>	
NVIDIA G-SYNC *	✘	Power supply type	Internal
AMD FreeSync *	✘	Energy efficiency scale	A to G
Fast charging	✓	European Product Registry for Energy Labelling (EPREL) code	1345199
Flicker-free technology	✓	<b>Weight &amp; dimensions</b>	
Low Blue Light technology	✓	Width (with stand)	613.8 mm
<b>Multimedia</b>		Depth (with stand)	200.1 mm
Number of speakers	2	Weight (with stand)	6.6 kg
RMS rated power	10 W	Depth (without stand)	52.8 mm
Built-in speaker(s) *	✓	<b>Packaging data</b>	
Megapixel (approx.)	2 MP	Package width	820 mm
Built-in microphone	✓	Package depth	162 mm
Built-in camera *	✓	Package height	481 mm
<b>Design</b>		Package weight	9.9 kg
Market positioning *	Office	USB cable length	1.8 m
Product colour *	Black	<b>Packaging content</b>	
Front bezel colour	Black	Stand included	✓
Detachable stand	✓	Cables included	AC
Feet colour	Black	DisplayPort cable length	1.8 m
<b>Ports &amp; interfaces</b>		HDMI cable length	1.8 m
Built-in USB hub *	✓	Power cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Sustainability</b>	
Number of USB Type-B upstream ports quantity	1	Sustainability certificates	EPEAT Silver
USB Type-A downstream ports quantity	4	Doesn't contain	PVC/BFR
HDMI *	✓	<b>Other features</b>	
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	1.4	Recyclable packaging material	100%
DisplayPorts quantity	1	Heavy metals free	Hg (mercury)
DisplayPort version	1.2	Warranty period	3 year(s)
Headphone out *	✘	Mean time between failures (MTBF)	70000 h
HDCP	✓	<b>Recycling data</b>	
HDCP version	1.4	Post-consumer recycled plastic	85%
DC-in jack	✓		



4038986180764

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-NOV-2024. Prints or copies of Information are only valid on the printed Publication date