

AOC G2 Q24G2A/BK LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black, Red

Brand : AOC Product family: G2 Product code: Q24G2A/BK

Product name: Q24G2A/BK

Screen size (inch) 23.8, Panel resolution 2560x1440, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) G-SYNC Compatible + Adaptive Sync

AOC G2 Q24G2A/BK LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black, Red:

23,8" gaming monitor with 165Hz refresh rate, 1ms MPRT response time and Adaptive Sync Q24G2AE/BK is a model suitable for all users who demand high performance. It boasts QHD resolution, low input lag and a wide color gamut combined with a height-adjustable stand. The refresh rate of 165 Hz, the fast response time of 1 ms MPRT and the support of Adaptive Sync technology of the Q24G2A/BK monitor eliminate image tearing and stuttering.

AOC G2 Q24G2A/BK. Display diagonal: 60.5 cm (23.8"), Display resolution: $2560 \times 1440 \text{ pixels}$, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black, Red







		_	
Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Quad HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Display technology *	LCD	Cable lock slot type	Kensington
Panel type *	IPS	Height adjustment *	✓
LED backlight	✓	Height adjustment	13 cm
Backlight type	W-LED	Pivot	✓
Touchscreen *	×	Tilt adjustment	✓
Display brightness (typical)	350 cd/m ²	Tilt angle range	-5 - 23°
Response time *	4 ms	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat	LED indicators	✓
Contrast ratio (typical) *	1000:1	Power	
Contrast ratio (dynamic)	80000000:1	Power consumption (typical) *	34 W
Maximum refresh rate *	165 Hz	Power consumption (typical) *	0.5 W
Viewing angle, horizontal	178°	Power consumption (max)	54 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Pixel pitch	0.2055 x 0.2055 mm	AC input voltage AC input frequency	50/60 Hz
Horizontal scan range	30 - 250 kHz	Input current	1.5 A
Vertical scan range	48 - 165 Hz	Power supply type	Internal
Viewable size, horizontal	52.6 cm		internal
Viewable size, vertical	29.6 cm	Operational conditions	
Display diagonal (metric)	60.4 cm	Operating temperature (T-T)	0 - 40 °C
DDC/CI	✓	Storage temperature (T-T)	-25 - 55 °C
Surface hardness	3H	Operating relative humidity (H-H)	10 - 85%
sRGB coverage (typical)	117.6%	Storage relative humidity (H-H)	5 - 93%
NTSC coverage (typical)	102.5%	Operating altitude	0 - 5000 m

Display		Operational conditions	
Adobe RGB coverage	100.8%	Non-operating altitude	0 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC * NVIDIA G-SYNC type VESA Adaptive Sync support Flicker-free technology	G-SYNC Compatible	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	539.1 mm 227.4 mm 504.6 mm 4.78 kg 539.1 mm 47.2 mm 322.1 mm
Number of speakers	2	Weight (without stand)	3.35 kg
RMS rated power	4 W	Packaging data	
Built-in speaker(s) * Built-in camera *	×	Package width Package depth	605 mm 184 mm
Design		Package height	492 mm
Market positioning * Product colour * Frameless design Front bezel colour Detachable stand	Gaming Black, Red ✔ Black/Red	Package weight Packaging content Stand included Cables included Quick start guide	6.6 kg ✓ AC ✓
Feet colour	Black, Red	Sustainability	
Ports & interfaces		Sustainability compliance	✓
Built-in USB hub * HDMI *	×	Other features	*
HDMI ports quantity HDMI version 2.0 DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs Headphone connectivity 1 1 1 1 1 1 1 1 1 1 1 1 1	2.0 1 1.2 ✓	Low input lag FPS counter Dial point Shadow control Motion blur reduction Exterior finish type Warranty period	Textured 3 year(s) CB, CE, Federal Communications
HDCP HDCP version AC (power) in	√ 2.2 √	Compliance certificates Certification	Commission (FCC) ISO 9241-307, Microsoft WHQL



4038986141208

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.