



Lindy DST-Pro Universal, USB-C and Type A Hybrid Laptop Docking Station - 4K HDMI, 2x4K (DP or HDMI)

Brand : Lindy

Product code: 43366

Product name : DST-Pro Universal, USB-C and Type A Hybrid Laptop Docking Station - 4K HDMI, 2x4K (DP or HDMI)

- Connects up to three 4K displays (DisplayPort and HDMI)* and many peripherals over a single cable
- Supports all common operating systems and host computers with USB Type A and C interface
- Integrated 5 port USB Type A and Type C Hub (2x 10 Gbps, 3x 5Gbps)
- Supports Power Delivery 3.0 up to 100W (requires USB Type C/TB3/4 host connection)
- 2-year warranty

DST-Pro Universal, USB-C and Type A Hybrid Laptop Docking Station - 4K HDMI, 2x4K (DP or HDMI)

Lindy DST-Pro Universal, USB-C and Type A Hybrid Laptop Docking Station - 4K HDMI, 2x4K (DP or HDMI).

Connectivity technology: Docking, Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Product colour:

Black, Certification: CE, FCC, RoHS & REACH, California Proposition 65. Power source type: DC, Power

connector: USB Type-C, AC input voltage: 24 V. Width: 85 mm, Depth: 30 mm, Height: 190 mm. Quantity

per pack: 1 pc(s), Package width: 205 mm, Package depth: 50 mm



Ports & interfaces		Operational conditions	
Connectivity technology *	Docking	Operating temperature (T-T)	-20 - 40 °C
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Storage temperature (T-T)	-40 - 80 °C
HDMI ports quantity *	3	Operating relative humidity (H-H)	5 - 90%
DisplayPorts quantity	2	Weight & dimensions	
Microphone in *	✓	Width	85 mm
Headphone outputs *	1	Depth	30 mm
Network		Height	190 mm
Ethernet LAN *	✓	Weight	396 g
Ethernet LAN (RJ-45) ports	1	Packaging data	
Performance		Quantity per pack	1 pc(s)
Product colour *	Black	Package width	205 mm
Certification	CE, FCC, RoHS & REACH, California Proposition 65	Package depth	50 mm
Power		Package height	323 mm
Power source type	DC	Package weight	1.7 kg
Power connector	USB Type-C	Technical details	
AC input voltage	24 V	Warranty period	2 year(s)
Input current	5 A	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Power consumption (max)	30 W		



4002888433662

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-NOV-2024. Prints or copies of Information are only valid on the printed Publication date