


## Epson EB-L265F data projector 4600 ANSI lumens 3LCD 1080p (1920x1080) 3D Black

**Brand :** Epson **Product code:** V11HA72180

**Product name:** EB-L265F







Projector		Network	
Smart projector *  Screen size compatibility *  Projector brightness *  Projection technology *  3L	787.4 - 7874 mm (31 - 310") 4600 ANSI lumens 3LCD	Smart TV * Ethernet LAN * Wi-Fi * Wi-Fi standards	X V 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Projector brightness (economic mode)	1080p (1920x1080) 2500000:1 16:9 1.07 billion colours 3200 ANSI lumens	Storage Card reader integrated * Features Interactive *	×
Keystone correction, horizontal Keystone correction, vertical Matrix size	-30 - 30° -30 - 30° 1.57 cm (0.62")	Noise level (economic mode) HDCP Noise level *	27 dB ✓ 37 dB
Light source Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Multimedia  Built-in speaker(s) *  RMS rated power  Design	<b>√</b> 16 W
Focus * Focal length range Aperture range (F-F) Zoom capability Zoom type Zoom ratio Throw ratio	Manual  18.2 - 29.1 mm  1.51 - 1.77  ✓  Manual  1:1.62  1,32 - 2,12:1	Market positioning * Product colour * Placement Cable lock slot Cable lock slot type  Display Built-in display * Power	Presentation Black Ceiling, Floor, Wall  Kensington
Video Analog signal format system * Full HD * 3D * Video colour modes	Not supported  ✓  ✓  Blackboard, Cinema, Dynamic, Multi-projection, Presentation, sRGB	Power source * Power consumption (typical) * Power consumption (economy mode) AC input voltage AC input frequency	AC 199 W 144 W 220 - 240 V 50/60 Hz
Ports & interfaces  Service port type  USB 2.0 ports quantity *  Headphone outputs  Serial interface type *	USB Type-B 1 3 RS-232C	Operational conditions Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Weight & dimensions	-10 - 60 °C 20 - 80% 10 - 90%
VGA (D-Sub) ports quantity *	3	Weight *	4.2 kg

Ports & interfaces		Packaging content	
HDMI ports quantity *	2	Remote control included *	✓
Composite video in *	1	Batteries included	✓
DVI port *	×	Cables included	AC, HDMI



8715946715490

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.