

## Epson EB-L260F data projector Standard throw projector 4600 ANSI lumens 3LCD 1080p (1920x1080) White

Brand : Epson

Product code: V11HA69080



- 4,600 lumens brightness display Full HD crisp images and bright colours, even in well-lit rooms

- A scalable display Flexibile scalable display from 31 inches up to 310 inches

- Stream content easily Wireless, MTR auto power-on by HDMI and easy smart stick connection

- Fit and forget reliability Easy installation with multi-projection and signage function

- The complete solution With an incredible contrast ratio of 2,500,000:1, the EB-L260F delivers vivid,

lifelike content and defined shadow detail with deeper blacks

4600 - 3200 Lumen, 1080p, 16:9, 2500000:1, 10 Bits, 192 Hz - 240 Hz, 260W, AC 220-240 V, 50-60 Hz





	Network	
compatibility*       787.4 - 7874 mm (31 - 310")         listance (wide)       0.9 - 9.1 m         ightness*       4600 ANSI lumens         sechnology*       3LCD         attive resolution*       1080p (1920x1080)         cio (typical)*       2500000:1         act ratio*       16:9         colours       1.07 billion colours         ightness (economic       3200 ANSI lumens         n range       192 - 240 Hz         porrection, horizontal       30°         partention       884 BTU/h	Wi-Fi * Wi-Fi standards Miracast	✓ Wi-Fi 5 (802.11ac) ✓
	Features	
	Noise level (economic mode) HDCP Projection modes On Screen Display (OSD) Screen mirroring Noise level * Air filter Password protection	27 dB ✓ Ceiling, Front ✓ ✓ 37 dB ✓
884 610/11		
e * Laser ht source * 20000 h	Built-in speaker(s) * RMS rated power Design	16 W
30000 h	Product type * Product colour *	Standard throw projector White
	Placement	Ceiling, Desktop, Floor, Wall
Manual 18.2 - 29.1 mm	Cable lock slot Cable lock slot type	✓ Kensington
1.51 - 1.77 ✓ Manual 1:1.62 1.32 - 2.12:1 1000%	Power Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (max)	AC 199 W 0.5 W 260 W
	mode)	144 W
✓ Blackboard, DICOM simulation	AC input voltage AC input frequency	220 - 240 V 50 - 60 Hz
mode, Dynamic, Multi-projection, Presentation, sRGB	Operational conditions	
2	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-10 - 60 °C 20 - 80% 10 - 90%
1 2 1 ✓ RS-232C	Weight & dimensions Width Depth Height	325 mm 299 mm 90 mm
	0.9 - 9.1 m 4600 ANSI lumens 3LCD 1080p (1920x1080) 2500000:1 16:9 1.07 billion colours 3200 ANSI lumens 192 - 240 Hz 30° 30° 884 BTU/h Laser 20000 h 30000 h Laser 20000 h 30000 h 40000 h 1.51 - 1.77 ✓ Manual 1:1.62 1:32 - 2.12:1 1000% C 2 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	787.4 - 7874 mm (31 - 310")Wi-Fi *0.9 - 9.1 mWi-Fi *4600 ANSI lumensMiracast3LCDFeatures1080p (1920x1080)HDCP250000:1HDCP16:9Projection modes1.07 billion coloursScreen mirroring3200 ANSI lumensScreen mirroring192 - 240 HzNoise level *30°Air filter30°Built-in speaker(s) *RSBuilt-in speaker(s) *20000 hDesign30000 hProduct type *Product colour *PlacementAnnalCable lock slot18.2 - 29.1 mmCable lock slot1.51 - 1.77PowerManualCable lock slot type1.52 - 2.12.1Power consumption (typical) *Power consumption (typical) *Power consumption (typical) *Power consumption (tandby) *1.52 - 2.12.11000%Joon

Ports & interfaces		Packaging content	
HDMI ports quantity *	2	Remote control included *	√
Composite video in *	1	Batteries included	✓
AC (power) in	1	Cables included	HDMI, Power
Audio Return Channel (ARC)	1		Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management
Network		Bundled software	
Ethernet LAN *	1		
Ethernet LAN (RJ-45) ports	nernet LAN (RJ-45) ports 1	Logistics data	
		Quantity per pack	1 pc(s)



8715946715452

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.