



Canon PIXMA TS5350i Wireless Colour 3-in-One Inkjet Photo Printer, Black

Brand : Canon

Product family: PIXMA

Product code: 4462C088

Product name : Canon PIXMA TS5350i Wireless Colour 3-in-One Inkjet Photo Printer, Black



Canon PIXMA TS5350i Wireless Colour 3-in-One Inkjet Photo Printer

[Canon PIXMA TS5350i Wireless Colour 3-in-One Inkjet Photo Printer, Black:](#)

This chic and sleek 3-In-One has a contemporary 2-tone design with an LED status bar, making it an ideal match for modern creatives. Let loose your ambitions and get designing with Easy-PhotoPrint Editor, or try paper crafts from Creative Park. Load up the rear feed with a whole host of creative media, including iron-on transfers and double-sided matte paper, to turn your ideas into reality. Take control with your smartphone thanks to snappy wireless connectivity and print, scan and connect to your social media accounts via the Canon PRINT app – all it takes to get connected is the touch of a button thanks to Wireless Connect. For shareworthy snaps, take advantage of the FINE cartridges and ChromaLife100 ink system for vivid, long-lasting photos. This printer is compatible with the PIXMA Print Plan, a monthly subscription for inks based on pages printed.



Features		System requirements	
Duplex printing *	✓	Compatible operating systems Minimum system requirements Minimum system requirements for Macintosh	Windows 11□Windows 10□Windows 8.1□Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. macOS 10.12. 6□macOS 13
Duplex printing mode	Auto		
Printing colours *	Black, Cyan, Magenta, Yellow		
Ink tank system	✗		
Ink type	Dye-based ink		
Colour *	✓		
Number of print cartridges *	2		
Printing		Sustainability	
Print speed (colour, draft quality, A4/US Letter)	6.8 ppm	Sustainability compliance	✓
Maximum resolution *	4800 x 1200 DPI	Weight & dimensions	
Print speed (black, normal quality, A4/US Letter) *	13 ppm	Pallet dimensions (W x D x H)	962 x 1123 x 2416.5 mm
Borderless printing	✓	Width	403 mm
Input & output capacity		Depth	315 mm
Total number of input trays *	2	Height	148 mm
Total input capacity *	200 sheets	Weight	6.3 kg
Total output capacity *	99 sheets	Packaging data	
Maximum number of input trays *	2	Cartridge(s) included	✓
Multi-Purpose tray	✓	Quantity per pack	1 pc(s)
Paper handling		Cables included	AC
Paper handling	Plain Paper, Canon High Resolution Paper (HR-101N), Canon Pro Platinum (PT-101), Canon Plus Glossy II (PP-201), Canon Pro Luster (LU-101), Canon Plus Semi-gloss (SG-201), Canon "Everyday Use" (GP-501), Canon Matte (MP-101), Envelopes, Removable Photo Stickers (RP-101), Magnetic Photo Paper (MG-101), Double sided Matte (MP-101D), Light Fabric Iron-on transfers (LF-101), Dark Fabric Iron-on transfers (DF-101)	Power cord included	✓
		Manual	✓
Maximum print size	215.9 x 676 mm	Package width	223 mm
		Package depth	477 mm
		Package height	482 mm
		Package weight	7.7 kg
		Packaging content	PIXMA TS5350i Inkjet Printer, Black FINE cartridges Sample of 3x high quality 13 x 13 cm PP-201 photo paper
		Technical details	
		Expanded Polystyrene (EPS) packaging weight	92 g

Paper handling		Technical details	
Maximum ISO A-series paper size *	A4	Paper packaging weight	806 g
Paper tray media types *	Envelopes, Glossy paper, Photo paper, Recycled paper	Plastic packaging weight	55 g
ISO A-series sizes (A0...A9) *	A4, A5	Logistics data	
ISO B-series sizes (B0...B9)	B5	Master (outer) case gross weight	7.7 kg
Non-ISO print media sizes	Legal, Letter	Master (outer) case length	477 mm
Envelopes sizes	Com-10, DL	Master (outer) case width	223 mm
		Master (outer) case height	481.5 mm
Ports & interfaces		Products per master (outer) case	1 pc(s)
USB port *	✓	Products per pallet (UK)	50 pc(s)
USB 2.0 ports quantity	1	Pallet weight (UK)	416.5 kg
PictBridge	✓	Pallet length (UK)	112.3 cm
Direct printing	✓	Pallet width (UK)	96.2 cm
Network		Pallet height (UK)	2.42 m
Ethernet LAN *	✗	UK Trade Tariff code	8443310000
Wi-Fi *	✓	Other features	
Wi-Fi Direct *	✓	Scanner features	CIS flatbed photo and document scanner
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	All-in-one functions	Copy, Print, Scan
Near Field Communication (NFC)	✗	Scan speed (black, normal quality)	Colour: RGB each 16bit/8bit; Greyscale: 16 bit / 8 bit
Bluetooth	✗	Maximum print length	676 m
Mobile printing technologies	Apple AirPrint, Canon Easy-PhotoPrint, Canon PRINT Business, Google Cloud Print, PIXMA Cloud Link	Compatible ink types, supplies	PG-560 (Black), CL-561 (Colour), PG-560XL (Black), CL-561XL (Colour)
Design		Printer smart software features	MP Driver including Scanning Utility, Easy-PhotoPrint Editor (download)
Market positioning *	Home & office	Colour printing technology	Inkjet
Product colour *	Black	Network ready	✓
Built-in display *	✓	Maximum scan size	216 x 297 mm
Display	OLED	Optical scanning resolution	1200 x 2400 DPI
Control type	Buttons	Print technology	Inkjet
Country of origin	Vietnam	Maximum number of copies	99 copies
Power		Functions	Wi-Fi, Print, Copy, Scan, Cloud
Power consumption (printing) *	19 W	Colour scanning	✓
Power consumption (off)	0.3 W	Copy speed (colour, draft, A4)	4 cpm
Power consumption (standby)	0.9 W	Copy speed (black, normal quality, A4)	4 cpm
Power consumption (ready)	0.9 W	Copy speed (colour, normal quality, A4)	4 cpm
Power consumption (max)	19 W	Scan technology	CIS flatbed
AC input voltage	100 - 240 V		Canon PRINT Inkjet/SELPHY app, Easy-PhotoPrint Editor, Message In Print app, PIXMA Cloud Link, Canon Print Service Plugin (Android), Google Cloud Print, Apple AirPrint, Wireless Direct, Access Point Mode, WLAN PictBridge, Mopria (Android)
AC input frequency	50/60 Hz	Wireless technology	
Certificates		Maximum scan resolution	1200 x 2400 DPI
Waste Electrical and Electronic Equipment (WEEE) compliance	✓	Mobile printing	✓
System requirements			
Mac compatibility	✓		
Recommended system requirements	Windows: 2.0GB or more Mac: 1.0GB or more		
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8.1		
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		



4549292198218

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-NOV-2024. Prints or copies of Information are only valid on the printed Publication date