

Dahua Technology DHI-LPH65-ST470-B interactive whiteboard 165.1 cm (65") 3840 x 2160 pixels Touchscreen Black, Silver HDMI

Brand : Dahua Technology Product code: DHI-LPH65-ST470-B

Product name: DHI-LPH65-ST470-B

65" DLED, 4K UHD, 400 cd/m2, 8 ms, 1200:1, 60Hz, 178°/178°, Quad-core A53 + Quad-core A73, 8 GB / 64 GB, 2.2GHz, 16 W x2, Wi-Fi, Bluetooth, RJ-45, 100-240 VAC, 50/60 Hz, Android 11

Dahua Technology DHI-LPH65-ST470-B interactive whiteboard 165.1 cm (65") 3840×2160 pixels Touchscreen Black, Silver HDMI:

Dahua DeepHub Smart Interactive Whiteboard for education has powerful processing capabilities with its 8-core CPU and up to 8 GB RAM64G storage capacity. Equipped with a high-precision infrared frame with a 2 mm identification diameter, and a 4K high-definition DLED module, this whiteboard will give you an extraordinary experience with writing, controlling the whiteboard and displaying content on it. It features wireless screen sharing, file management, HD display, scan & go, and more Al functions to enhance your experience. You can rely on this whiteboard to modernize your meeting rooms and classrooms.





Display		Ports & interfaces	
Display diagonal *	165.1 cm (65")	Ethernet LAN (RJ-45) ports	2
Display brightness	400 cd/m ²	VGA (D-Sub) ports quantity	1
Display number of colours	1.07 billion colours	Line-in	✓
Display resolution	3840 x 2160 pixels	Line-out	✓
Anti-glare screen	✓	OPS slot	1
HD type	4K Ultra HD	Infrared data port	✓
LED backlight	✓	S/PDIF out port	✓
LED backlighting type	Direct-LED	Microphone connectivity	3.5 mm
Native aspect ratio	16:9	Audio output	1
Contrast ratio (typical)	1200:1	RS-232 ports	1
Contrast ratio (dynamic)	5000:1	AV input	✓
Response time	8 ms	Ergonomics	
Maximum refresh rate	60 Hz	Product colour	Black, Silver
Touchscreen *	✓	Wall mountable	4
Touch technology	Multi-touch	Buttons quantity	8
Touchscreen type	Infrared	, ,	CE, Engery Star, ROHS, REACH,
Number of simultaneous touchpoints	40	Certification	WEEE,TUV
Touch resolution	32767 x 32767 pixels	Performance	
Touch system response time	10 ms	Ambient light sensor	✓
Touch object size (min)	2 mm	Power	
Viewing angle, horizontal	178°	Power consumption (max)	200 W
Viewing angle, vertical	178°	Power consumption (typical)	120 W
Screen glass thickness	4 mm	Power consumption (standby)	0.5 W
Surface material	Tempered glass	AC input voltage	100 - 240 V
Hardness	8H	AC input frequency	50/60 Hz
Accuracy touch	1 mm		
Computer system		System requirements	
Operating system installed	Android	Windows operating systems supported	1
Operating system version	11	Mac compatibility	1
Built-in processor	✓	Mac operating systems supported	1
Processor architecture	ARM Cortex A73 + ARM Cortex A53	Linux operating systems supported	· •
Processor frequency	2.2 GHz	,	

Computer system		System requirements	
Processor cores	8	Mobile operating systems supported	d Android
Maximum internal memory	64 GB	Operational conditions	
User memory RAM capacity	64 GB 8 GB	Operating temperature (T-T)	0 - 40 °C
. ,	o GB	Operating relative humidity (H-H)	10 - 90%
Audio		Storage temperature (T-T)	-10 - 50 °C
Built-in speaker(s) *	✓	Storage relative humidity (H-H)	10 - 90%
Number of built-in speakers Speaker power	2 16 W	Weight & dimensions	
	10 W	Width *	1485.2 mm
Projector		Depth	93 mm
Built-in projector *	×	Height *	924.5 mm
Network		Weight	40 kg
Wi-Fi	✓	Packaging data	
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)	Package width	1580 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Package depth Package height	200 mm 1030 mm
Bluetooth	✓	Package weight	50 kg
Bluetooth version	5.2	Quantity per pack	1 pc(s)
Ethernet LAN	✓	Packaging content	
Ethernet LAN data rates	1000 Mbit/s	USB cable length	5 m
Ports & interfaces		J	AC, Audio, HDMI, LAN (RJ-45), USB,
Interface	HDMI	Cables included	USB Type-A to USB Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Remote control included Mounting kit	1
Interface module USB 3.2 Gen 1	4	Mounting brackets included	<i>y</i>
(3.1 Gen 1) Type-B ports quantity		Quick start guide	V
USB connector type	Micro-USB, USB Type-A, USB Type-C	Stylus included	✓
HDMI ports quantity	4 2	Stylus pen type	Passive
USB Type-C ports quantity HDMI output ports quantity	1	Number of stylus pens	2
	-		

