

Samsung OM55B Digital signage flat panel 139.7 cm (55") LCD Wi-Fi 3000 cd/m² 4K Ultra HD Black Built-in processor Tizen 5.0 24/7

Brand : Samsung Product family: OMB Product code:
LH55OMBEBGBXEN

Product name: OM55B

- High picture quality
- Slim design
- Content management

Product colour *

Black

55", ADS, 4K UHD (3840 x 2160), 3000 nit, 1200:1, 178/178, 8 ms, WiFi, RJ-45, HDCP, HDMI, DP, RS232, AC 100-240V, 50/60Hz, $1253.4 \times 724.2 \times 54.5$ mm, 23.1 kg

Samsung OM55B. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 3000 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen 5.0. Product colour: Black





Display		Design	
Panel type Display diagonal *	ADS 139.7 cm (55")	Bezel width (top) Bezel colour	1.91 cm Dark Blue Gray
Display technology *	LCD	Performance	
Display resolution * Display brightness * HD type * Touchscreen *	3840 x 2160 pixels 3000 cd/m ² 4K Ultra HD	Purpose * Operating hours (hours/days) HDCP HDCP version	Universal 24/7 ✓ 2.2
Response time Contrast ratio (typical)	8 ms 1200:1	Power	
Dynamic contrast ratio marketing name Viewing angle, horizontal Viewing angle, vertical	Mega Contrast 178° 178°	Power consumption (typical) * Power consumption (sleep) AC input voltage AC input frequency	450 W 0.5 W 100 - 240 V 50 / 60 Hz
Pixel pitch Horizontal scan range	0.315 x 0.315 mm 15 - 135 kHz	Computer system	
Vertical scan range Haze rate Pixel frequency (max) RGB colour space Colour gamut	24 - 75 Hz 1%	Computer system * Computer system type Built-in processor * Operating system installed Weight & dimensions	System on Chip (SoC) Tizen 5.0
Ports & interfaces		Display width	1253.4 mm
HDMI ports quantity * HDMI version HDMI input ports quantity	2 2.0 2	Display depth Display height Display weight	54.5 mm 724.2 mm 23.1 kg
DVI port *	×	Packaging data	
isplayPorts quantity * 1 isplayPorts in 1 isplayPort version 1.2 SB port * CR ports quantity * 1	1 1.2	Package width Package depth Package height Package weight	1420 mm 178 mm 879 mm 29.1 kg
USB ports quantity Ethernet LAN *	1 ✓	Operational conditions	
hernet LAN (RJ-45) ports 2 i-Fi *	2	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
RS-232 interface	√	Certificates	
Infrared data port Remote (IR) input	1	Certification	EMC Class A, Safety 60950-1
	1	Features	
Design Product design *	Digital signage flat panel	Wall mountable	1

Design		Technical details	
Screen shape VESA mounting * Panel mounting interface Bezel width (bottom) Bezel width (side) 1.91 cm	Flat √	Audio out (mini jack) Audio in (mini jack)	Yes ×
	400 x 400 mm	Other features	
		Flash memory	8000 MB
		RS-232 input ports	1
		RS-232 output ports	1
		Video out	Yes
		RJ-45 input ports	1
		RJ-45 output ports	1



8806094042221

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.