



Viewsonic CDE9830 Signage Display 2.49 m (98") Wi-Fi 500 cd/m² 4K Ultra HD Black Touchscreen Built-in processor Android 11


Brand : Viewsonic

Product code: CDE9830

Product name : CDE9830

- Wireless presentation for upgraded efficiency
 - Single cable via USB-C with 65W power delivery
 - 24/7 Sustainable video playback for continuous communication
 - Remote device management with myViewBoard Manager
 - ProAV compatibility with Crestron, Extron, and AMX
- 98", TFT LCD, 2158.848 x 1214.352, 3840 x 2160p, 1.07G, 500nits, 1200:1, 8ms, 4GB, 32GB, HDMI 2.1 x3, RS-232, WIFI slot, SPDIF x1, RJ45 x1, Type-A 2.0 x 1, 3.0 x1, 10w x 2, Android 11, 100 - 240V, 69.4kg, 87.12 x 49.94 x 3.11"


Viewsonic CDE9830. Display diagonal: 2.49 m (98"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD, Touchscreen. Wi-Fi. Operating system installed: Android 11. Product colour: Black



Display		Power	
Panel type	TFT	Power consumption (typical) *	229 W
LED backlighting type	Direct-LED	Power consumption (off)	0.5 W
Display diagonal *	2.49 m (98")	Energy efficiency class (SDR)	G
Display resolution *	3840 x 2160 pixels	Energy consumption (SDR) per 1000 hours	309 kWh
Display brightness *	500 cd/m ²	AC input voltage	100 - 240 V
HD type *	4K Ultra HD	Energy efficiency scale	A to G
Touchscreen *	✓	Computer system	
Native aspect ratio	16:9	Built-in processor *	✓
Response time	8 ms	Processor architecture	ARM Cortex-A55
Contrast ratio (typical)	1200:1	Processor cores	4
Contrast ratio (dynamic)	5000:1	Operating system installed	Android 11
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Display width	2212.9 mm
Display number of colours	1.07 billion colours	Display depth	79 mm
Ports & interfaces		Display height	1268.4 mm
HDMI ports quantity *	4	Display weight	69.4 kg
HDMI version	2.1	Packaging data	
HDMI output ports quantity	1	Package width	2360 mm
DisplayPort version	1.2	Package depth	1425 mm
USB connector type	USB Type-A	Package height	280 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Package weight	90.3 kg
USB Power Delivery	✓	Packaging content	
USB Power Delivery up to	65 W	Remote control included	✓
USB Type-C DisplayPort Alternate Mode	✓	Cables included	HDMI, Power, RS-232, USB Type-C
Ethernet LAN *	✓	Mounting kit	✓
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Wi-Fi *	✓	Operating temperature (T-T)	0 - 40 °C
Audio		Operating relative humidity (H-H)	10 - 90%
Built-in speaker(s) *	✓	Features	
Number of built-in speakers	2	Wall mountable	✓
Design		Technical details	
Product colour *	Black	OPS slot	1
VESA mounting *	✓		
Panel mounting interface	800 x 600 mm		
Anti-glare screen	✓		

Other features

Manual	✓
USB 2.0 ports quantity	1



0766907017526



766907017526

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-NOV-2024. Prints or copies of Information are only valid on the printed Publication date