

English Version





Index

- 3 Overview
- 4 Key features
- 5-6 General specifications
- 7 Package contents Additional information

Meshify 2 Compact Lite

A streamlined classic

Meshify 2 Compact Lite is a high-performing case with a bold, stealth-inspired aesthetic. Its striking exterior features bolt-free, flush tempered glass and the iconic angular mesh of its larger siblings. Intelligent space utilization enables the Meshify 2 Compact Lite to boast the performance and capacity of larger cases despite its remarkably compact mid-tower size.





Key features

- Iconic angular mesh front for a bold, stealth-inspired aesthetic
- Room for GPUs up to 345 mm with a 240 mm radiator in the top, or up to 360/280 mm front radiators with GPUs under 315 mm
- Install up to 7x 120 mm or 4x 140 mm fans (1x 120 mm and 2x 140 mm Aspect fans included)
- Install up to 7x 120 mm or 4x 140 mm fans (4x 120 mm Aspect RGB fans included) [RGB Version]
- Versatile and space-efficient ATX form-factor design offers the performance and capacity of much larger cases
- Open interior layout creates a smooth airflow path from front intake to rear exhaust
- Seamlessly integrated TG panel with steel frame support and bolt-free top-latching mechanism
- USB Type-C ready front I/O (with accessory sold separately)
- Robust cooling capacity with seven fan positions and support for up to 360/280 mm radiators
- Flexible storage options supporting two 2.5"/3.5" drives and up to four SSDs (two SSD brackets included)
- · Easy-to-clean filters on the top and base with full PSU coverage and convenient front access
- Cable routing with three velcro straps
- Full length power supply shroud with two-part removable cover conceals drive cage and excess cabling for smooth airflow and a clean interior
- Seven bridgeless expansion slots ensure obstruction-free connections





General specifications

3.5"/2.5" drive mounts	• 2 (included)		
Dedicated 2.5" drive mounts	• 4 (2 included)		
5.25" drive mounts	•0		
Expansion slots	•7		
Motherboard compatibility	• ATX / mATX / Mini-ITX		
Power supply type	• ATX		
Front interface	• 2x USB 3.0, Audio I/O, Power button,		
	Reset button (RGB control button on RGB version), USB type-C ready		
Total fan mounts	• 7x 120 or 4x 140 mm and 2x 120 mm		
Front fan	• 3x 120 or 2x 140 mm		
	• 2x Aspect 14 included (3x Aspect 12 RGB for RGB version)		
Top fan	• 2x 120/140 mm		
Rear fan	• 1x 120 mm		
	• 1x Aspect 12 included (1x Aspect 12 RGB for RGB version)		
Bottom fan	• 1x 120 mm (requires removal of HDD cage)		
Dust filters	• Top and bottom		
Front radiator	• Up to 360/280 mm		
Top radiator	• Up to 240 mm (RAM at or below 35 mm recommended)		
Rear radiator	• 120 mm		
Bottom radiator	• 120 mm (requires removal of HDD cage)		



General specifications

PSU max length	• 180 mm (with HDD cage and front fan)
GPU max length	• 345 mm
CPU cooler max height	• 169 mm
Cable routing space	•17-28 mm
Cable routing grommets	• Yes (2)
Fixed velcro straps	• Yes
Tool-less push-to-lock	• Top, front and side panels
Captive thumbscrews	HDD, SSD and PSU brackets
Left side panel	• Tempered glass
Right side panel	• Steel
Case dimensions (LxWxH)	• 424 x 210 x 475 mm
Case dimensions w/o feet/protrusions/screws	• 412 x 210 x 455 mm
Net weight	•TG: 8.1 KG
Package dimensions (LxWxH)	• 542 x 320 x 554 mm
Gross weight	•TG: 9.3 KG



Package contents

- Meshify 2 Compact Lite Case
- User manual
- · Accessory box

Additional information

Product	SKU	EAN	UPC	JAN	ASIN	
Meshify 2 Compact Lite Black TG Light tint	FD-C-MEL2C-03	7340172703815	843276103811	4537694296816	BO93HJC1VM	
Meshify 2 Compact Lite White TG Clear	FD-C-MEL2C-04	7340172703822	843276103828	4537694296823	BO93HKX953	
Meshify 2 Compact Lite RGB Black TG Light tint	FD-C-MEL2C-05	7340172703839	843276103835	4537694296830	BO93HKL613	

