


### Overview

#### HPE Solid State Disk Drives


(SSD, AICs, M.2s and M.2 EKits)

HPE Solid State Drives (SSDs), Add-In-Cards, M.2s and M.2 Enablement Kits (EKits) are based upon industry leading NAND Flash technology, which delivers exceptional performance and endurance to support a growing broad spectrum of demanding applications with varying workload performance requirements.

These storage devices offer better I/O latency & more power efficient solutions when compared with traditional rotating (HDD) media, while also fitting seamlessly into existing HPE server & storage infrastructures, and are available in a number of form factors including: Small Form Factor (SFF), Large Form Factor (LFF), M.2, and PCIe/NVME Add-In-Cards (AIC).



**M.2 Enablement Kit**



**M.2**



**Smart Carrier M.2 (SCM)**



**PCIe Add-in-Card (AIC)**



**Smart Carrier NVMe (SCN)**



**Smart Carrier (SC)**



**Basic Carrier (BC)**



**Low Profile Converter (LPC)**

## Overview

### What's New?

- New Solid State Drives & Drive Option Kit(s):
  - P51452-B21 HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD
  - P51453-B21 HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD
  - P51454-B21 HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD
  - P51455-B21 HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD
  - P51456-B21 HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD
  - P51457-B21 HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD
  - P51458-B21 HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD
  - P51459-B21 HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD
  - P51460-B21 HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD
  - P51461-B21 HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD
  - P51462-B21 HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD
  - P51463-B21 HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD

### HPE Solid State Drive Selector Tool

A web-based tool that dramatically reduces the time and complexity of selecting the right SSD for your demanding workloads.

<http://ssd.hpe.com>

Dramatically reduces the time to select the right SSD for your HPE Server

- Recommends the most appropriate SSDs for specific customer workloads
- Reduces selection time and eliminates complexity; sort by server model, price, & performance
- Ideal for customers, HPE Sales, and HPE channel partners
- Simple, web-based tool; user-friendly interface

### Firmware Updates

HPE Digitally Signed Firmware Prevents unauthorized access to your data by providing the security and assurance that drive firmware comes from a trusted source and protects against malicious attacks. Digitally Signed Firmware is indicated by "DS" in the SKU description of older SKUs. All SSDs in the HPE main portfolio of SKU have digitally signed firmware unless otherwise noted, particularly in newer released SKU (even if DS does not appear in the description). Digitally Signed Firmware can be confirmed in the capacity/workload tables by SKU number.

For advanced data protection and encryption, customers should consider HPE Smart Array Controllers with HPE Smart Array Secure SR Encryption. It is a controller-based data encryption solution for HPE servers that protects data-at-rest on all SAS and SATA drives connected directly to the controller. This solution meets stringent compliance regulations such as HIPAA, FIPS, and Sarbanes-Oxley.



## Overview

### Minimally Supported Operating Systems for all SATA and SAS SSDs

- Windows Server 2019
- Microsoft Windows Server 2008 (x86 and x64) SP2 and R2 w/SP1
  - Standard Edition
  - Datacenter
  - Enterprise Edition
  - Web Server
  - Embedded
- Microsoft Windows 2012 Server (x64) R2
- Microsoft Windows 2016 (RTM)
- Red Hat Enterprise Linux 6 (EM64T/AMD64)
- Red Hat Enterprise Linux 7 (EM64T/AMD64)
- SLES 11 (EM64T/AMD64) (includes XEN)
- SLES 12 (EM64T/AMD64) (includes XEN)
- VMware ESXi 5.5
- VMware ESXi 6.0

### Our Solid State product categories include Solid State Drives, or SSDs

We define enterprise-class as products that include full data path error detection and surprise power loss protection. In addition, our SSDs have HPE SmartSSD Wear Gauge support, which provides diagnostic information and reports on the health of any given drive.

HPE Enterprise SSDs are available in three categories based on the customer's application and workload level: Read Intensive (RI), Mixed Use (MU), and Write Intensive (WI). These categories indicate the number of drive writes per day (DWPD) that you can expect from the drive. (DWPD is the maximum number of 4K host writes to the entire drive capacity of the SSD per day over a five-year period).

Workloads such as Read caching, Web Servers, Social Media, and Boot are more Read Performance driven. Workloads such as Business Intelligence, Big Data Analytics, Virtualization tend to be more Write Performance driven.

Our Read Intensive SSDs are typically focused on Read Performance with an Endurance less than or equal to 1 full drive write per day. Our Write Intensive SSDs are focused on Write Performance with an Endurance of  $\geq 10$  full drive writes per day (DWPD). As an example, if we have an 800GB Write Intensive SSD with an endurance of 10 Drive Writes per Day, it means that customers can write to the entire 800GB capacity of that SSD 10 times per day, and the drive will last for 5 years. Positioned in-between RI and WI, we have products with Balanced Read and Write Performance that we call Mixed Use (MU), with an Endurance of typically  $\sim 3$  DWPD.

For best access to SSDs, HPE has enhanced its extensive SSD portfolio with a multi-vendor offering. HPE multi-vendor portfolio utilizes specific vendor SSDs which are HPE qualified and released and are then bundled into a multi-sourced SKU per capacity. Identified by Multi Vendor (MV) in the SKU description, these multi-vendor SKUs provide the shortest lead time SSDs, preferable pricing to single sourced SKUs and are assured to meet or exceed the minimum performance specifications and power requirements published in this HPE QuickSpecs document per capacity SKU number.

HPE's multi-vendor SSD offering helps customers simplify their purchasing decisions by providing immediate availability, preferable pricing and SKU longevity on HPE certified SSDs.

HPE SATA SSDs deliver enterprise features at an affordable price in HPE servers. Entry-level pricing is fueling the rapid adoption of SSDs for read-intensive workloads, with the cost per IOPS comparing favorably to HDDs.

For customers looking to step up from SATA SSDs, HPE single-port Value SAS SSDs offer a significant performance boost over SATA SSDs with roughly twice the IOPS, and are typically lower in cost than traditional SAS SSD drives.



## Overview

HPE full-performance SAS SSDs allow greater I/O bandwidth for superior performance over Value SAS SSDs, providing high write performance and endurance. They are best suited for mission-critical enterprise environments with workloads high in read and writes.

For customers looking for even more performance, HPE offers a portfolio of NVMe SSDs. HPE Mainstream Performance NVMe SSDs are advanced data center drives optimized for greater performance and endurance in a cost-effective design. HPE High Performance NVMe SSDs are positioned to deliver high performance and low latency. HPE High Performance Low Latency NVMe SSDs are a category of drives that offers a combination of high throughput, low latency, and ultra-high endurance. The first HPE SSDs using 3D XPoint technology\*, these SSDs are optimized to break through data access bottlenecks by providing a new data storage tier. High Performance Low Latency NVMe SSDs accelerate applications for fast caching and fast storage to increase scale per server and reduce transaction costs for latency sensitive workloads.

Using the above information along with our **HPE SSD Selector Tool** at <http://ssd.hpe.com> you can quickly determine what SSD solution might best meet your needs. You can also compare specific capacity, performance attributes, and server compatibility.

XXXXXX-B21 is SKU designation formed by a common six digit part number that identifies a SKU that is offered from COMPUTE but also available across multiple server family lines. Refer to the table below to find the SKU suffix that applies to the specific server product line this option can be ordered with.

<b>-B21</b>	<b>-H21</b>	<b>-K21</b>
<b>COMPUTE Server Line</b>	<b>SPECIALIZED COMPUTE Server Line</b>	<b>STORAGE Line</b>
HPE Cloudline CL2100/CL2200/CL2800/CL3100/CL4100/CL5200/CL5800 Servers HPE Composable Cloud for ProLiant DL HPE ProLiant BL460c/BL660c Servers HPE ProLiant DL20/DL160/DL180 Servers HPE ProLiant DL325/DL360/DL380/DL385/DL560/DL580 Servers HPE ProLiant DX360/DX380 Servers HPE ProLiant MicroServer HPE ProLiant for Microsoft Azure Stack HPE ProLiant ML30/ML110/ML350 Servers HPE Synergy 480/660 Systems HPE ProLiant DX170r/DX190r, DX2000 Servers HPE ProLiant DX560 Gen10 server HPE ProLiant DX4200 Gen10 server	HPE Apollo 35/40/70 Systems HPE Apollo 2000/6000 Servers HPE XL170r/XL190r/XL270d (Apollo 6500) Gen10 Server for BlueData Software HPE Converged System 300/500/700/750 HPE Edgeline Systems and Servers HPE Integrity BL860c i6/BL870c i6/BL890c i6 Server Blades HPE Integrity MC990 X Server HPE Integrity rx2800 i6 Server HPE Integrity Superdome HPE SGI 8600 System HPE Solutions for SAP HANA (TDI)	HPE Apollo 4200 Gen9/Gen10 Servers HPE Apollo 4200 Gen10 LFF Server for BlueData Software HPE Apollo 4510 Gen10 System HPE D2220sb/D2500sb Storage Blade HPE D3000/D6020/D8000 Disk Enclosures HPE Scalable Object Storage with Scality RING HPE SimpliVity 2600 HPE SimpliVity 325/380 Gen10 HPE Storage File Controllers HPE StoreEasy 1460/1560/1650/1660/1860 Disclaimer: This may not be a complete listing of applicable servers



## Standard Features

### What is SSD?

An enduring data storage device utilizing NAND (negative-AND) semiconductor technology to store and access data which is volatile without the aid of an auxiliary power source.

### SSD Quality

Today's businesses are seeing larger, more complex applications, coupled with an increasing amount of mission-critical and transaction processing data demand. In this environment, storage has become a critical component, significantly defining requirements for both systems reliability and performance. This is why HPE drives undergo a rigorous qualification process to ensure functionality and eliminate firmware and O/S incompatibilities.

### Integration

Many issues customers have with third party drives are "simple" integration issues. When buying from another supplier, there is no guarantee that a drive has been correctly set for proper operation with ProLiant servers and storage systems. These incompatibilities can create problems in configuration, can rob your system of performance, or at their worst, can cause you to lose data. HPE drives are specifically designed and tested for flawless operation in your HPE equipment. The integration of solid state drives in HPE systems means that associated components are right for your ProLiant server.

### Support Matrix

Please see the following URL for the latest list of supported servers and enclosures:

<https://www.hpe.com/us/en/servers.html>

**Notes:** Non-hot plug devices are 15mm Z-height, which restricts them to those servers that can accept a 15mm device.

### Product Category

HPE Enterprise SSDs are available in three categories based on workload level: Read Intensive (RI), Mixed Use (MU), and Write Intensive (WI). The categories indicate the number of drive writes per day (DWPD1) that you can expect from the drive. (DWPD is the maximum number of 4K host writes to the entire drive capacity of the SSD per day over a five-year period.

### Maximum Usage Limitations

NAND Flash devices use semiconductor technology that has a finite number of data that can be written to the device, defined as the Maximum Usage Limit, commonly called "Write Endurance". Write Endurance - is measured while running 100% random 4KiB writes across the entire SSD.

Drive Writes Per Day (DWPD) - Workload environment is based on 100% random 4KiB writes for five (5) years, which is the maximum amount of data that can be written to the device before reaching the device's write endurance limit.

HPE Solid State Drives (SSDs) are equipped with tools that can report the amount of lifetime remaining. Introducing HPE SMARTSSD Wear Gauge™. To take advantage of SMARTSSD Wear Gauge™, Smart Array Firmware version 5.0 or greater is required and HPE Array Configuration Utility (ACU) or HPE Diagnostic Utility (ADU) must be running.

Simple Network Management Protocol (SNMP) Storage Agents for both Microsoft® Windows® and Linux provide status and condition updates through traps, OS event logs and the HPE System Management Homepage:

<https://www.hpe.com/us/en/product-catalog/detail/pip.hp-system-management-homepage-software.344313.html>

The HPE SMARTSSD Wear Gauge™ requires a Smart Array or Smart HBA controller listed below.



## Standard Features

### Standard Features

- HPE Smart Array PX1X Controller Series or newer
- HPE Smart HBA PX4X Controller Series
- HPE Dynamic Smart Array BX2Xi Controller Series or newer
- HPE Dynamic Smart Array B320i Controller

**Notes:** HPE Direct Connect to the HPE Smart Array B110i SATA RAID Controller is not currently supported by the above noted tool.

### Data Retention

Data Retention is the period of time for retaining the data in the NAND once the maximum rated endurance level has occurred. These SSD's are rated for 3 months if no power is applied once the SSD has reached maximum rated write endurance.

### Warranty

SSD & AIC Standard 3/0/0 warranty; Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for warranty coverage.

**Notes:** In cases where an M.2 SSD is used in conjunction with a Server Cartridge the Warranty includes 3-Year Parts, 3-Year Labor, 3-Year (3/3/3) Onsite support for that option only.

### HPE SATA Very Read Optimized Solid State Drives Endurance

"Very Read Optimized" is an HPE term used to differentiate new QLC NAND based SSDs that will have variable endurance levels or DWPD (Drive Writes Per Day) depending on how a customer writes data to them. Using QLC NAND requires that the workload write percentage and block size be understood as the endurance can be very different than other SSDs in the market.

HPE VRO SSDs are designed for targeted workloads that drive a typical mix of >80% random reads and <20% sequential large block writes. Today it is standard for all SSDs to use a 100% 4K random write workload to generate the specified endurance (DWPD) that is listed in the technical specifications. However, as VRO SSDs are not targeted at that 100% 4K random write workload, it's important to consider the actual targeted workload.

The VRO targeted workloads would typically have all write operations that are sequential and in 128K blocks which would allow all VRO capacities to support 0.8 DWPD endurance. However, if the VRO SSD is used differently than targeted, the DWPD will vary based upon how the drive is written to. If used incorrectly, such as the industry standard 4K random write workload the DWPD endurance drops to: 0.2 on the 1.92TB; 0.09 on the 3.84TB and 0.05 on the 7.68TB VRO SSDs.

**Table 1. Endurance by workload**

Capacity	Drive Writes Per Day (DWPD)			Total Bytes Written (TBW)		
	1.92TB	3.84TB	7.68TB	1.92TB	3.84TB	7.68TB
100% 128K sequential writes	0.8	0.8	0.8	2800 TB	5600 TB	11210 TB
90% 128K sequential writes*	0.72	0.62	0.56	2505 TB	4370 TB	7880 TB
10% 4K random writes						
80% 128K sequential writes*	0.66	0.56	0.39	2295 TB	3900 TB	5510 TB
20% 4K random writes						
70% 128K sequential writes*	0.56	0.41	0.27	1970 TB	2870 TB	3800 TB
30% 4K random writes						
50% 128K sequential writes*	0.44	0.25	0.16	1530 TB	1760 TB	2175 TB
50% 4K random writes						
100% 16K random writes	0.2	0.2	0.2	700 TB	1366 TB	2733 TB
100% 8K random writes	0.2	0.18	0.1	700 TB	1260 TB	1400 TB
100% 4K random writes	0.2	0.09	0.05	700 TB	630 TB	700 TB

**Notes:** \*Based on 100% 4K random writes; Larger block sizes and sequential writes provide greater endurance, as listed in the table in the Endurance section



## Technical Specifications

### SATA Capacity, Workload and Carrier Specifications

#### SATA Interface- (Capacity, Workload, Carrier...)

HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
<b>Mixed Use SATA Drives</b>											
P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	480	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	960	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	1,920	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	3,840	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	480	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	960	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	1,920	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	3,840	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47323-B21	HPE 480GB SATA 6G Mixed Use SFF SC S4620 SSD	480	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47324-B21	HPE 480GB SATA 6G Mixed Use SFF BC S4620 SSD	480	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47325-B21	HPE 1.92TB SATA 6G Mixed Use SFF SC S4620 SSD	1,920	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47326-B21	HPE 3.84TB SATA 6G Mixed Use SFF SC S4620 SSD	3,840	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47327-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC S4620 SSD	3,840	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	960	MU	SATA	LFF	Hot Plug	SCC	Yes	TLC	Single	Gen10,10 Plus
P44011-B21	HPE 480GB SATA 6G Mixed Use SFF BC PM897 SSD	480	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	SP	Gen10 Plus
P44012-B21	HPE 960GB SATA 6G Mixed Use SFF BC PM897 SSD	960	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	SP	Gen10 Plus
P44013-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC PM897 SSD	1,920	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	SP	Gen10 Plus
P47814-B21	HPE 480GB SATA 6G Mixed Use SFF SC PM897 SSD	480	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	SP	Gen10 Plus
P47815-B21	HPE 960GB SATA 6G Mixed Use SFF SC PM897 SSD	960	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	SP	Gen10 Plus
P47816-B21	HPE 1.92TB SATA 6G Mixed Use SFF SC PM897 SSD	1,920	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	SP	Gen10 Plus



## Technical Specifications

SATA Interface- (Capacity, Workload, Carrier...)												
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digital Sign	Flash Type	Port	Server Gen	Supported (Select Platforms)
<b>Mixed Use SATA Self-Encrypting Drives (SED)</b>												
P42128-B21	HPE 960GB SATA 6G Mixed Use SFF BC Self-encrypting 5300M SSD	960	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P42132-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Self-encrypting 5300M SSD	1,920	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
<b>Read Intensive SATA Drives</b>												
P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	240	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	480	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	960	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1,920	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	3,840	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	7,680	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P19892-B21	HPE 960GB SATA 6G Read Intensive M.2 2280 5300P SSD	960	RI	SATA	M.2	Non Hot Plug	N/A	Yes	TLC	Single	Gen10,10 Plus	
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	240	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	480	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	960	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1,920	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	3,840	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	7,680	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	

## Technical Specifications

SATA Interface- (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P47319-B21	HPE 1.92TB SATA 6G Read Intensive SFF SC S4520 SSD	1,920	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47320-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC S4520 SSD	1,920	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47321-B21	HPE 3.84TB SATA 6G Read Intensive SFF SC S4520 SSD	3,840	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47322-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC S4520 SSD	3,840	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	240	RI	SATA	M.2	Non Hot	N/A	Yes	TLC	Single	Gen10,10 Plus
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	480	RI	SATA	M.2	Non Hot	N/A	Yes	TLC	Single	Gen10,10 Plus
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	240	RI	SATA	SFF	Non Hot	RW	Yes	TLC	Single	Gen10,10 Plus
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	480	RI	SATA	LFF	Hot Plug	SCC	Yes	TLC	Single	Gen10,10 Plus
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	960	RI	SATA	LFF	Hot Plug	LPC	Yes	TLC	Single	Gen10,10 Plus
P44007-B21	HPE 480GB SATA 6G Read Intensive SFF BC PM893 SSD	480	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P44008-B21	HPE 960GB SATA 6G Read Intensive SFF BC PM893 SSD	960	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P44009-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC PM893 SSD	1,920	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P44010-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC PM893 SSD	3,840	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47810-B21	HPE 480GB SATA 6G Read Intensive SFF SC PM893 SSD	480	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10 Plus
P47811-B21	HPE 960GB SATA 6G Read Intensive SFF SC PM893 SSD	960	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10 Plus
P47812-B21	HPE 1.9TB SATA 6G Read Intensive SFF SC PM893 SSD	1,920	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10 Plus
P47813-B21	HPE 3.84TB SATA 6G Read Intensive SFF SC PM893 SSD	3,840	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10 Plus
Read Intensive SATA Self-Encrypting Drives (SED)											
P42120-B21	HPE 480GB SATA 6G Read Intensive SFF BC Self-encrypting 5300P SSD	480	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P42124-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Self-encrypting 5300P SSD	1,920	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus



## Technical Specifications

<b>Very Read Optimized SATA Drives</b>											
P23493-B21	HPE 7.68TB SATA 6G Very Read Optimized SFF SC 5210 SSD	7,680	VRO	SATA VRO	SFF	Hot Plug	SC	Yes	QLC	Single	Gen10,10 Plus
P40555-B21	HPE 7.68TB SATA 6G Very Read Optimized SFF BC 5210 SSD	7,680	VRO	SATA VRO	SFF	Hot Plug	BC	Yes	QLC	Single	Gen10 Plus

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### SATA Speeds and Feeds Specifications

#### SATA Interface – (Speeds & Feeds)

##### HPE Option Kit Long Description

SKU		Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
<b>Mixed Use SATA Drives</b>							
P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	3,000	3.50	510 / 430	125 / 52	62,000 / 29,000	72,000@Q32 / 29,000@Q4
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	6,000	3.40	520 / 480	125 / 50	66,000 / 31,000	74,000@Q32 / 31,000@Q4
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	10,000	3.10	520 / 480	125 / 52	66,000 / 31,000	74,000@Q32 / 31,000@Q4
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	22,000	3.10	510 / 480	125 / 55	66,000 / 34,000	76,000@Q32 / 35,000@Q4
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	3,000	3.50	510 / 430	125 / 52	62,000 / 29,000	72,000@Q32 / 29,000@Q4
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	6,000	3.40	520 / 480	125 / 50	61,000 / 31,000	72,000@Q32 / 31,000@Q4
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	10,000	3.05	520 / 480	125 / 52	59,000 / 31,000	71,000@Q32 / 31,000@Q4
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	22,000	3.00	510 / 480	140 / 76	59,000 / 32,000	70,000@Q32 / 35,000@Q4
P47323-B21	HPE 480GB SATA 6G Mixed Use SFF SC S4620 SSD	4,200	4.7	525 / 480	107 / 48	63,000 / 45,000	74,000@Q32 / 47,000@Q32
P47324-B21	HPE 480GB SATA 6G Mixed Use SFF BC S4620 SSD	4,200	4.7	525 / 480	107 / 48	63,000 / 45,000	74,000@Q32 / 47,000@Q32
P47325-B21	HPE 1.92TB SATA 6G Mixed Use SFF SC S4620 SSD	14,000	4.0	525 / 480	107 / 48	66,000 / 43,000	74,000@Q32 / 45,500@Q32
P47326-B21	HPE 3.84TB SATA 6G Mixed Use SFF SC S4620 SSD	35,100	5.0	525 / 480	107 / 48	66,000 / 43,000	74,000@Q32 / 45,500@Q32
P47327-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC S4620 SSD	35,100	5.0	525 / 480	107 / 48	66,000 / 43,000	74,000@Q32 / 45,500@Q32
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	6,000	3.40	520 / 480	125 / 50	61,000 / 31,000	72,000@Q32 / 31,000@Q4
P44011-B21	HPE 480GB SATA 6G Mixed Use SFF BC PM897 SSD	2628	3	535 / 495	108 / 37	66,000 / 52,000	76,000@Q32 / 52,500@Q16
P44012-B21	HPE 960GB SATA 6G Mixed Use SFF BC PM897 SSD	5256	3	535 / 495	108 / 39	66,000 / 52,000	76,000@Q32 / 52,500@Q16
P44013-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC PM897 SSD	10,512	3	535 / 495	108 / 38	65,000 / 52,000	76,000@Q32 / 52,500@Q16
P47814-B21	HPE 480GB SATA 6G Mixed Use SFF SC PM897 SSD	2628	3	535 / 495	108 / 37	66,000 / 52,000	76,000@Q32 / 52,500@Q16
P47815-B21	HPE 960GB SATA 6G Mixed Use SFF SC PM897 SSD	5256	3	535 / 495	108 / 39	66,000 / 52,000	76,000@Q32 / 52,500@Q16
P47816-B21	HPE 1.92TB SATA 6G Mixed Use SFF SC PM897 SSD	10,512	3	535 / 495	108 / 38	65,000 / 52,000	76,000@Q32 / 52,500@Q16



## Technical Specifications

<b>SATA Interface – (Speeds &amp; Feeds)</b>							
<b>HPE Option Kit Long Description</b> <b>SKU</b>	<b>Lifetime Writes (TB)</b>	<b>Endurance DWPD</b>	<b>MAX Seq Reads / Max Seq Writes Through- put (MiB/s)</b>	<b>Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)</b>	<b>Random Read / Random Writes IOPS (4KiB, Q=16)</b>	<b>MAX Random Read / MAX Random Write IOPS (4KiB)</b>	
						<b>MAX Random Read / MAX Random Write IOPS (4KiB)</b>	
<b>Mixed Use SATA Self-Encrypting Drives (SED)</b>							
P42128-B21	HPE 960GB SATA 6G Mixed Use SFF BC Self-encrypting 5300M SSD	8,760	5.00	520 / 490	125 / 37	67,000 / 52,000	76,000@Q256 / 52,000@Q4
P42132-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Self-encrypting 5300M SSD	17,520	5.00	520 / 490	125 / 37	67,000 / 52,000	75,000@Q256 / 52,000@Q4
<b>Read Intensive SATA Drives</b>							
P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	350	0.80	520 / 255	203 / 121	44,000 / 14,000	65,500@Q32 / 14,000@Q1
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	430	0.50	510 / 300	125 / 75	63,000 / 15,000	65,500@Q32 / 15,400@Q1
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1,400	0.80	515 / 480	125 / 60	58,500 / 29,000	58,500@Q32 / 29,000@Q4
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	2,800	0.80	520 / 470	125 / 60	55,500 / 24,000	56,000@Q32 / 25,000@Q32
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	3,400	0.50	510 / 480	125 / 65	54,000 / 22,500	56,000@Q32 / 25,000@Q4
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	9,111	0.65	505 / 495	126 / 87	65,000 / 11,500	73,000@Q32 / 11,800@Q64
P19892-B21	HPE 960GB SATA 6G Read Intensive M.2 2280 5300P SSD	2,628	1.50	510 / 490	125 / 38	67,000 / 37,000	76,000@Q32 / 38,000@Q4
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	250	0.80	520 / 255	124 / 70	44,000 / 14,000	65,000@Q64 / 14,000@Q1
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	430	0.50	510 / 300	125 / 75	63,000 / 15,000	65,500@Q32 / 15,400@Q1
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1,400	0.80	515 / 480	125 / 60	58,500 / 29,000	58,500@Q32 / 29,000@Q4
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	2,400	0.80	520 / 470	125 / 60	55,500 / 24,000	56,000@Q32 / 25,000@Q32
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	3,400	0.50	510 / 480	125 / 65	54,000 / 22,500	56,000@Q32 / 23,000@Q1
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	9,111	0.65	505 / 495	126 / 87	65,000 / 11,500	76,000@Q32 / 11,800@Q64



## Technical Specifications

<b>SATA Interface – (Speeds &amp; Feeds)</b>							
<b>SKU</b>	<b>HPE Option Kit Long Description</b>	<b>Lifetime Writes (TB)</b>	<b>Endurance DWPD</b>	<b>MAX Seq Reads / Max Seq Writes Throughput (MiB/s)</b>	<b>Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)</b>	<b>Random Read / Random Writes IOPS (4KiB, Q=16)</b>	<b>MAX Random Read / MAX Random Write IOPS (4KiB)</b>
							<b>MAX Random Read / MAX Random Write IOPS (4KiB)</b>
P47319-B21	HPE 1.92TB SATA 6G Read Intensive SFF SC S4520 SSD	8,800	2.5	525 / 480	107 / 53	65,000 / 37,000	73,000@Q32 / 40,000@Q32
P47320-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC S4520 SSD	8,800	2.5	525 / 480	107 / 53	65,000 / 37,000	73,000@Q32 / 40,000@Q32
P47321-B21	HPE 3.84TB SATA 6G Read Intensive SFF SC S4520 SSD	15,300	2.1	525 / 480	107 / 57	65,000 / 34,000	73,000@Q32 / 75,000@Q4
P47322-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC S4520 SSD	15,300	2.1	525 / 480	107 / 57	65,000 / 34,000	73,000@Q32 / 75,000@Q4
P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	438	1.00	520 / 210	125 / 85	48,000 / 11,500	50,500@Q128 / 11,800@Q16
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	1,324	1.50	510 / 400	125 / 37	65,000 / 38,000	76,000@Q64 / 39,500@Q256
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	250	0.80	400 / 235	124 / 70	44,000 / 14,000	45,000@Q16 / 16,500@Q4
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	430	0.50	510 / 300	125 / 75	63,000 / 15,000	65,000@Q32 / 15,400@Q1
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	1,400	0.80	515 / 480	125 / 60	58,500 / 29,000	58,500@Q32 / 29,000@Q4
P44007-B21	HPE 480GB SATA 6G Read Intensive SFF BC PM893 SSD	876	1	535 / 495	97 / 37	68,000 / 29,000	77,000@Q32 / 29,000@Q4
P44008-B21	HPE 960GB SATA 6G Read Intensive SFF BC PM893 SSD	1,752	1.00	535 / 495	97 / 39	68,000 / 31,000	77,000@Q32 / 31,000@Q4
P44009-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC PM893 SSD	3,504	1	535 / 495	108 / 39	66,000 / 32,000	75,000@Q32 / 32,000@Q4
P44010-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC PM893 SSD	7,008	1.00	535 / 495	108 / 39	65,000 / 32,000	75,000@Q32 / 32,000@Q4
P47810-B21	HPE 480GB SATA 6G Read Intensive SFF SC PM893 SSD	876	1	535 / 495	97 / 37	68,000 / 29,000	77,000@Q32 / 29,000@Q4
P47811-B21	HPE 960GB SATA 6G Read Intensive SFF SC PM893 SSD	1752	1	535 / 495	97 / 39	68,000 / 31,000	77,000@Q32 / 31,000@Q4
P47812-B21	HPE 1.9TB SATA 6G Read Intensive SFF SC PM893 SSD	3,504	1	535 / 495	108 / 39	66,000 / 32,000	75,000@Q32 / 32,000@Q4
P47813-B21	HPE 3.84TB SATA 6G Read Intensive SFF SC PM893 SSD	7008	1	535 / 495	108 / 39	65,000 / 32,000	75,000@Q32 / 32,000@Q4
<b>Read Intensive SATA Self-Encrypting Drives (SED)</b>							
P42120-B21	HPE 480GB SATA 6G Read Intensive SFF BC Self-encrypting 5300P SSD	1,324	1.50	510 / 395	125 / 38	65,000 / 38,500	75,000@Q256 / 40,000@Q4
P42124-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Self-encrypting 5300P SSD	5,256	1.50	520 / 495	125 / 38	67,000 / 31,000	76,000@Q32 / 33,000@Q32



## Technical Specifications

<b>SATA Interface – (Speeds &amp; Feeds)</b>								
<b>HPE Option Kit Long Description</b>		<b>Lifetime Writes (TB)</b>	<b>Endurance DWPD</b>	<b>MAX Seq Reads / Max Seq Writes Throughput (MiB/s)</b>	<b>Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)</b>	<b>Random Read / Random Writes IOPS (4KiB, Q=16)</b>	<b>MAX Random Read / MAX Random Write IOPS (4KiB)</b>	
<b>Very Read Optimized SATA Drives</b>								
P23493-B21	HPE 7.68TB SATA 6G Very Read Optimized SFF SC 5210 SSD	700	0.05	500 / 340	175 / 225	54,000 / 4,500	62,000@Q64 / 4,500@Q128	
P40555-B21	HPE 7.68TB SATA 6G Very Read Optimized SFF BC 5210 SSD	700	0.05	500 / 340	175 / 225	54,000 / 4,500	62,000@Q64 / 4,500@Q128	



## Technical Specifications

### SATA Certifications

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

SATA Interface – (Certifications)						
HPE Option Kit Long Description	SKU	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
<b>Mixed Use SATA Drives</b>						
P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P47323-B21	HPE 480GB SATA 6G Mixed Use SFF SC S4620 SSD	N/A	N/A	N/A	N/A	N/A
P47324-B21	HPE 480GB SATA 6G Mixed Use SFF BC S4620 SSD	N/A	N/A	N/A	N/A	N/A
P47325-B21	HPE 1.92TB SATA 6G Mixed Use SFF SC S4620 SSD	N/A	N/A	N/A	N/A	N/A
P47326-B21	HPE 3.84TB SATA 6G Mixed Use SFF SC S4620 SSD	N/A	N/A	N/A	N/A	N/A
P47327-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC S4620 SSD	N/A	N/A	N/A	N/A	N/A
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P44011-B21	HPE 480GB SATA 6G Mixed Use SFF BC PM897 SSD	N/A	N/A	N/A	N/A	N/A
P44012-B21	HPE 960GB SATA 6G Mixed Use SFF BC PM897 SSD	N/A	N/A	N/A	N/A	N/A
P44013-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC PM897 SSD	N/A	N/A	N/A	N/A	N/A
P47814-B21	HPE 480GB SATA 6G Mixed Use SFF SC PM897 SSD	N/A	N/A	N/A	N/A	N/A



## Technical Specifications

SATA Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P47815-B21	HPE 960GB SATA 6G Mixed Use SFF SC PM897 SSD	N/A	N/A	N/A	N/A	N/A
P47816-B21	HPE 1.92TB SATA 6G Mixed Use SFF SC PM897 SSD	N/A	N/A	N/A	N/A	N/A
Mixed Use SATA Self-Encrypting Drives (SED)						
P42128-B21	HPE 960GB SATA 6G Mixed Use SFF BC Self-encrypting 5300M SSD	Certified	Certified	Certified	Certified	Certified
P42132-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Self-encrypting 5300M SSD	Certified	Certified	Certified	Certified	Certified
Read Intensive SATA Drives						
P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P19892-B21	HPE 960GB SATA 6G Read Intensive M.2 2280 5300P SSD	Certified	Certified	Certified	Certified	Certified
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified



## Technical Specifications

SATA Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P47319-B21	HPE 1.92TB SATA 6G Read Intensive SFF SC S4520 SSD	N/A	N/A	N/A	N/A	N/A
P47320-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC S4520 SSD	N/A	N/A	N/A	N/A	N/A
P47321-B21	HPE 3.84TB SATA 6G Read Intensive SFF SC S4520 SSD	N/A	N/A	N/A	N/A	N/A
P47322-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC S4520 SSD	N/A	N/A	N/A	N/A	N/A
P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P44007-B21	HPE 480GB SATA 6G Read Intensive SFF BC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P44008-B21	HPE 960GB SATA 6G Read Intensive SFF BC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P44009-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P44010-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P47810-B21	HPE 480GB SATA 6G Read Intensive SFF SC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P47811-B21	HPE 960GB SATA 6G Read Intensive SFF SC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P47812-B21	HPE 1.9TB SATA 6G Read Intensive SFF SC PM893 SSD	N/A	N/A	N/A	N/A	N/A
P47813-B21	HPE 3.84TB SATA 6G Read Intensive SFF SC PM893 SSD	N/A	N/A	N/A	N/A	N/A
Read Intensive SATA Self-Encrypting Drives (SED)						
P42120-B21	HPE 480GB SATA 6G Read Intensive SFF BC Self-encrypting 5300P SSD	Certified	Certified	Certified	Certified	Certified



## Technical Specifications

SATA Interface – (Certifications)						
HPE Option Kit	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
SKU	P42124-B21 HPE 1.92TB SATA 6G Read Intensive SFF BC Self-encrypting 5300P SSD	Certified	Certified	Certified	Certified	Certified

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### SATA Capacity, Workload, Carrier Specifications MULTI VENDOR

### SATA Interface- (Capacity, Workload, Carrier...) MULTI VENDOR

#### HPE Option Kit Long Description

SKU

	<b>Capacity</b>	<b>Workload Type</b>	<b>Interface Type</b>	<b>Form Factor</b>	<b>Plug Type</b>	<b>Carrier Type</b>	<b>Digitally Signed Firmware (DS)</b>	<b>Flash Type</b>	<b>Port</b>	<b>Server Gen Supported (Select Platforms)</b>
--	-----------------	----------------------	-----------------------	--------------------	------------------	---------------------	---------------------------------------	-------------------	-------------	--

#### Mixed Use Multi Vendor SATA Drives

P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	480	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	960	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	1,920	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	3,840	MU	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	480	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	960	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	1,920	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	3,840	MU	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	960	MU	SATA	LFF	Hot Plug	SCC	Yes	TLC	Single	Gen10,10 Plus

#### Read Intensive Multi Vendor SATA Drives

P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	240	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	480	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	960	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1,920	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	3,840	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	7,680	RI	SATA	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	240	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	480	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus



## Technical Specifications

P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	960	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1,920	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	3,840	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	7,680	RI	SATA	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	240	RI	SATA	SFF	Hot Plug	SCC	Yes	TLC	Single	Gen10,10 Plus
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	480	RI	SATA	LFF	Hot Plug	LPC	Yes	TLC	Single	Gen10,10 Plus
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	240	RI	SATA	SFF	Non Hot Plug	RW	Yes	TLC	Single	Gen10,10 Plus

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SATA capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.

## SATA Speeds and Feeds Specifications MULTI VENDOR

### SATA Interface – (Speeds & Feeds) MULTI VENDOR

HPE Option Kit	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
----------------	------------------	----------------------	----------------	---	---	---	--

### Mixed Use Multi Vendor SATA Drives

P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	3,000	3.50	510 / 430	125 / 52	62,000 / 29,000	72,000@Q32 / 29,000@Q4
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	6,000	3.40	520 / 480	125 / 50	67,000 / 31,000	64,500@Q32 / 31,000@Q4
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	10,000	3.10	520 / 480	125 / 52	67,000 / 31,000	76,000@Q32 / 31,000@Q4
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	22,000	3.10	510 / 480	125 / 55	67,000 / 34,000	76,000@Q32 / 35,000@Q4
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	3,000	3.50	510 / 430	125 / 52	62,000 / 29,000	72,000@Q32 / 29,000@Q4
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	6,000	3.40	520 / 480	125 / 50	61,000 / 31,000	72,000@Q32 / 31,000@Q4
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	10,000	3.05	520 / 480	125 / 52	59,000 / 31,000	71,000@Q32 / 31,000@Q4



## Technical Specifications

SATA Interface – (Speeds & Feeds) MULTI VENDOR								
SKU	HPE Option Kit Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Through- put (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)	
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	22,000	3.00	510 / 480	140 / 76	59,000 / 32,000	70,000@Q32 / 35,000@Q4	
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	6,000	3.40	520 / 480	125 / 50	61,000 / 31,000	72,000@Q32 / 31,000@Q4	
Read Intensive Multi Vendor SATA Drives								
P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	350	0.80	520 / 255	203 / 121	57,000 / 14,000	65,500@Q32 / 14,000@Q1	
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	430	0.50	510 / 300	125 / 75	63,000 / 15,000	65,500@Q32 / 15,400@Q1	
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1,400	0.80	515 / 480	125 / 60	58,500 / 29,000	58,500@Q32 / 15,400@Q1	
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	2,800	0.80	520 / 470	125 / 60	55,500 / 24,000	56,000@Q32 / 30,000@Q4	
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	3,400	0.50	510 / 480	125 / 65	54,000 / 22,500	56,000@Q32 / 22,000@Q4	
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	9,111	0.65	505 / 495	126 / 87	67,000 / 11,500	76,000@Q32 / 11,800@Q64	
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	250	0.80	520 / 255	124 / 70	57,000 / 14,000	65,000@Q64 / 14,000@Q1	
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	430	0.50	510 / 300	125 / 75	63,000 / 15,000	65,500@Q32 / 15,400@Q1	
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1,400	0.80	515 / 480	125 / 60	58,500 / 29,000	58,500@Q32 / 29,000@Q4	
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	2,400	0.80	520 / 470	125 / 60	55,500 / 24,000	56,000@Q32 / 25,000@Q32	
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	3,400	0.50	510 / 480	125 / 65	54,000 / 22,500	56,000@Q32 / 23,000@Q1	
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	9,111	0.65	505 / 495	126 / 87	67,000 / 11,500	76,000@Q32 / 11,800@Q64	
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	430	0.50	510 / 300	125 / 75	63,000 / 15,000	65,000@Q32 / 15,400@Q1	



## Technical Specifications

SATA Interface – (Speeds & Feeds) MULTI VENDOR									
HPE Option Kit Long Description		SKU	Lifetime Writes (TB)		Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	1,400	0.80	515 / 480	125 / 60	58,500 / 29,000	58,500@Q32 / 29,000@Q4		
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	250	0.80	400 / 235	124 / 70	44,000 / 14,000	45,000@Q16 / 16,500@Q4		

## SATA Power and Height Specifications MULTI VENDOR

SATA Interface – (Power & Height) MULTI VENDOR										
HPE Option Kit Long Description		SKU	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
<b>Mixed Use Multi Vendor SATA Drives</b>										

P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	1.31	2.94	2.94	3.56	3.44	2.94	3.56	7mm
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	1.37	2.79	2.79	2.36	3.23	2.79	3.23	7mm
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	1.37	3.04	3.04	2.32	3.30	3.04	3.30	7mm
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	1.36	3.11	3.11	2.45	3.74	3.11	3.74	7mm
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	1.31	2.94	2.94	3.56	3.44	2.94	3.56	7mm
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	1.37	2.81	2.81	3.09	3.93	2.81	3.93	7mm
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	1.37	3.04	3.04	3.20	4.10	3.04	4.10	7mm
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	1.36	3.17	3.17	3.66	4.39	3.17	4.39	7mm
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	1.37	2.81	2.81	3.09	3.93	2.81	3.93	7mm

<b>Read Intensive Multi Vendor SATA Drives</b>									
P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1.23	2.48	2.48	2.21	2.44	2.48	2.48	7mm
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1.27	2.92	2.92	3.06	3.36	2.92	3.36	7mm
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1.35	3.02	3.02	3.05	3.37	3.02	3.37	7mm



## Technical Specifications

### SATA Interface – (Power & Height) MULTI VENDOR

#### HPE Option Kit Long Description

SKU		Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1.35	3.15	3.15	3.16	3.53	3.15	3.53	7mm
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1.26	3.46	3.46	3.56	3.88	3.46	3.88	7mm
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	1.25	2.01	2.01	2.26	2.76	2.01	2.76	7mm
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1.23	2.48	2.48	2.21	2.44	2.48	2.48	7mm
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1.27	2.92	2.92	3.06	3.36	2.92	3.36	7mm
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1.35	3.02	3.02	3.05	3.37	3.02	3.37	7mm
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1.35	3.15	3.15	3.16	3.53	3.15	3.53	7mm
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1.26	3.46	3.46	3.56	3.88	3.46	3.88	7mm
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	1.25	2.01	2.01	2.26	2.76	2.01	2.76	7mm
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	1.27	2.92	2.92	3.06	3.36	2.92	3.36	7mm
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	1.35	3.02	3.02	3.05	3.37	3.02	3.37	7mm
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	1.23	2.48	2.48	2.21	2.44	2.48	2.48	7mm

#### Notes:

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SATA capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.



## Technical Specifications

### SATA Certifications MULTI VENDOR

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

### SATA Interface – (Certifications) MULTI VENDOR

HPE Option Kit	Long Description	SKU	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
----------------	------------------	-----	------------------------------------	---	---	---	---

### Mixed Use Multi Vendor SATA Drives

P18432-X21	HPE 480GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18434-X21	HPE 960GB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18436-X21	HPE 1.92TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18438-X21	HPE 3.84TB SATA 6G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P47419-B21	HPE 960GB SATA 6G Mixed Use LFF SCC Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A	N/A
P18420-X21	HPE 240GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18422-X21	HPE 480GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18424-X21	HPE 960GB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18426-X21	HPE 1.92TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18428-X21	HPE 3.84TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified
P18430-X21	HPE 7.68TB SATA 6G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	Certified



## Technical Specifications

SATA Interface – (Certifications) MULTI VENDOR						
HPE Option Kit	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
SKU						
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P47807-B21	HPE 480GB SATA 6G Read Intensive LFF SCC Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47809-B21	HPE 240GB SATA 6G Read Intensive SFF RW Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SATA capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.



## Technical Specifications

### SAS Capacity, Workload, Carrier Specifications

#### SAS Interface – (Capacity, Workload, Carrier...)

##### HPE Option Kit Long Description

SKU

		Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digital Signature Firmware (DS)	Flash Type	Port	Server Gen	Supported (Select Platforms)
--	--	----------	---------------	----------------	-------------	-----------	--------------	------------------------------------	------------	------	------------	------------------------------

#### Write Intensive SAS Drives

P26295-B21	HPE 400GB SAS 12G Write Intensive SFF SC PM6 SSD	400	WI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P26372-B21	HPE 800GB SAS 12G Write Intensive SFF SC PM6 SSD	800	WI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P26376-B21	HPE 1.6TB SAS 12G Write Intensive SFF SC PM6 SSD	1,600	WI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P40480-B21	HPE 400GB SAS 24G Write Intensive SFF BC PM6 SSD	400	WI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P40481-B21	HPE 800GB SAS 24G Write Intensive SFF BC PM6 SSD	800	WI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P40482-B21	HPE 1.6TB SAS 24G Write Intensive SFF BC PM6 SSD	1,600	WI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus

#### Mixed Use SAS Drives

P49046-B21	HPE 800GB SAS 12G Mixed Use SFF SC Multi Vendor SSD	800	MU	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49048-B21	HPE 1.6TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	1,600	MU	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49052-B21	HPE 3.2TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	3,200	MU	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49056-B21	HPE 6.4TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	6,400	MU	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49047-B21	HPE 800GB SAS 24G Mixed Use SFF BC Multi Vendor SSD	800	MU	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49049-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	1,600	MU	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49053-B21	HPE 3.2TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	3,200	MU	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49057-B21	HPE 6.4TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	6,400	MU	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus

#### Mixed Use SAS Self-Encrypting Drives (SED)

P41400-B21	HPE 800GB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	800	MU	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P41401-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	1,600	MU	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus

#### Read Intensive SAS Drives

P49028-B21	HPE 960GB SAS 12G Read Intensive SFF SC Multi Vendor SSD	960	RI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
------------	--	-----	----	-----	-----	----------	----	-----	-----	------	---------------



## Technical Specifications

### SAS Interface – (Capacity, Workload, Carrier...)

#### HPE Option Kit Long Description

#### SKU

		<b>Capacity</b>	<b>Workload Type</b>	<b>Interface Type</b>	<b>Form Factor</b>	<b>Plug Type</b>	<b>Carrier Type</b>	<b>Digitally Signed Firmware (DS)</b>	<b>Flash Type</b>	<b>Port</b>	<b>Server Gen Supported (Select Platforms)</b>
P49030-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	1,920	RI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49034-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	3,840	RI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49038-B21	HPE 7.68TB SAS 24G Read Intensive LFF SCC Multi Vendor SSD	7,680	RI	SAS	LFF	Hot Plug	SCC	Yes	TLC	Dual	Gen10,10 Plus
P49039-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	7,680	RI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49040-B21	HPE 7.68TB SAS 24G Read Intensive LFF LPC Multi Vendor SSD	7,680	RI	SAS	LFF	Hot Plug	LPC	Yes	TLC	Dual	Gen10,10 Plus
P49044-B21	HPE 15.36TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	15,360	RI	SAS	SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10,10 Plus
P49029-B21	HPE 960GB SAS 24G Read Intensive SFF BC Multi Vendor SSD	960	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49031-B21	HPE 1.92TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	1,920	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49035-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	3,840	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49041-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	7,680	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P49045-B21	HPE 15.36TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	15,360	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus

### Read Intensive SAS Self-Encrypting Drives (SED)

P41398-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	3,840	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus
P41399-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	7,680	RI	SAS	SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus

#### Notes:

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### SAS Speeds and Feeds Specifications

SAS Interface - (Speeds & Feeds)									
HPE Option Kit	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
<b>Write Intensive SAS Drives</b>									
P26295-B21	HPE 400GB SAS 12G Write Intensive SFF SC PM6 SSD	7,134	10.00	1,080 / 1,035	95 / 32	150,000 / 125,000	173,000@Q64 / 135,000@Q16		
P26372-B21	HPE 800GB SAS 12G Write Intensive SFF SC PM6 SSD	14,267	10.00	1,080 / 1,035	100 / 32	145,000 / 125,000	173,000@Q64 / 130,000@Q16		
P26376-B21	HPE 1.6TB SAS 12G Write Intensive SFF SC PM6 SSD	28,534	10.00	1,080 / 1,035	108 / 32	135,000 / 125,000	173,000@Q64 / 130,000@Q16		
P40480-B21	HPE 400GB SAS 24G Write Intensive SFF BC PM6 SSD	7,134	10.00	1,080 / 1,035	95 / 32	150,000 / 125,000	173,000@Q64 / 135,000@Q16		
P40481-B21	HPE 800GB SAS 24G Write Intensive SFF BC PM6 SSD	14,267	10.00	1,080 / 1,035	100 / 32	145,000 / 125,000	173,000@Q64 / 130,000@Q16		
P40482-B21	HPE 1.6TB SAS 24G Write Intensive SFF BC PM6 SSD	28,534	10.00	1,080 / 1,035	108 / 32	135,000 / 125,000	173,000@Q64 / 130,000@Q16		
<b>Mixed Use SAS Drives</b>									
P49046-B21	HPE 800GB SAS 12G Mixed Use SFF SC Multi Vendor SSD	4,380	3	1,080 / 1,000	165 / 95	113,000 / 100,000	174,000@Q64 / 100,000@Q16		
P49048-B21	HPE 1.6TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	8,760	3	1,080 / 1,030	185 / 95	115,000 / 120,000	173,000@Q64 / 120,000@Q16		
P49052-B21	HPE 3.2TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	17,121	3	1,080 / 1,030	165 / 95	110,000 / 120,000	173,000@Q64 / 130,000@Q16		
P49056-B21	HPE 6.4TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	34,241	3	1,080 / 1,030	195 / 95	105,000 / 120,000	173,000@Q64 / 130,000@Q16		
P49047-B21	HPE 800GB SAS 24G Mixed Use SFF BC Multi Vendor SSD	4,380	3	1,090 / 1,040	94 / 34	124,000 / 118,000	174,000@Q64 / 120,000@Q16		
P49049-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	8,760	3	2,030 / 1,950	90 / 27	150,000 / 165,000	155,000@Q64 / 165,000@Q16		
P49053-B21	HPE 3.2TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	17,121	3	2,030 / 1,950	97 / 29	145,000 / 160,000	155,000@Q64 / 160,000@Q16		
P49057-B21	HPE 6.4TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	17,520	3	1,080 / 1,035	108 / 32	135,000 / 125,000	173,000@Q64 / 130,000@Q16		
<b>Mixed Use SAS Self-Encrypting Drives (SED)</b>									
P41400-B21	HPE 800GB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	4,380	3.00	1,080 / 1,035	95 / 32	150,000 / 125,000	173,000@Q64 / 130,000@Q4		
P41401-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	8,760	3.00	1,080 / 1,035	100 / 32	145,000 / 125,000	173,000@Q64 / 130,000@Q16		
<b>Read Intensive SAS Drives</b>									
P49028-B21	HPE 960GB SAS 12G Read Intensive SFF SC Multi Vendor SSD	1,712	1	1,050 / 1,000	180 / 96	115,000 / 46,000	173,000@Q64 / 46,000@Q4		



## Technical Specifications

SAS Interface – (Speeds & Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
P49030-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	3,424	1	1,050 / 1,030	190 / 95	115,000 / 70,000	173,000@Q64 / 70,000@Q32	
P49034-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	6,848	1	1,080 / 1,030	175 / 95	110,000 / 78,000	173,000@Q64 / 78,000@Q4	
P49038-B21	HPE 7.68TB SAS 24G Read Intensive LFF SCC Multi Vendor SSD	14,016	1	2,030 / 2,000	97 / 29	145,000 / 140,000	155,000@Q64 / 140,000@Q16	
P49039-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	13,697	1	1,080 / 1,030	190 / 95	105,000 / 55,000	173,000@Q64 / 56,000@Q4	
P49040-B21	HPE 7.68TB SAS 24G Read Intensive LFF LPC Multi Vendor SSD	14,016	1	2,030 / 2,000	97 / 29	145,000 / 140,000	155,000@Q64 / 140,000@Q16	
P49044-B21	HPE 15.36TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	27,393	1	1,080 / 1,030	185 / 95	100,000 / 63,000	173,000@Q64 / 64,000@Q16	
P49029-B21	HPE 960GB SAS 24G Read Intensive SFF BC Multi Vendor SSD	1,712	1	2,030 / 1,280	90 / 26	155,000 / 65,000	174,000@Q64 / 65,000@Q4	
P49031-B21	HPE 1.92TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	3,424	1	2,030 / 1,950	90 / 29	150,000 / 100,000	155,000@Q32 / 100,000@Q4	
P49035-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	7,008	1	2,030 / 1,950	97 / 27	145,000 / 114,000	155,000@Q32 / 100,000@Q4	
P49041-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	14,016	1	2,030 / 1,950	97 / 29	145,000 / 140,000	155,000@Q64 / 140,000@Q16	
P49045-B21	HPE 15.36TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	27,393	1	2,030 / 1,950	97 / 26	150,000 / 140,000	174,000@Q64 / 145,000@Q16	
Read Intensive SAS Self-Encrypting Drives (SED)								
P41398-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	7,008	1.00	1,080 / 1,035	108 / 32	135,000 / 78,000	173,000@Q64 / 78,000@Q4	
P41399-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	14,016	1.00	1,080 / 1,035	108 / 32	135,000 / 55,000	173,000@Q64 / 56,000@Q4	
<b>Notes:</b>								
<ul style="list-style-type: none"> <li>– B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.</li> <li>– Please use HPE Selector Tool <a href="http://ssd.hpe.com/">http://ssd.hpe.com/</a> to determine server compatibility.</li> </ul>								



## Technical Specifications

<b>SAS Interface – (Power &amp; Height)</b>									
<b>HPE Option Kit</b>	<b>Long Description</b>								
		<b>Power Idle Time (Watts)</b>	<b>Power Random Read (Watts)</b>	<b>Power Random Write (Watts)</b>	<b>Power Sequential Read (Watts)</b>	<b>Power Sequential Write (Watts)</b>	<b>Power Random R/W (Watts)</b>	<b>Power MAX (Watts)</b>	<b>z- Height</b>
<b>Write Intensive SAS Drives</b>									
P26295-B21	HPE 400GB SAS 12G Write Intensive SFF SC PM6 SSD	2.77	5.72	5.72	6.68	8.29	5.72	8.29	15mm
P26372-B21	HPE 800GB SAS 12G Write Intensive SFF SC PM6 SSD	2.84	5.37	5.37	6.45	9.64	5.37	9.64	15mm
P26376-B21	HPE 1.6TB SAS 12G Write Intensive SFF SC PM6 SSD	2.98	5.77	5.77	7.15	9.91	5.77	9.91	15mm
P40480-B21	HPE 400GB SAS 24G Write Intensive SFF BC PM6 SSD	2.95	5.95	5.95	8.28	8.60	5.95	8.60	15mm
P40481-B21	HPE 800GB SAS 24G Write Intensive SFF BC PM6 SSD	3.05	6.14	6.14	8.69	12.26	6.14	12.26	15mm
P40482-B21	HPE 1.6TB SAS 24G Write Intensive SFF BC PM6 SSD	3.23	6.60	6.60	9.06	13.04	6.60	13.04	15mm
<b>Mixed Use SAS Drives</b>									
P49046-B21	HPE 800GB SAS 12G Mixed Use SFF SC Multi Vendor SSD	3.89	6.47	6.47	8.28	8.56	6.47	8.56	15mm
P49048-B21	HPE 1.6TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	3.83	6.59	6.59	6.55	9.60	6.59	9.60	15mm
P49052-B21	HPE 3.2TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	3.74	6.95	6.95	6.60	10.16	6.95	10.16	15mm
P49056-B21	HPE 6.4TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	3.69	7.63	7.63	7.70	9.82	7.63	9.82	15mm
P49047-B21	HPE 800GB SAS 24G Mixed Use SFF BC Multi Vendor SSD	4.66	6.47	6.47	8.28	8.56	6.47	8.56	15mm
P49049-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	6.11	8.00	8.00	8.84	13.61	8.00	13.61	15mm
P49053-B21	HPE 3.2TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	6.27	8.56	8.56	9.00	16.89	8.56	16.89	15mm
P49057-B21	HPE 6.4TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	6.12	8.77	8.77	10.49	17.64	8.77	17.64	15mm
<b>Mixed Use SAS Self-Encrypting Drives (SED)</b>									
P41400-B21	HPE 800GB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	2.91	6.47	6.47	8.28	8.56	6.47	8.56	15mm
P41401-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	3.07	6.92	6.92	8.84	12.50	6.92	12.50	15mm
<b>Read Intensive SAS Drives</b>									
P49028-B21	HPE 960GB SAS 12G Read Intensive SFF SC Multi Vendor SSD	3.67	6.68	6.68	6.76	8.35	6.68	8.35	15mm
P49030-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	3.69	6.74	6.74	6.47	9.57	6.74	9.57	15mm



## Technical Specifications

SAS Interface – (Power & Height)									
HPE Option Kit	Long Description								
SKU		Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P49034-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	3.42	7.00	7.00	6.63	9.19	7.00	9.19	15mm
P49038-B21	HPE 7.68TB SAS 24G Read Intensive LFF SCC Multi Vendor SSD	3.25	8.26	8.26	10.10	17.29	8.26	17.29	15mm
P49039-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	4.04	7.92	7.92	7.36	10.26	7.92	10.26	15mm
P49040-B21	HPE 7.68TB SAS 24G Read Intensive LFF LPC Multi Vendor SSD	3.25	8.26	8.26	10.10	17.29	8.26	17.29	15mm
P49044-B21	HPE 15.36TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	4.18	8.67	8.67	7.97	9.88	8.67	9.88	15mm
P49029-B21	HPE 960GB SAS 24G Read Intensive SFF BC Multi Vendor SSD	6.19	7.81	7.81	8.42	10.34	7.81	10.34	15mm
P49031-B21	HPE 1.92TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	6.17	7.96	7.96	8.64	13.66	7.96	13.66	15mm
P49035-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	6.33	8.94	8.94	9.00	16.82	8.94	16.82	15mm
P49041-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	6.10	8.90	8.90	10.10	17.29	8.90	17.29	15mm
P49045-B21	HPE 15.36TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	6.64	8.94	8.94	12.40	17.62	8.94	17.62	15mm
Read Intensive SAS Self-Encrypting Drives (SED)									
P41398-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	3.04	7.34	7.34	8.68	12.63	7.34	12.63	15mm
P41399-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	3.25	8.26	8.26	10.10	17.29	8.26	17.29	15mm
Notes:									
<ul style="list-style-type: none"> <li>– B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.</li> <li>– Please use HPE Selector Tool <a href="http://ssd.hpe.com/">http://ssd.hpe.com/</a> to determine server compatibility.</li> </ul>									



## Technical Specifications

### SAS Certifications

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

<b>SAS Interface – (Certifications)</b>							
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)	
<b>Write Intensive SAS Drives</b>							
P26295-B21	HPE 400GB SAS 12G Write Intensive SFF SC PM6 SSD	Certified	Certified	Certified	Certified	Certified	
P26372-B21	HPE 800GB SAS 12G Write Intensive SFF SC PM6 SSD	Certified	Certified	N/A	Certified	Certified	
P26376-B21	HPE 1.6TB SAS 12G Write Intensive SFF SC PM6 SSD	Certified	Certified	N/A	Certified	Certified	
P40480-B21	HPE 400GB SAS 24G Write Intensive SFF BC PM6 SSD	Certified	Certified	Certified	Certified	Certified	
P40481-B21	HPE 800GB SAS 24G Write Intensive SFF BC PM6 SSD	Certified	Certified	Certified	Certified	Certified	
P40482-B21	HPE 1.6TB SAS 24G Write Intensive SFF BC PM6 SSD	Certified	Certified	Certified	Certified	Certified	
<b>Mixed Use SAS Drives</b>							
P49046-B21	HPE 800GB SAS 12G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	
P49048-B21	HPE 1.6TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	
P49052-B21	HPE 3.2TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	
P49056-B21	HPE 6.4TB SAS 12G Mixed Use SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified	
P49047-B21	HPE 800GB SAS 24G Mixed Use SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified	
P49049-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified	
P49053-B21	HPE 3.2TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified	
P49057-B21	HPE 6.4TB SAS 24G Mixed Use SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified	
<b>Mixed Use SAS Self-Encrypting Drives (SED)</b>							
P41400-B21	HPE 800GB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	Certified	N/A	N/A	N/A	N/A	



## Technical Specifications

SAS Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P41401-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Self-encrypting FIPS PM6 SSD	Certified	N/A	N/A	N/A	N/A
Read Intensive SAS Drives						
P49028-B21	HPE 960GB SAS 12G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P49030-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P49034-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P49038-B21	HPE 7.68TB SAS 24G Read Intensive LFF SCC Multi Vendor SSD	N/A	Certified	N/A	certified	certified
P49039-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P49040-B21	HPE 7.68TB SAS 24G Read Intensive LFF LPC Multi Vendor SSD	N/A	Certified	N/A	certified	certified
P49044-B21	HPE 15.36TB SAS 12G Read Intensive SFF SC Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P49029-B21	HPE 960GB SAS 24G Read Intensive SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified
P49031-B21	HPE 1.92TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified
P49035-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified
P49041-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified
P49045-B21	HPE 15.36TB SAS 24G Read Intensive SFF BC Multi Vendor SSD	N/A	Certified	Certified	Certified	Certified
Read Intensive SAS Self-Encrypting Drives (SED)						
P41398-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	Certified	N/A	N/A	N/A	N/A



## Technical Specifications

SAS Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P41399-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Self-encrypting FIPS PM6 SSD	Certified	N/A	N/A	N/A	N/A

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### Value SAS Capacity, Workload, Carrier Specifications MULTI VENDOR

#### Value SAS Interface- (Capacity, Workload, Carrier...) MULTI VENDOR

HPE Option Kit Long Description	SKU	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed Firmware (DS)	Flash Type	Port	Server Gen Supported (Select Platforms)
<b>Mixed Use Multi Vendor Value SAS Drives</b>											
P37005-B21	HPE 960GB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	960	MU	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P37009-B21	HPE 960GB SAS 12G Mixed Use LFF LPC Value SAS Multi Vendor SSD	960	MU	Value SAS	LFF	Hot Plug	LPC	Yes	TLC	Single	Gen10,10 Plus
P37011-B21	HPE 1.92TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	1,920	MU	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P37013-B21	HPE 1.92TB SAS 12G Mixed Use LFF SCC Value SAS Multi Vendor SSD	1,920	MU	Value SAS	LFF	Hot Plug	SCC	Yes	TLC	Single	Gen10
P37017-B21	HPE 3.84TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	3,840	MU	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P40510-B21	HPE 960GB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	960	MU	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40511-B21	HPE 1.92TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	1,920	MU	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40512-B21	HPE 3.84TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	3,840	MU	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
<b>Read Intensive Multi Vendor Value SAS Drives</b>											
P36997-B21	HPE 960GB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	960	RI	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P36999-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	1,920	RI	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P37001-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	1,920	RI	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P37003-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	7,680	RI	Value SAS	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P40506-B21	HPE 960GB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	960	RI	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus



## Technical Specifications

P40507-B21	HPE 1.92TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	1,920	RI	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40508-B21	HPE 3.84TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	3,840	RI	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P40509-B21	HPE 7.68TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	7,680	RI	Value SAS	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SATA capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.

## Value SAS Speeds and Feeds Specifications MULTI VENDOR

Value SAS Interface – (Speeds & Feeds) MULTI VENDOR									
HPE Option Kit Long Description		Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq	Writes Throughput (MiB/s)	Random Read Avg. / Random Write	Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
SKU									

### Mixed Use Multi Vendor Value SAS Drives

P37005-B21	HPE 960GB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	5,250	3.00	790 / 635	130 / 35	105,000 / 47,000	155,000@Q32 / 48,000@Q4
P37009-B21	HPE 960GB SAS 12G Mixed Use LFF LPC Value SAS Multi Vendor SSD	5,250	3.00	790 / 635	130 / 35	105,000 / 47,000	155,000@Q32 / 48,000@Q4
P37011-B21	HPE 1.92TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	10,500	3.00	810 / 635	140 / 38	96,000 / 51,000	155,000@Q32 / 52,000@Q4
P37013-B21	HPE 1.92TB SAS 12G Mixed Use LFF SCC Value SAS Multi Vendor SSD	10,500	3.00	810 / 635	140 / 38	96,000 / 51,000	155,000@Q32 / 52,000@Q4
P37017-B21	HPE 3.84TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	21,000	3.00	810 / 635	140 / 35	103,000 / 51,000	155,000@Q32 / 52,000@Q4
P40510-B21	HPE 960GB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	5,250	3.00	790 / 635	130 / 35	105,000 / 47,000	155,000@Q32 / 48,000@Q4
P40511-B21	HPE 1.92TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	10,500	3.00	810 / 635	140 / 38	96,000 / 51,000	155,000@Q32 / 52,000@Q4
P40512-B21	HPE 3.84TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	21,000	3.00	810 / 635	140 / 35	103,000 / 51,000	155,000@Q32 / 52,000@Q4



## Technical Specifications

<b>Read Intensive Multi Vendor Value SAS Drives</b>							
P36997-B21	HPE 960GB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	1,700	1.00	810 / 635	130 / 35	105,000 / 32,000	155,000@Q32 / 32,000@Q4
P36999-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	3,500	1.00	810 / 620	140 / 35	97,000 / 36,000	155,000@Q32 / 36,000@Q4
P37001-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	7,000	1.00	810 / 635	140 / 35	100,000 / 37,000	155,000@Q32 / 37,000@Q4
P37003-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	14,000	1.00	810 / 635	140 / 35	105,000 / 36,000	155,000@Q32 / 37,000@Q4
P40506-B21	HPE 960GB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	1,700	1.00	810 / 635	130 / 35	105,000 / 32,000	155,000@Q32 / 32,000@Q4
P40507-B21	HPE 1.92TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	3,500	1.00	810 / 620	140 / 35	97,000 / 36,000	155,000@Q32 / 36,000@Q4
<b>Read Intensive Multi Vendor Value SAS Drives</b>							
P40508-B21	HPE 3.84TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	7,000	1.00	810 / 635	140 / 35	100,000 / 37,000	155,000@Q32 / 37,000@Q4
P40509-B21	HPE 7.68TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	14,000	1.00	810 / 635	140 / 35	105,000 / 36,000	155,000@Q32 / 37,000@Q4
<b>Notes:</b>							
<ul style="list-style-type: none"> <li>- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.</li> <li>- Please use HPE Selector Tool <a href="http://ssd.hpe.com/">http://ssd.hpe.com/</a> to determine server compatibility.</li> <li>- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SAS capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.</li> </ul>							



## Technical Specifications

### Value SAS Power and Height Specifications MULTI VENDOR

#### Value SAS Interface – (Power & Height) MULTI VENDOR

HPE Option Kit	Long Description		Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
<b>Mixed Use Multi Vendor Value SAS Drives</b>										
P37005-B21	HPE 960GB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	4.09	4.95	4.95	6.52	5.37	4.95	6.52	15mm	
P37009-B21	HPE 960GB SAS 12G Mixed Use LFF LPC Value SAS Multi Vendor SSD	4.09	4.95	4.95	6.52	5.37	4.95	6.52	15mm	
P37011-B21	HPE 1.92TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	4.67	5.35	5.35	7.11	6.25	5.35	7.11	15mm	
P37013-B21	HPE 1.92TB SAS 12G Mixed Use LFF SCC Value SAS Multi Vendor SSD	4.67	5.35	5.35	7.11	6.25	5.35	7.11	15mm	
P37017-B21	HPE 3.84TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	4.99	5.79	5.79	7.82	6.57	5.79	7.82	15mm	
P40510-B21	HPE 960GB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	4.09	4.95	4.95	6.52	5.37	4.95	6.52	15mm	
P40511-B21	HPE 1.92TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	4.67	5.35	5.35	7.11	6.25	5.35	7.11	15mm	
P40512-B21	HPE 3.84TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	4.99	5.79	5.79	7.82	6.57	5.79	7.82	15mm	



## Technical Specifications

<b>Read Intensive Multi Vendor Value SAS Drives</b>									
P36997-B21	HPE 960GB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	4.08	5.01	5.01	6.70	5.40	5.01	6.70	15mm
P36999-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	4.06	4.60	4.60	6.37	5.18	4.60	6.37	15mm
P37001-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	4.99	5.79	5.79	7.82	6.57	5.79	7.82	15mm
P37003-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	3.62	5.70	5.70	5.42	5.78	5.70	5.78	15mm
P40506-B21	HPE 960GB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	4.26	5.00	5.00	6.71	6.95	6.95	9.65	15mm
P40507-B21	HPE 1.92TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	4.06	4.60	4.60	6.37	5.18	4.60	6.37	15mm
P40508-B21	HPE 3.84TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	4.99	5.79	5.79	7.82	6.57	5.79	7.82	15mm
P40509-B21	HPE 7.68TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	3.62	5.70	5.70	5.42	5.78	5.70	5.78	15mm

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SAS capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.



## Technical Specifications

### Value SAS Certifications MULTI VENDOR

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

### Value SAS Interface – (Certifications) MULTI VENDOR

HPE Option Kit Long Description	SKU	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
---------------------------------	-----	------------------------------------	---	---	---	---

### Mixed Use Multi Vendor Value SAS Drives

P37005-B21	HPE 960GB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P37009-B21	HPE 960GB SAS 12G Mixed Use LFF LPC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P37011-B21	HPE 1.92TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P37013-B21	HPE 1.92TB SAS 12G Mixed Use LFF SCC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P37017-B21	HPE 3.84TB SAS 12G Mixed Use SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40510-B21	HPE 960GB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	Certified	Certified
P40511-B21	HPE 1.92TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	N/A	N/A
P40512-B21	HPE 3.84TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	Certified	Certified

### Read Intensive Multi Vendor Value SAS Drives

P36997-B21	HPE 960GB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P36999-B21	HPE 1.92TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P37001-B21	HPE 3.84TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified



## Technical Specifications

P37003-B21	HPE 7.68TB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD	Certified	Certified	Certified	Certified	Certified
P40506-B21	HPE 960GB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	Certified	Certified

### Read Intensive Multi Vendor Value SAS Drives

P40507-B21	HPE 1.92TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	Certified	Certified
P40508-B21	HPE 3.84TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	Certified	Certified
P40509-B21	HPE 7.68TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD	Certified	N/A	N/A	Certified	Certified

#### Notes:

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given SAS capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.

## PCIe/NVMe Capacity, Workload, Carrier Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)												
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitaly Signed	Flash Type	Port	Server Gen Supported (Select Platforms)	
<b>NVMe High Performance Low Latency SSDs Write Intensive SSDs</b>												
P06952-X21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF SCN U.2 P4800X SSD	750	WI	NVMe SFF	Hot Plug	SCN	Yes	3D Xpoint	Single	Gen9,10		
P40552-B21	HPE 375GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	375	WI	NVMe SFF	Hot Plug	BC	Yes	3D Xpoint	Single	Gen10 Plus		
P40553-B21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	750	WI	NVMe SFF	Hot Plug	BC	Yes	3D Xpoint	Single	Gen10 Plus		
P51464-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	400	WI	NVMe SFF	Hot Plug	SCN	Yes	3D Xpoint	Single	Gen10		
P51465-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	400	WI	NVMe SFF	Hot Plug	BC	Yes	3D Xpoint	Single	Gen10 Plus		
P51466-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	800	WI	NVMe SFF	Hot Plug	SCN	Yes	3D Xpoint	Single	Gen10		



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P51467-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	800	WL	NVMe SFF	Hot Plug	BC	Yes	3D Xpoint	Single	Gen10 Plus	
NVMe High Performance and Mainstream Mixed Use Drives											
P13699-X21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	1,600	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen9,10	
P13701-X21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	3,200	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen9,10	
P22268-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	1,600	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P22270-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	3,200	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P22272-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	6,400	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P22274-B21	HPE 12.8TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	12,800	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P22329-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	800	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P50225-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	1,600	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P50228-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	3,200	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P50231-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	6,400	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P51458-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	1,600	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10	
P51460-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	3,200	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10	
P51462-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	6,400	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10	
P26543-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	800	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P16497-X21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	1,600	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P16499-X21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	3,200	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P26124-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	6,400	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P50226-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	1,600	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P50229-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	3,200	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P50232-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	6,400	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P26934-B21	HPE 1.6TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	1,600	MU	NVMe HH	Non Hot Plug	N/A	Yes	TLC	Single	Gen10	
P26936-B21	HPE 3.2TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	3,200	MU	NVMe HH	Non Hot Plug	N/A	Yes	TLC	Single	Gen10	
P40549-B21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40550-B21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40551-B21	HPE 6.4TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	6,400	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40569-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	800	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40570-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40571-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40572-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	6,400	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P50227-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P50230-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P50233-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	6,400	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40493-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40494-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P51459-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P51461-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P51463-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	6,400	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P47837-B21	HPE 800GB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	800	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P47834-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	1,600	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P47835-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	3,200	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P47836-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	6,400	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus	
P47838-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P47839-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
	Use SFF BC U.3 Static Multi Vendor SSD										
P47840-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	6,400	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P47820-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	1,600	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10,10 Plus	
P47821-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	3,200	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10,10 Plus	
P47822-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	6,400	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10,10 Plus	
NVMe High Performance Mixed Use Self-Encrypting Drives (SED)											
P44588-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	1,600	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10,10 Plus	
P44596-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	3,200	MU	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10,10 Plus	
P44584-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	1,600	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P44592-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	3,200	MU	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P41404-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	1,600	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P41405-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	3,200	MU	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
NVMe High Performance and Mainstream Read Intensive Drives											
P13695-X21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	2,000	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen9,10	
P13697-X21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	4,000	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen9,10	
P22276-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	1,920	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P22278-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	3,840	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P22280-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	7,680	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P22282-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	15,360	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P50214-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	1,920	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P50217-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	3,840	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P50220-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	7,680	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10	
P51452-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	1,920	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10	
P51454-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	3,840	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10	
P51456-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	7,680	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10	
P16501-X21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	1,920	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P16503-X21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	3,840	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P26104-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	7,680	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P26109-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	15,360	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P50215-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	1,920	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P50218-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	3,840	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P50221-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	7,680	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P50223-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	15,360	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P40547-B21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	2,000	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40548-B21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	4,000	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P40565-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	1,920	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40566-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	3,840	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40567-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	7,680	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P40568-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	15,360	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P50216-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	1,920	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P50219-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	3,840	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P50222-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	7,680	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P50224-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	15,360	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P51453-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	1,920	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P51455-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	3,840	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	
P51457-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	7,680	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	480	RI	NVMe	M.2	Non Hot Plug	N/A	Yes	TLC	Single	Gen10,10 Plus
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	960	RI	NVMe	M.2	Non Hot Plug	N/A	Yes	TLC	Single	Gen10,10 Plus
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	1,920	RI	NVMe	M.2	Non Hot Plug	N/A	Yes	TLC	Single	Gen10,10 Plus
P47841-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	1,920	RI	NVMe	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47842-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	3,840	RI	NVMe	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47843-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	7,680	RI	NVMe	SFF	Hot Plug	SC	Yes	TLC	Single	Gen10,10 Plus
P47844-B21	HPE 960GB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	960	RI	NVMe	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47845-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	1,920	RI	NVMe	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47846-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	3,840	RI	NVMe	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47847-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	7,680	RI	NVMe	SFF	Hot Plug	BC	Yes	TLC	Single	Gen10 Plus
P47823-B21	HPE 1.92TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	1,920	RI	NVMe	SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10,10 Plus
P47824-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	3,840	RI	NVMe	SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10,10 Plus



## Technical Specifications

PCIe/NVMe Interface – SKUs (Capacity, Workload, Carrier...)											
HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed	Flash Type	Port	Server Gen Supported (Select Platforms)
P47825-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	7,680	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Single	Gen10,10 Plus	
NVMe High Performance Read Intensive Self-Encrypting Drives (SED)											
P44572-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	1,920	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10,10 Plus	
P44580-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	3,840	RI	NVMe SFF	Hot Plug	SCN	Yes	TLC	Dual	Gen10,10 Plus	
P44568-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	1,920	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P44576-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	3,840	RI	NVMe SFF	Hot Plug	SC	Yes	TLC	Dual	Gen10 Plus	
P41402-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	1,920	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	
P41403-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	3,840	RI	NVMe SFF	Hot Plug	BC	Yes	TLC	Dual	Gen10 Plus	

## PCIe/NVMe Speeds and Feeds Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)											
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Writes IOPS (4KiB)			
NVMe High Performance Low Latency SSDs Write Intensive SSDs											
P06952-X21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF SCN U.2 P4800X SSD	41,000	30.00	2,500 / 2,300	17 / 17	575,000 / 585,000	575,000@Q16 / 585,000@Q16				
P40552-B21	HPE 375GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	20,500	30.00	2,550 / 2,150	17 / 17	585,000 / 550,000	585,000@Q16 / 550,000@Q16				



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)									
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
P40553-B21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	41,000	30.00	2,500 / 2,300	17 / 17	575,000 / 585,000	575,000@Q16 / 585,000@Q16		
P51464-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	73,000	100.0	7,030 / 4,800	13 / 14	1,100,000 / 900,000	1,390,000@Q25 / 6 / 1,040,000@Q32		
P51465-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	73,000	100.0	7,030 / 4,800	13 / 14	1,100,000 / 900,000	1,390,000@Q25 / 6 / 1,040,000@Q32		
P51466-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	146,000	100.0	7,030 / 5,800	13 / 14	1,100,000 / 940,000	1,390,000@Q32 / 1,220,000@Q32		
P51467-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	146,000	100.0	7,030 / 5,800	13 / 14	1,100,000 / 940,000	1,390,000@Q32 / 1,220,000@Q32		
NVMe High Performance and Mainstream Mixed Use Drives									
P13699-X21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	12,250	4.10	3,200 / 1,950	83 / 18	165,000 / 200,000	660,000@Q256 / 205,000@Q32		
P13701-X21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	21,850	3.70	3,200 / 2,900	83 / 18	165,000 / 215,000	660,000@Q256 / 230,000@Q32		
P22329-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	4,280	3.00	5,200 / 1,250	85 / 30	180,000 / 140,000	530,000@Q256 / 145,000@Q4		
P22268-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	8,561	3.00	7,000 / 2,500	85 / 30	190,000 / 235,000	890,000@Q256 / 240,000@Q256		
P22270-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	17,121	3.00	7,000 / 3,900	82 / 26	200,000 / 270,000	960,000@ Q256 / 300,000@Q256		
P22272-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	34,242	3.00	7,000 / 3,750	91 / 26	180,000 / 270,000	960,000@Q256 / 280,000@Q64		
P22274-B21	HPE 12.8TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	68,484	3.00	7,000 / 3,800	95 / 30	175,000 / 265,000	960,000@Q256 / 280,000@Q128		
P50225-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	8,760	3.00	7,100 / 2,500	70 / 19	220,000 / 270,000	1,250,000@Q256 / 280,000@Q64		
P50228-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	17,520	3.00	7,100 / 4,200	70 / 19	225,000 / 310,000	1,350,000@Q256 / 320,000@Q64		
P50231-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	35,040	3.00	7,100 / 4,200	79 / 19	200,000 / 310,000	1,350,000@Q256 / 320,000@Q64		



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16) MAX Random Read / MAX Random Write IOPS (4KiB)
P26543-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	4,380	3.00	5,200 / 1,250	75 / 20	180,000 / 140,000	/ 530,000@Q256 / 140,000@Q4	
P16497-X21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	8,560	3.00	6,300 / 2,400	90 / 41	150,000 / 180,000	/ 600,000@Q128 / 225,000@Q64	
P16499-X21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	17,121	3.00	6,600 / 3,700	85 / 37	165,000 / 170,000	/ 680,000@Q128 / 290,000@Q256	
P26124-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	35,040	3.00	7,000 / 3,700	83 / 20	180,000 / 270,000	/ 1,000,000@Q256 / 280,000@Q16	
P50226-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	8,760	3.00	7,100 / 2,500	70 / 19	220,000 / 270,000	/ 1,250,000@Q256 / 280,000@Q64	
P50229-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	17,520	3.00	7,100 / 4,200	70 / 19	225,000 / 310,000	/ 1,350,000@Q256 / 320,000@Q64	
P50232-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	35,040	3.00	7,100 / 4,200	79 / 19	200,000 / 310,000	/ 1,350,000@Q256 / 320,000@Q64	
P26934-B21	HPE 1.6TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	8,760	3.00	7,000 / 2,500	80 / 25	195,000 / 235,000	/ 900,000@Q256 / 240,000@Q64	
P26936-B21	HPE 3.2TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	17,520	3.00	7,000 / 4,000	80 / 27	200,000 / 260,000	/ 950,000@Q256 / 290,000@Q256	
P40549-B21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	12,250	4.10	3,200 / 1,950	83 / 18	165,000 / 200,000	/ 660,000@Q256 / 205,000@Q32	
P40550-B21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	21,850	3.70	3,200 / 2,900	83 / 18	165,000 / 215,000	/ 660,000@Q256 / 230,000@Q32	
P40551-B21	HPE 6.4TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	36,540	3.10	3,200 / 3,100	83 / 18	170,000 / 205,000	/ 680,000@Q256 / 225,000@Q32	
P40569-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	4,380	3.00	5,200 / 1,250	75 / 20	180,000 / 140,000	/ 530,000@Q256 / 140,000@Q4	
P40570-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	8,760	3.00	7,000 / 2,500	75 / 20	190,000 / 235,000	/ 800,000@Q256 / 240,000@Q16	
P40571-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	17,520	3.00	7,000 / 4,000	75 / 20	200,000 / 280,000	/ 960,000@Q256 / 290,000@Q16	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)	
P40572-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	35,040	3.00	7,000 / 3,700	83 / 20	180,000 / 270,000	1,000,000@Q256 / 280,000@Q16	
P50227-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	8,760	3.00	7,100 / 2,500	70 / 19	220,000 / 270,000	1,250,000@Q256 / 280,000@Q64	
P50230-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	17,520	3.00	7,100 / 4,200	70 / 19	225,000 / 310,000	1,350,000@Q256 / 320,000@Q64	
P50233-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	35,040	3.00	7,100 / 4,200	79 / 19	200,000 / 310,000	1,350,000@Q256 / 320,000@Q64	
P40493-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	8,760	3.00	6,500 / 2,700	93 / 25	180,000 / 220,000	950,000@Q256 / 220,000@Q256	
P40494-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	17,520	3.00	6,500 / 4,000	93 / 24	180,000 / 350,000	950,000@Q256 / 350,000@Q32	
P51458-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	8,700	3.00	5,200 / 1,950	65 / 15	200,000 / 215,000	725,000@Q256 / 220,000@Q16	
P51459-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	8,700	3.00	5,200 / 1,950	65 / 15	200,000 / 215,000	725,000@Q256 / 220,000@Q16	
P51460-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	17,500	3.00	6,500 / 3,600	65 / 15	215,000 / 355,000	885,000@Q256 / 370,000@Q16	
P51461-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	17,500	3.00	6,500 / 3,600	65 / 15	215,000 / 355,000	885,000@Q256 / 370,000@Q16	
P51462-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	35,000	3.00	7,000 / 4,200	65 / 15	220,000 / 340,000	885,000@Q256 / 420,000@Q16	
P51463-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	35,000	3.00	7,000 / 4,200	65 / 15	220,000 / 340,000	885,000@Q256 / 420,000@Q16	
P47837-B21	HPE 800GB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	4,280	3.00	5,500 / 1,300	100 / 28	160,000 / 92,000	700,000@Q256 / 9,0000@Q4	
P47834-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	8,561	3.00	5,500 / 1,150	105 / 25	155,000 / 87,000	700,000@Q256 / 85,000@Q32	
P47838-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	8,561	3.00	5,500 / 1,150	105 / 25	155,000 / 87,000	700,000@Q256 / 85,000@Q32	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput (MiB/s)	Random Read Avg. / Random Write Avg. Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)	
P47835-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	17,121	3.00	5,900 / 2,300	105 / 25	155,000 / 170,000	900,000@Q256 / 170,000@Q4	
P47839-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	17,121	3.00	5,900 / 2,300	105 / 25	155,000 / 170,000	900,000@Q256 / 75,000@Q4	
P47836-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	34,242	3.00	5,900 / 3,650	110 / 25	155,000 / 250,000	900,000@Q256 / 250,000@Q16	
P47840-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	34,242	3.00	5,900 / 3,650	110 / 25	155,000 / 250,000	900,000@Q256 / 250,000@Q16	
P47820-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	8,561	3.00	5,500 / 1,150	105 / 25	155,000 / 87,000	700,000@Q256 / 85,000@Q32	
P47821-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	17,121	3.00	5,900 / 2,300	105 / 25	155,000 / 170,000	900,000@Q256 / 170,000@Q4	
P47822-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	34,242	3.00	5,900 / 3,650	110 / 25	155,000 / 250,000	900,000@Q256 / 250,000@Q16	
NVMe High Performance Mixed Use Self-Encrypting Drives (SED)								
P44588-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	8,760	3.00	6,500 / 2,700	93 / 25	180,000 / 220,000	950,000@Q256 / 75,000@Q4	
P44596-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	17,520	3.00	6,500 / 4,000	93 / 24	180,000 / 350,000	950,000@Q256 / 75,000@Q4	
P44584-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	8,760	3.00	6,500 / 2,700	93 / 25	180,000 / 220,000	950,000@Q256 / 75,000@Q4	
P44592-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	17,520	3.00	6,500 / 4,000	93 / 24	180,000 / 350,000	950,000@Q256 / 75,000@Q4	
P41404-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	8,760	3.00	6,500 / 2,700	93 / 25	180,000 / 220,000	950,000@Q256 / 75,000@Q4	
P41405-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	17,520	3.00	6,500 / 4,000	93 / 24	180,000 / 350,000	950,000@Q256 / 75,000@Q4	
NVMe High Performance and Mainstream Read Intensive Drives								
P13695-X21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	2,600	0.70	3,100 / 1,900	80 / 22	170,000 / 83,000	670,000@Q256 / 83,000@Q16	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16) MAX Random Read / MAX Random Write IOPS (4KiB)
P13697-X21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	6,300	0.80	2,900 / 2,800	80 / 21	170,000 / 120,000	/ 120,000@Q16	670,000@Q256
P22276-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	3,424	1.00	7,000 / 2,500	85 / 30	195,000 / 115,000	/ 120,000@Q256	900,000@Q256
P22278-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	6,848	1.00	7,000 / 4,000	85 / 30	200,000 / 145,000	/ 150,000@Q256	900,000@Q256
P22280-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	13,697	1.00	7,000 / 3,800	95 / 30	180,000 / 140,000	/ 145,000@Q256	900,000@Q256
P22282-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	27,394	1.00	7,000 / 3,800	95 / 30	175,000 / 145,000	/ 145,000@Q256	960,000@Q256
P50214-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	3,504	1.00	7,100 / 2,500	70 / 19	220,000 / 125,000	/ 130,000@Q4	1,250,000@Q256
P50217-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	7,008	1.00	7,100 / 4,200	70 / 19	225,000 / 140,000	/ 170,000@Q4	1,350,000@Q256
P50220-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	14,016	1.00	7,100 / 4,200	79 / 19	200,000 / 175,000	/ 180,000@Q4	1,350,000@Q256
P16501-X21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	3,424	1.00	6,300 / 2,400	90 / 41	150,000 / 115,000	/ 115,000@Q16	690,000@Q128
P16503-X21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	6,848	1.00	6,600 / 3,700	90 / 40	155,000 / 130,000	/ 150,000@Q32	700,000@Q128
P26104-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	14,016	1.00	7,000 / 3,700	83 / 22	180,000 / 145,000	/ 145,000@Q16	820,000@Q256
P26109-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	28,032	1.00	7,000 / 3,700	85 / 22	175,000 / 145,000	/ 145,000@Q256	820,000@Q256
P50215-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	3,504	1.00	7,100 / 2,500	70 / 19	220,000 / 125,000	/ 130,000@Q4	1,250,000@Q256
P50218-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	7,008	1.00	7,100 / 4,200	70 / 19	225,000 / 140,000	/ 170,000@Q4	1,350,000@Q256
P50221-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	14,016	1.00	7,100 / 4,200	79 / 19	200,000 / 175,000	/ 180,000@Q4	1,350,000@Q256



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16) MAX Random Read / MAX Random Write IOPS (4KiB)
P50223-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	28,032	1.00	7,100 / 4,200	79 / 19	200,000 / 175,000	1,350,000@Q256 / 185,000@Q4	
P40547-B21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	2,600	0.70	3,100 / 1,900	80 / 22	170,000 / 83,000	670,000@Q256 / 83,000@Q16	
P40548-B21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	6,300	0.80	2,900 / 2,800	80 / 21	170,000 / 120,000	670,000@Q256 / 120,000@Q16	
P40565-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	3,504	1.00	7,000 / 2,400	75 / 21	195,000 / 115,000	900,000@Q256 / 115,000@Q64	
P40566-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	7,008	1.00	7,000 / 4,000	75 / 21	200,000 / 145,000	1,000,000@Q256 / 150,000@Q128	
P40567-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	14,016	1.00	7,000 / 3,700	83 / 22	180,000 / 145,000	820,000@Q256 / 145,000@Q16	
P40568-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	28,032	1.00	7,000 / 3,700	85 / 22	175,000 / 145,000	820,000@Q256 / 145,000@Q256	
P50216-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	3,504	1.00	7,100 / 2,500	70 / 19	220,000 / 125,000	1,250,000@Q256 / 130,000@Q4	
P50219-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	7,008	1.00	7,100 / 4,200	70 / 19	225,000 / 140,000	1,350,000@Q256 / 170,000@Q4	
P50222-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	14,016	1.00	7,100 / 4,200	79 / 19	200,000 / 175,000	1,350,000@Q256 / 180,000@Q4	
P50224-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	28,032	1.00	7,100 / 4,200	79 / 19	200,000 / 175,000	1,350,000@Q256 / 185,000@Q4	
P51452-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	3,500	1.00	5,200 / 1,950	65 / 15	200,000 / 120,000	713,000@Q256 / 123,000@Q4	
P51453-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	3,500	1.00	5,200 / 1,950	65 / 15	200,000 / 120,000	713,000@Q256 / 123,000@Q4	
P51454-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	7,000	1.00	6,500 / 3,600	65 / 15	215,000 / 205,000	850,000@Q256 / 210,000@Q16	
P51455-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	7,000	1.00	6,500 / 3,600	65 / 15	215,000 / 205,000	850,000@Q256 / 210,000@Q16	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16) MAX Random Read / MAX Random Write IOPS (4KiB)
P51456-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	14,000	1.00	7,000 / 4,200	65 / 15	220,000 / 230,000	850,000@Q256 / 235,000@Q16	
P51457-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	14,000	1.00	7,000 / 4,200	65 / 15	220,000 / 230,000	850,000@Q256 / 235,000@Q16	
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	482	0.55	2,800 / 690	91 / 45	135,000 / 26,500	250,000@Q256 / 26,500@Q128	
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	981	0.56	3,300 / 1,350	91 / 29	155,000 / 47,500	480,000@Q256 / 47,500@Q4	
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	4,765	1.36	3,300 / 1,250	97 / 28	145,000 / 54,000	425,000@Q256 / 54,500@Q64	
P47844-B21	HPE 960GB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	1,712	1.00	5,500 / 1,300	101 / 32	160,000 / 30,000	700,000@Q256 / 30,000@Q64	
P47841-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	3,424	1.00	5,500 / 1,150	105 / 33	155,000 / 30,000	700,000@Q256 / 30,000@Q256	
P47845-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	3,424	1.00	5,500 / 1,150	105 / 33	155,000 / 30,000	700,000@Q256 / 30,000@Q256	
P47842-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	6,848	1.00	5,900 / 2,300	105 / 29	155,000 / 60,000	880,000@Q256 / 60,000@Q64	
P47846-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	6,848	1.00	5,900 / 2,300	105 / 29	155,000 / 60,000	880,000@Q256 / 60,000@Q64	
P47843-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	13,697	1.00	5,900 / 3,650	107 / 29	155,000 / 85,000	880,000@Q256 / 85,000@Q128	
P47847-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	13,697	1.00	5,900 / 3,650	107 / 29	155,000 / 85,000	880,000@Q256 / 85,000@Q128	
P47823-B21	HPE 1.92TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	3,424	1.00	5,500 / 1,150	105 / 33	155,000 / 30,000	700,000@Q256 / 30,000@Q256	
P47824-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read	6,848	1.00	5,900 / 2,300	105 / 29	155,000 / 60,000	880,000@Q256 / 60,000@Q64	



## Technical Specifications

PCIe/NVMe Interface – SKUs (Speeds and Feeds)								
HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput (MiB/s)	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)
	Intensive SFF SCN U.2 Multi Vendor SSD							
P47825-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	13,697	1.00	5,900 / 3,650	107 / 29	155,000 / 85,000	880,000@Q256 / 85,000@Q128	
NVMe High Performance Read Intensive Self-Encrypting Drives (SED)								
P44572-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	3,504	1.00	6,500 / 2,700	93 / 25	180,000 / 100,000	950,000@Q256 / 75,000@Q4	
P44580-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	7,008	1.00	6,500 / 4,000	93 / 26	180,000 / 170,000	930,000@Q256 / 75,000@Q4	
P44568-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	3,504	1.00	6,500 / 2,700	93 / 25	180,000 / 100,000	950,000@Q256 / 75,000@Q4	
P44576-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	7,008	1.00	6,500 / 4,000	93 / 26	180,000 / 170,000	930,000@Q256 / 75,000@Q4	
P41402-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	3,504	1.00	6,500 / 2,700	93 / 25	180,000 / 100,000	950,000@Q256 / 75,000@Q4	
P41403-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	7,008	1.00	6,500 / 4,000	93 / 26	180,000 / 170,000	930,000@Q256 / 75,000@Q4	
Notes:								
<ul style="list-style-type: none"> <li>– B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.</li> <li>– Please use HPE Selector Tool <a href="http://ssd.hpe.com/">http://ssd.hpe.com/</a> to determine server compatibility.</li> </ul>								



## Technical Specifications

### PCIe/NVMe Power & Height Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
<b>NVMe High Performance Low Latency SSDs</b>									
P06952-X21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF SCN U.2 P4800X SSD	4.50	9.74	9.74	9.12	14.04	9.74	14.04	15mm
P40552-B21	HPE 375GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	4.00	5.16	5.16	8.50	12.20	5.16	13.00	15mm
P40553-B21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	4.50	9.74	9.74	9.12	14.04	9.74	14.04	15mm
P51464-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	3.80	12.00	14.00	12.00	15.00	14.00	15.00	15mm
P51465-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	3.80	12.00	14.00	12.00	15.00	14.00	15.00	15mm
P51466-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	4.20	13.00	17.00	14.00	19.00	19.00	19.00	15mm
P51467-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	4.20	13.00	17.00	14.00	19.00	19.00	19.00	15mm
<b>NVMe High Performance and Mainstream Mixed Use Drives</b>									
P13699-X21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	4.38	10.49	10.49	10.49	8.90	11.83	11.83	15mm
P13701-X21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	4.36	10.56	10.56	8.43	13.37	10.56	13.37	15mm
P22329-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	5.00	10.30	10.30	11.30	11.50	10.30	11.50	15mm
P22268-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	5.00	12.90	12.90	13.90	13.60	12.90	13.90	15mm
P22270-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	5.00	15.20	15.20	14.00	17.50	15.20	17.50	15mm
P22272-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	5.00	15.30	15.30	14.60	17.90	15.30	17.90	15mm

## Technical Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P22274-B21	HPE 12.8TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	5.20	15.80	15.80	16.30	18.50	15.80	18.50	15mm
P50225-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	4.40	15.10	14.10	13.90	14.20	13.50	15.10	15mm
P50228-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	4.60	17.10	15.10	14.60	18.40	15.80	18.40	15mm
P50231-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	4.20	17.60	15.30	14.80	18.70	15.50	18.70	15mm
P51458-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	4.08	9.42	9.42	9.26	9.64	9.42	9.64	15mm
P51460-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	4.13	11.17	11.17	10.57	13.55	11.17	13.55	15mm
P51462-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	4.25	11.68	11.68	11.7	15.52	11.68	15.52	15mm
P26543-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	4.49	8.50	8.50	10.84	10.82	8.50	10.84	15mm
P16497-X21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	7.00	8.40	8.40	11.00	14.00	8.40	14.00	15mm
P16499-X21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	7.00	8.40	8.40	11.00	14.00	8.40	14.00	15mm
P26124-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	4.76	8.58	8.58	11.37	17.66	8.58	17.66	15mm
P50226-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	4.40	15.10	14.10	13.90	14.20	13.50	15.10	15mm
P50229-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	4.60	17.10	15.10	14.60	18.40	15.80	18.40	15mm
P50232-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	4.20	17.60	15.30	14.80	18.70	15.50	18.70	15mm
P26934-B21	HPE 1.6TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	4.87	9.56	9.56	12.48	14.64	9.56	14.64	Half Height/Half length



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P26936-B21	HPE 3.2TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	4.76	9.42	9.42	12.84	18.64	9.42	18.64	Half Height/Half length
P40549-B21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	4.38	10.49	10.49	10.49	8.90	11.83	11.83	15mm
P40550-B21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	4.36	10.56	10.56	8.43	13.37	10.56	13.37	15mm
P40551-B21	HPE 6.4TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	4.97	12.13	12.13	8.84	14.48	12.13	14.48	15mm
P40569-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	4.49	8.50	8.50	10.84	10.82	8.50	10.84	15mm
P40570-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	4.76	8.64	8.64	11.14	14.10	8.64	14.10	15mm
P40571-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	4.91	8.68	8.68	11.76	18.35	8.68	18.35	15mm
P40572-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	4.76	8.58	8.58	11.37	17.66	8.58	17.66	15mm
P50227-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	4.40	15.10	14.10	13.90	14.20	13.50	15.10	15mm
P50230-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	4.60	17.10	15.10	14.60	18.40	15.80	18.40	15mm
P50233-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	4.20	17.60	15.30	14.80	18.70	15.50	18.70	15mm
P40493-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	6.30	15.10	12.80	14.00	14.10	11.50	15.10	15mm
P40494-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	6.30	18.20	16.70	15.70	18.20	15.00	18.20	15mm
P51459-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	4.08	9.42	9.42	9.26	9.64	9.42	9.64	15mm
P51461-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	4.13	11.17	11.17	10.57	13.55	11.17	13.55	15mm



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P51463-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	4.25	11.68	11.68	11.7	15.52	11.68	15.52	15mm
P47837-B21	HPE 800GB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	6.00	11.30	9.80	12.20	9.70	10.30	12.20	15mm
P47834-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	6.30	11.90	10.75	11.80	10.92	10.50	11.90	15mm
P47838-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	6.30	11.90	10.75	11.80	10.92	10.50	11.90	15mm
P47835-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	6.30	14.60	13.40	13.40	13.60	12.40	14.60	15mm
P47839-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	6.30	14.60	13.40	13.40	13.60	12.40	14.60	15mm
P47836-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	6.30	17.40	16.80	15.30	18.60	14.70	18.60	15mm
P47840-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	6.30	17.40	16.80	15.30	18.60	14.70	18.60	15mm
P47820-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	6.30	11.90	10.75	11.80	10.92	10.50	11.90	15mm
P47821-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	6.30	14.60	13.40	13.40	13.60	12.40	14.60	15mm
P47822-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	6.30	17.40	16.80	15.30	18.60	14.70	18.60	15mm

### NVMe High Performance Mixed Use Self-Encrypting Drives (SED)



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P44588-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	4.70	15.10	12.80	14.00	14.10	11.50	15.10	15mm
P44596-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	4.70	18.20	16.70	15.70	18.20	15.00	18.20	15mm
P44584-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	4.70	15.10	12.80	14.00	14.10	11.50	15.10	15mm
P44592-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	4.70	18.20	16.70	15.70	18.20	15.00	18.20	15mm
P41404-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	4.70	15.10	12.80	14.00	14.10	11.50	15.10	15mm
P41405-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	4.70	18.20	16.70	15.70	18.20	15.00	18.20	15mm
NVMe High Performance and Mainstream Read Intensive Drives									
P13695-X21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	4.53	10.71	10.71	10.71	9.47	11.76	11.76	15mm
P13697-X21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	4.54	10.47	10.47	10.47	8.88	12.56	12.56	15mm
P22276-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	4.60	8.81	8.81	11.21	14.10	8.81	14.10	15mm
P22278-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	5.00	15.30	15.30	14.30	18.20	15.30	18.20	15mm
P22280-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	5.00	15.60	15.60	14.70	17.90	15.60	17.90	15mm
P22282-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	5.20	16.20	16.20	16.00	18.80	16.20	18.80	15mm
P50214-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	4.30	15.10	14.10	13.90	14.20	13.50	15.10	15mm
P50217-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	4.20	17.30	16.20	14.50	18.70	16.60	18.70	15mm



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P50220-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	4.30	17.80	16.20	14.90	19.00	16.60	19.00	15mm
P51452-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	4.08	9.07	9.07	9.26	9.64	9.07	9.64	15mm
P51454-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	4.01	11.46	11.46	10.45	13.39	11.46	13.39	15mm
P51456-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	4.23	13.10	13.10	11.70	15.52	13.10	15.52	15mm
P16501-X21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	4.60	8.81	8.81	11.21	14.10	8.81	14.10	15mm
P16503-X21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	7.00	8.40	8.40	11.00	14.00	8.40	14.00	15mm
P26104-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	4.67	8.75	8.75	11.68	16.64	8.75	16.64	15mm
P26109-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	4.58	9.26	9.26	12.88	18.82	9.26	18.82	15mm
P50215-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	4.30	15.10	14.10	13.90	14.20	13.50	15.10	15mm
P50218-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	4.20	17.30	16.20	14.50	18.70	16.60	18.70	15mm
P50221-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	4.30	17.80	16.20	14.90	19.00	16.60	19.00	15mm
P50223-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	4.30	18.60	16.80	16.60	20.00	16.90	20.00	15mm
P40547-B21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	4.53	10.71	10.71	10.71	9.47	11.76	11.76	15mm
P40548-B21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	4.54	10.47	10.47	10.47	8.88	12.56	12.56	15mm
P40565-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	4.60	8.81	8.81	11.21	14.10	8.81	14.10	15mm



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)									
HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P40566-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	4.81	9.17	9.17	11.11	18.78	9.17	18.78	15mm
P40567-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	4.67	8.75	8.75	11.68	16.64	8.75	16.64	15mm
P40568-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	4.58	9.26	9.26	12.88	18.82	9.26	18.82	15mm
P50216-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	4.30	15.10	14.10	13.90	14.20	13.50	15.10	15mm
P50219-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	4.20	17.30	16.20	14.50	18.70	16.60	18.70	15mm
P50222-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	4.30	17.80	16.20	14.90	19.00	16.60	19.00	15mm
P50224-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	4.30	18.60	16.80	16.60	20.00	16.90	20.00	15mm
P51453-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	4.08	9.07	9.07	9.26	9.64	9.07	9.64	15mm
P51455-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	4.01	11.46	11.46	10.45	13.39	11.46	13.39	15mm
P51457-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	4.23	13.10	13.10	11.70	15.52	13.10	15.52	15mm
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	2.41	4.62	4.62	6.49	4.66	4.62	6.49	22110 M.2
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	2.41	6.16	6.16	6.57	6.33	6.16	6.57	22110 M.2
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	2.42	6.27	6.27	6.80	6.55	6.27	6.80	22110 M.2
P47844-B21	HPE 960GB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	6.00	11.30	9.70	12.20	9.70	10.20	12.20	15mm
P47841-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read	6.30	11.90	10.75	11.80	10.92	10.30	11.90	15mm



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)										
HPE Option Kit SKU	Long Description	Power	Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
	Intensive SFF SC U.3 Static Multi Vendor SSD									
P47845-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	6.30	11.90	10.75	11.80	10.92	10.30	11.90	15mm	
P47842-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	6.30	14.60	13.20	13.40	13.60	12.80	14.60	15mm	
P47846-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	6.30	14.60	13.20	13.40	13.60	12.80	14.60	15mm	
P47843-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	6.30	17.40	17.10	15.30	18.60	16.00	18.60	15mm	
P47847-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	6.30	17.40	17.10	15.30	18.60	16.00	18.60	15mm	
P47823-B21	HPE 1.92TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	6.30	11.90	10.75	11.80	10.92	10.30	11.90	15mm	
P47824-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	6.30	14.60	13.20	13.40	13.60	12.80	14.60	15mm	
P47825-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	6.30	17.40	17.10	15.30	18.60	16.00	18.60	15mm	
NVMe High Performance Read Intensive Self-Encrypting Drives (SED)										
P44572-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	4.70	15.10	11.60	14.00	14.10	12.20	15.10	15mm	
P44580-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	4.70	17.90	15.30	15.70	18.20	14.60	18.20	15mm	
P44568-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF	4.70	15.10	11.60	14.00	14.10	12.20	15.10	15mm	



## Technical Specifications

PCIe/NVMe Interface – (Power & Height)												
HPE Option Kit SKU	Long Description	Power	Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power	Sequential Read (Watts)	Power	Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
	SC Self-encrypting FIPS U.3 CM6 SSD											
P44576-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	4.70	17.90	15.30	15.70	18.20	14.60	18.20	15mm			
P41402-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	4.70	15.10	11.60	14.00	14.10	12.20	15.10	15mm			
P41403-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	4.70	17.90	15.30	15.70	18.20	14.60	18.20	15mm			

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.

## NVMe Certifications

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

NVMe Interface – (Certifications)									
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)			
P06952-X21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF SCN U.2 P4800X SSD	Certified	Certified	Certified	Certified	Certified			
P40552-B21	HPE 375GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	Certified	Certified	Certified	Certified	Certified			
P40553-B21	HPE 750GB NVMe Gen3 High Performance Low Latency Write Intensive SFF BC U.2 P4800X SSD	Certified	Certified	Certified	Certified	Certified			



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P51464-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	Certified	N/A	N/A	N/A	N/A
P51465-B21	HPE 400GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	Certified	N/A	N/A	N/A	N/A
P51466-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF SCN U.2 P5800X SSD	Certified	N/A	N/A	N/A	N/A
P51467-B21	HPE 800GB NVMe Gen4 High Performance Low Latency Write Intensive SFF BC U.2 P5800X SSD	Certified	N/A	N/A	N/A	N/A
NVMe High Performance and Mainstream Mixed Use Drives						
P13699-X21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	Certified	Certified	Certified	Certified	Certified
P13701-X21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF SCN U.2 P4610 SSD	Certified	Certified	Certified	Certified	Certified
P22329-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P22268-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P22270-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P22272-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P22274-B21	HPE 12.8TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P50225-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P50228-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P50231-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.3 PM1735a SSD	Certified	Certified	Certified	None	None



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P51458-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	Pending	Certified	None	Certified	None
P51460-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	Pending	Certified	None	Certified	None
P51462-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SCN U.2 P5620 SSD	Pending	Certified	None	Certified	None
P26543-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P16497-X21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P16499-X21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P26124-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P50226-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P50229-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P50232-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF SC U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P26934-B21	HPE 1.6TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P26936-B21	HPE 3.2TB NVMe Gen4 x8 High Performance Mixed Use AIC HHHL PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P40549-B21	HPE 1.6TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	Certified	Certified	Certified	Certified	Certified
P40550-B21	HPE 3.2TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	Certified	Certified	Certified	Certified	Certified
P40551-B21	HPE 6.4TB NVMe Gen3 High Performance Mixed Use SFF BC U.2 P4610 SSD	Certified	Certified	Certified	Certified	Certified



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P40569-B21	HPE 800GB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P40570-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P40571-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P40572-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735 SSD	Certified	Certified	Certified	Certified	Certified
P50227-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P50230-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P50233-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD	Certified	Certified	Certified	None	None
P51459-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	Pending	Certified	None	Certified	None
P51461-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	Pending	Certified	None	Certified	None
P51463-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.2 P5620 SSD	Pending	Certified	None	Certified	None
P40493-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	Certified	Certified	N/A	N/A	N/A
P40494-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM6 SSD	Certified	Certified	N/A	N/A	N/A
P47837-B21	HPE 800GB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47834-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47838-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P47835-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47839-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47836-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47840-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47820-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47821-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47822-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF SCN U.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
NVMe High Performance Mixed Use Self-Encrypting Drives (SED)						
P44588-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P44596-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SCN Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P44584-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P44592-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF SC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P41404-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P41405-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
NVMe and Mainstream Read Intensive Drives						



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P13695-X21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	Certified	Certified	Certified	Certified	Certified
P13697-X21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF SCN U.2 P4510 SSD	Certified	Certified	Certified	Certified	Certified
P22276-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P22278-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P22280-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P22282-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P50214-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50217-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50220-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P51452-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	Pending	Certified	None	Certified	None
P51454-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	Pending	Certified	None	Certified	None
P51456-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SCN U.2 P5520 SSD	Pending	Certified	None	Certified	None
P16501-X21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P16503-X21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P26104-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P26109-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P50215-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50218-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50221-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50223-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF SC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P40547-B21	HPE 2TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	Certified	Certified	Certified	Certified	Certified
P40548-B21	HPE 4TB NVMe Gen3 High Performance Read Intensive SFF BC U.2 P4510 SSD	Certified	Certified	Certified	Certified	Certified
P50216-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50219-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50222-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P50224-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD	Pending	Certified	Certified	None	None
P40565-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P40566-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P40567-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	Certified	Certified	Certified	Certified	Certified
P40568-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733 SSD	N/A	Certified	Certified	Certified	Certified



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P51453-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	Pending	Certified	None	Certified	None
P51455-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	Pending	Certified	None	Certified	None
P51457-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.2 P5520 SSD	Pending	Certified	None	Certified	None
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	Certified	N/A	N/A	N/A	N/A
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	Certified	N/A	N/A	N/A	N/A
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	Certified	N/A	N/A	N/A	N/A
P47844-B21	HPE 960GB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47841-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47845-B21	HPE 1.9TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47842-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47846-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47843-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47847-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47823-B21	HPE 1.92TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47824-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A



## Technical Specifications

NVMe Interface – (Certifications)						
HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P47825-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF SCN U.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
NVMe High Performance Read Intensive Self-Encrypting Drives (SED)						
P44572-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P44580-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SCN Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P44568-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P44576-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF SC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P41402-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A
P41403-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD	N/A	N/A	N/A	N/A	N/A

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### M.2 Enablement Kits Capacity, Workload, Carrier Specifications

#### M.2 Enablement Kits – (Capacity, Workload, Carrier...)

HPE Option KIT	Long Description	SKU	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed Firmware (DS)	Flash Type	Server Gen Supported (Select Platforms)
878783-X21	HPE Universal SATA 6G AIC HHHL M.2 SSD Enablement Kit	N/A	N/A	SATA	M.2e	Non Hot Plug	N/A	Yes	N/A	Gen9,10	
P47819-B21	HPE Dual 480GB SATA 6G Read Intensive M.2 to SFF SCM Multi Vendor SSD	960	RI	SATA	SFF	Hot Plug	SCM	Yes	TLC	Gen10,10 Plus	

**Notes:**

- 878783-X21 enablement Kit is an Add-In-Card, for installation inside of the server, that can be configured to be either Single or Dual with choice of any SATA 2280 M.2 in the HPE M.2 portfolio. See SATA M.2s in Tables above.
- Speeds and Feeds information should be taken from the M.2 drives used within the enablement kits. See SATA M.2s in tables above and below.
- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.

### M.2 Enablement Kits Speeds and Feeds Specifications

#### SATA Interface – (Speeds & Feeds)

HPE Option Kit	Long Description	SKU	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput (MB/s)	Random Read Avg / Random Write Avg Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
878783-X21	HPE Universal SATA 6G AIC HHHL M.2 SSD Enablement Kit	N/A	N/A	N/A	N/A	N/A	N/A	N/A
P47819-B21	HPE Dual 480GB SATA 6G Read Intensive M.2 to SFF SCM Multi Vendor SSD	1,324	1.50	510 / 400	125 / 37	65,000 / 38,000	76,000@Q64 / 39,500@Q256	

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### M.2 Enablement Kits Power and Height Specifications

#### M.2 Enablement Kits – (Power & Height)

HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z - Height
878783-X21	HPE Universal SATA 6G AIC HHHL M.2 SSD Enablement Kit	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Half Height/ Half Length
P47819-B21	HPE Dual 480GB SATA 6G Read Intensive M.2 to SFF SCM Multi Vendor SSD	1.03	1.23	1.23	1.89	2.50	1.23	2.50	7mm

#### Notes:

- Power information should be taken from the M.2 drives used within the enablement kits. See SATA M.2s in tables above and below.
- 878783-X21 enablement Kit is an Add-In-Card, for installation inside of the server, that can be configured to be either Single or Dual with choice of any SATA 2280 M.2 in the HPE M.2 portfolio. See SATA M.2s in Tables above and below.
- Speeds and Feeds information should be taken from the M.2 drives used within the enablement kits. See SATA M.2s in tables above and below.
- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.

### M.2 Enablement Kits Certifications

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

#### M.2 Enablement Kits – (Certifications)

HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
878783-X21	HPE Universal SATA 6G AIC HHHL M.2 SSD Enablement Kit	N/A	N/A	N/A	N/A	N/A
P47819-B21	HPE Dual 480GB SATA 6G Read Intensive M.2 to SFF SCM Multi Vendor SSD	N/A	Certified	N/A	Certified	Certified

#### Notes:

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### M.2 Capacity, Workload, Carrier Specifications

#### M.2s- (Capacity, Workload, Carrier...)

HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed Firmware (DS)	Flash Type	Server Gen Supported (Select Platforms)
<b>Read Intensive SATA M.2s</b>										
P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	240	RI	SATA	M.2	Non Hot Plug	N/A	Yes	TLC	Gen10,10 Plus
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	480	RI	SATA	M.2	Non Hot Plug	N/A	Yes	TLC	Gen10,10 Plus

### M.2 Speeds and Feeds Specifications

#### M.2s- (Speeds & Feeds)

HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes	Throughput	Random Read Avg. / Random Write Avg.	Latency uSec (4KiB,Q1)	Random Read / Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
<b>Read Intensive SATA M.2s</b>									

P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	438	1.00	520 / 210	125 / 85	48,000 / 11,500	50,500@Q128 / 11,800@Q16
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	1,324	1.50	510 / 400	125 / 37	65,000 / 38,000	76,000@Q64 / 39,500@Q256

#### Notes:

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### M.2 Power and Height Specifications

#### M.2s- (Power & Height)

HPE Option Kit SKU	Long Description	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
<b>Read Intensive SATA M.2s</b>									
P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	1.03	1.26	1.26	1.89	2.22	1.26	2.22	2280 M.2
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	1.03	1.23	1.23	1.89	2.50	1.23	2.50	2280 M.2

**Notes:**B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.

### M.2s Certifications

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

#### M.2s- (Certifications)

HPE Option Kit SKU	Long Description	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center
<b>Read Intensive SATA M.2s</b>						
P47817-B21	HPE 240GB SATA 6G Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A
P47818-B21	HPE 480GB SATA 6G Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A



## Technical Specifications

### M.2 Capacity, Workload, Carrier Specifications MULTI VENDOR

#### M.2s- (Capacity, Workload, Carrier...) MULTI VENDOR

HPE Option Kit SKU	Long Description	Capacity	Workload Type	Interface Type	Form Factor	Plug Type	Carrier Type	Digitally Signed Firmware (DS)	Flash Type	Server Gen Supported (Select Platforms)
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	480	RI	NVMe	M.2	Non Hot Plug	N/A	Yes	TLC	Gen10,10 Plus
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	960	RI	NVMe	M.2	Non Hot Plug	N/A	Yes	TLC	Gen10,10 Plus
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	1,920	RI	NVMe	M.2	Non Hot Plug	N/A	Yes	TLC	Gen10,10 Plus

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given Nvme M.2 capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.

### M.2 Speeds and Feeds Specifications MULTI VENDOR

#### M.2s- (Speeds & Feeds) MULTI VENDOR

HPE Option Kit SKU	Long Description	Lifetime Writes (TB)	Endurance DWPD	MAX Seq Reads / Max Seq Writes Throughput	Random Read Avg. / Random Write Avg. Latency uSec	Random Read /Random Writes IOPS (4KiB, Q=16)	MAX Random Read / MAX Random Write IOPS (4KiB)
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	482	0.55	2,800 / 690	91 / 45	135,000 / 26,500	250,000@Q256 / 26,500@Q128
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	981	0.56	3,300 / 1,350	91 / 29	155,000 / 47,500	480,000@Q256 / 47,500@Q4
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	4,765	1.36	3,300 / 1,250	97 / 28	145,000 / 54,000	425,000@Q256 / 54,500@Q64

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given Nvme M.2 capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.



## Technical Specifications

### M.2 Power and Height Specifications MULTI VENDOR

#### M.2s- (Power & Height) MULTI VENDOR

HPE Option Kit	Long Description	SKU	Power Idle Time (Watts)	Power Random Read (Watts)	Power Random Write (Watts)	Power Sequential Read (Watts)	Power Sequential Write (Watts)	Power Random R/W (Watts)	Power MAX (Watts)	z- Height
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	2.41	4.62	4.62	6.49	4.66	4.62	6.49	22110 M.2	
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	2.41	6.16	6.16	6.57	6.33	6.16	6.57	22110 M.2	
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	2.42	6.27	6.27	6.80	6.55	6.27	6.80	22110 M.2	

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.
- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given Nvme M.2 capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.
- Please use HPE Selector Tool <http://ssd.hpe.com/> to determine server compatibility.

### M.2s Certifications MULTI VENDOR

- Prequalified certification will be listed in the HPE Selector Tool <http://ssd.hpe.com/>.
- For latest VMware Compatibility, please visit <https://www.vmware.com/resources/compatibility/search.php> and enter specific HPE Model Number to confirm compatibility.
- For latest Windows OS Certification and SDDC (Software Defined Data Center) Premium AQ Certification please visit <https://www.windowsservercatalog.com/> and enter specific HPE Model Number to confirm compatibility.

#### M.2s- (Certifications) MULTI VENDOR

HPE Option Kit	Long Description	SKU	VMWare / vSAN HCL Certification	Microsoft Windows Server 2016 Certification	Software Defined Data Center (SDDC) Premium AQ Certification	Microsoft Windows Server 2019 Certification	WS 2019 Software Defined Data Center (SDDC)
P40513-B21	HPE 480GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A	N/A
P40514-B21	HPE 960GB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A	N/A
P40515-B21	HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 Multi Vendor SSD	N/A	N/A	N/A	N/A	N/A	N/A

**Notes:**

- B21 SKU suffix may be replaced with -H21 and/or -K21 to support across different server family lines.



## Technical Specifications

- Multi-vendor SKUs are composed of numerous vendor manufactured SSDs within a given Nvme M.2 capacity SKU. When ordering a particular SKU-B21 number the customer will receive a homogenous set of vendor manufactured SSDs in that capacity that has met or exceeds the HPE qualification standards published above.

### Carrier Key Decoder

HPE Solid State Drives (SSDs) utilize a wide variety of carriers, which houses the SSD and also enables a specific chassis fit to support a broad range of HPE server and storage products.

The table below summarizes the various form factors, plug types, and carrier attributes.

<b>SATA/SAS - SFF/LFF - SSD</b>					
<b>Form Factor</b>	<b>Smart or</b>	<b>Hot Plug or</b>	<b>Carrier Name (Abbreviation)</b>	<b>Carrier Abbreviation</b>	<b>Size/Form Factor</b>
	<b>Non-Smart</b>	<b>Non-Hot Plug</b>			
SFF Carrier (2.5")	Smart	Hot Plug	Smart Carrier (SC)	SC	SFF
	Non-Smart		Basic Carrier (BC)	BC	SFF
LFF Carrier (3.5")	Smart	Hot Plug	Smart Carrier Converter (SCC)	SCC	LFF
	Non-Smart		Low Profile Converter (LPC)	LPC	LFF
No Carrier	Non-Smart	Non-Hot Plug	Raw No Carrier (RW)	RW	SFF/LFF
<b>NVMe - SFF/AIC SD</b>					
<b>Form Factor</b>	<b>Smart or</b>	<b>Hot Plug or</b>	<b>Carrier Name (Abbreviation)</b>	<b>Carrier Abbreviation</b>	<b>Size/Form Factor</b>
	<b>Non-Smart</b>	<b>Non-Hot Plug</b>			
SFF Carrier (2.5")	Smart	Hot Plug	Smart Carrier NVMe (SCN)	SCN	SFF
			Smart Carrier (SC)	SC	SFF
	Non-Smart		Basic Carrier (BC)	BC	SFF
		Non-Hot Plug	Raw No Carrier (RW)	RW	SFF
NVMe Add-in-Card	Non-Smart	Non-Hot Plug	NVMe Add-in-Card (AIC)	AIC	HHHL
<b>SATA/NVMe - M.2 &amp; Enablement Kits</b>					
<b>Form Factor</b>	<b>Smart or</b>	<b>Hot Plug or</b>	<b>Carrier Name (Abbreviation)</b>	<b>Carrier Abbreviation</b>	<b>Size/Form Factor</b>
	<b>Non-Smart</b>	<b>Non-Hot Plug</b>			
SATA M.2 2280	Smart	Hot Plug	Smart Carrier M.2 (SCM)	SCM	SFF
	Non-Smart	Non-Hot Plug	Raw Standalone M.2 (N/A)	N/A	M.2
			Universal AIC Card + SATA M.2 (AIC)	AIC	HHHL
NVMe M.2 22110	Non-Smart	Non-Hot Plug	Raw Standalone M.2 (N/A)	N/A	M.2



## Technical Specifications

### Previous To Current Workload Naming Conversion

Please use the table below for comparing older SSD models to the newer workload descriptions.

Previous Workload	Current Workload Alignment
(HE) High Endurance	(WI) Write Intensive (>25 DWPD)
(ME) Mainstream Endurance	(WI) Write Intensive (>25 DWPD)
(LE) Light Endurance	(MU) Mixed Use (>1 & <10 DWPD)
(VE) Value Endurance	(RI) Read Intensive (<=1 DWPD)

### SAS, SATA, NVMe SSD SKU Decoders

The following charts are provided to assist in decoding the SSD short & long product descriptions; additional details can also be found within the Carrier Key Decoder & the Previous To Current Workload Naming Conversion tables within this document. Please be advised SSD's new naming effective August 2020 is shown below. Please contact product management for any questions.

#### HPE 960GB SAS 12G Read Intensive SFF SC Value SAS Multi Vendor SSD

Brand	Storage Capacity	Interface Type / Interface Speed	Endurance	Form Factor Type / Size	Carriers	Special Features	Vendor Model Name	Drive Type
HPE	240-960GB 1.6-30.7TB	SATA/SAS 6G/12G/24G NVMe Gen3/Gen4 High Performance Low Latency NVMe Gen3/Gen4 High Performance NVMe Gen3/Gen4 Mainstream Performance	Write Intensive Mixed Use Read Intensive Very Read Optimized	SFF LFF	BC Basic Carrier SC Smart Carrier SCN Smart Carrier NVMe SCM Smart Carrier M.2 SCC Smart Carrier Converter LPC Low Profile Converter RW Raw Drive	U.2 U.3 MV Multi Vendor VS Value SAS SPL Special – Special SKUs SED Self Encrypting Drive FIPS Self Encrypting Drive FIPS	Limited to 7 digits Examples: PM1643a PM1735	SSD

*In priority order where 1st is closest to Drive Type*

#### SATA/ SAS/ NVMe SSD SKU Decoder Long Name

**Notes:** If the description exceeds character count

- Abbreviate Special Features starting from lowest priority item
- Drop form factor from the description
- Abbreviate Endurance with the exception Very Read Optimized

#### HPE 1.92TB NVMe Gen3 Mainstream Performance Read Intensive M.2 PE6010 SSD

Brand	Storage Capacity	Interface Type / Interface Speed / Interface Swim lane	Endurance	Form Factor Type / Size	Special Features	Vendor Model Name	Drive Type
HPE	240-960GB 1.92-3.84TB	NVMe Gen3/Gen4 Mainstream Performance SATA 6Gb	Mixed Use Read Intensive	M.2	MV Multi Vendor SPL Special – Special SKUs	Limited to 7 digits Examples: PE6010 5300B 5300P	SSD

*In priority order where 1st is closest to Drive Type*

#### M.2 SSDs SKU Decoder Long Name



## Technical Specifications

### HPE Dual 240GB SATA 6G Read Intensive M.2 to SFF SCM 5300B SSD Kit

Brand	Storage Capacity	Interface Type/ Interface Speed	Endurance	Form Factor Type / Form Factor Size	Carriers	Special Features	Vendor Model Name	Drive Type
HPE	Dual <ul style="list-style-type: none"> <li>240GB</li> <li>480GB</li> <li>960GB</li> </ul>	SATA 6G	Read Intensive	M.2 to SFF	SCM Smart Carrier M.2	MV Multi Vendor SPL Special – Special SKUs	Limited to 7 digits Examples: 5300B 5300P	SSD Kit

*In priority order where 1st is closest to Drive Type*

#### M.2 SATA SSD Carrier Kits SKU Decoder Long Name

**Notes:** If the description exceeds character count

- Abbreviate Special Features starting from lowest priority item
- Drop form factor from the description
- Abbreviate Endurance with the exception Very Read Optimized

### HPE Universal SATA 6G AIC HHHL M.2 SSD Enablement Kit

Brand	Features	Interface Type/ Interface Speed	Workload	Form Factor Type / Form Factor Size	Drive Type
HPE	Universal	SATA 6G	Read Intensive	AIC HHHL	M.2 SSD Enablement Kit

#### M.2 SATA SSD Enablement Kits SKU Decoder Long Name

### HPE 2x240GB SATA RI M.2 SCM 5300B SSD

Brand	Storage Capacity	Interface Type	Endurance	Form Factor Type	Carrier	Special Features	Vendor Model Name	Drive Type
HPE	2X <ul style="list-style-type: none"> <li>240GB</li> <li>480GB</li> <li>960GB</li> </ul>	SATA	RI	M.2	SCM Smart Carrier M.2	MV Multi Vendor SPL Special – Special SKUs	Limited to 7 digits Examples: 5300B 5300P	SSD

*In priority order where 1st is closest to Drive Type*

#### M.2 SATA SSD Carrier eKits SKU Decoder Long Name

**Notes:** If the description exceeds character count

- Drop Form Factor Type
- Drop Special Features starting from lowest priority with the exception of Special SKUs



## Technical Specifications

### HPE 750GB NVMe Gen3x4 High Performance Low Latency Write Intensive AIC HHHL P4800X SSD

Brand	Storage Capacity	Interface Type / Interface Speed and Lanes / Interface Swim lane	Endurance *	Form Factor Type / Size	Special Features *	Vendor Model	Drive Type
HPE	750	NVMe Gen3/Gen4/ X4/X8 High Performance Low Latency NVMe Gen3/Gen4/ X4/X8 High Performance NVMe Gen3/Gen4/ X4/X8 Mainstream Performance	Write Intensive Mixed Use	AIC HHHL	MV Multi Vendor SPL Special – Special SKUs SED Self Encrypting Drive FIPS Self Encrypting Drive FIPS	Limited to 7 characters: Examples: P4800X	SSD
<i>In priority order where 1st is closest to Drive Type</i>							

#### Add-In Card SKU Decoder Long Name

**Notes:** If the description exceeds character count

- Abbreviate Special Features starting from lowest priority item
- Drop form factor from the description
- Abbreviate Endurance with the exception Very Read Optimized

### HPE 750GB NVMe WI HH P4800X SSD

Brand	Storage Capacity	Interface Type and Lanes	Endurance	Form Factor Type / Size *	Special Features *	Vendor Model Name	Drive Type
HPE	750	NVMe	WI MU	HH	MV Multi Vendor SPL Special – Special SKUs SED Self Encrypting Drive FIPS Self Encrypting Drive FIPS	Limited to 7 characters: Examples: P4800X	SSD
<i>In priority order where 1st is closest to Drive Type</i>							

#### AIC SKU Decoder Short Name

**Notes:** If the description exceeds character count

- Drop Form Factor Type
- Drop Special Features starting from lowest priority with the exception of Special SKUs

## Environment friendly Products and Approach End-of life Management and Recycling

Hewlett Packard Enterprise offers end-of-life **product return, trade-in, and recycling programs**, in many geographic areas, for our products. Products returned to Hewlett Packard Enterprise will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE Directive (2012/19/EU) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the **Hewlett Packard Enterprise web site**. These instructions may be used by recyclers and other WEEE treatment facilities as well as Hewlett Packard Enterprise OEM customers who integrate and re-sell Hewlett Packard Enterprise equipment.



## Summary of Changes

Date	Version History	Action	Description of Change
01-Aug-2022	Version 50	Changed	New drive models added. Technical Specifications revised and updated
05-Jul-2022	Version 49	Changed	New drive models added. Technical Specifications revised and updated
04-Apr-2022	Version 48	Changed	Overview updated. New drive models added. Technical Specifications revised and updated
07-Feb-2022	Version 47	Changed	Technical Specifications section was updated
10-Jan-2022	Version 46	Changed	Technical Specifications section was updated
06-Dec-2021	Version 45	Changed	Technical Specifications section was updated
01-Nov-2021	Version 44	Changed	Technical Specifications section was updated
04-Oct-2021	Version 43	Changed	Technical Specifications section was updated
07-Sep-2021	Version 42	Changed	Technical Specifications section was updated
07-Jun-2021	Version 41	Changed	Tables were fixed and updated
04-May-2021	Version 40	Changed	Technical Specifications section was updated
06-Apr-2021	Version 39	Changed	Tables were fixed and updated
01-Feb-2021	Version 38	Changed	Technical Specifications section was updated
07-Dec-2020	Version 37	Changed	Technical Specifications section was updated
05-Oct-2020	Version 36	Changed	Technical Specifications section was updated
17-Aug-2020	Version 35	Changed	Technical Specifications and Overview Sections were updated
13-Jul-2020	Version 34	Changed	Technical Specifications section was updated
18-May-2020	Version 33	Changed	Tables were fixed and updated
27-Apr-2020	Version 32	Changed	Technical Specifications section was updated
03-Feb-2020	Version 31	Changed	Technical Specifications section was updated
16-Dec-2019	Version 30	Changed	Format Revised
02-Dec-2019	Version 29	Changed	New drive models added. Technical Specifications revised and updated
07-Oct-2019	Version 28	Changed	New drive models added. Technical Specifications revised and updated
05-Aug-2019	Version 27	Changed	Technical Specifications section was updated
01-Jul-2019	Version 26	Changed	Technical Specifications section was updated
03-Jun-2019	Version 25	Changed	New drive models added. Technical Specifications revised and updated
02-Apr-2019	Version 24	Changed	New drive models added. Technical Specifications revised and updated
07-Jan-2019	Version 23	Changed	Technical Specifications section was updated
03-Dec-2018	Version 22	Changed	New drive models added. Technical Specifications revised and updated
15-Oct-2018	Version 21	Changed	Technical Specifications Section was updated
01-Oct-2018	Version 20	Changed	New drive models added. Technical Specifications revised and updated
06-Aug-2018	Version 19	Changed	New drive models added. Technical Specifications revised and updated
02-Jul-2018	Version 18	Changed	Overview and SKU description were updated
04-Jun-2018	Version 17	Changed	New drive models added. Technical Specifications revised and updated
02-Apr-2018	Version 16	Changed	New drive models added, Technical Specifications revised and updated
05-Mar-2018	Version 15	Changed	Technical Specifications revised and updated, images revised
05-Feb-2018	Version 14	Changed	Format Revised New drive models added
04-Dec-2017	Version 13	Changed	New drive model was added Technical Specifications were revised
02-Oct-2017	Version 12	Changed	Technical Specifications were revised
25-Sep-2017	Version 11	Changed	New drive models were added Technical Specifications were revised The title was changed to HPE Solid State Disk Drives (SSD & Add-In Cards)
14-Aug-2017	Version 10	Changed	Technical Specifications were revised
07-Aug-2017	Version 9	Changed	Technical Specifications were revised
17-Jul-2017	Version 8	Changed	Technical Specifications were revised
28-Jun-2017	Version 7	Changed	Technical Specifications were revised
12-Jun-2017	Version 6	Changed	Technical Specifications were revised
06-Jun-2017	Version 5	Changed	Technical Specifications were revised
17-Mar-2017	Version 4	Changed	SSD Selection verbiage was revised
10-Mar-2017	Version 3	Changed	Edits to tables and various verbiage






## Summary of Changes

17-Feb-2017	Version 2	Changed	Technical Specifications were revised
13-Feb-2017	Version 1	New	New QuickSpecs



## Copyright

Make the right purchase decision.  
Contact our presales specialists.



---

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows NT are US registered trademarks of Microsoft Corporation. Intel is a US registered trademark of Intel Corporation.

For hard drives, 1GB = 1 billion bytes. Actual formatted capacity is less.

a00001288enw - 15831 - Worldwide - V50 - 01-August-2022

 **Hewlett Packard  
Enterprise**