

i-tec USB-C Smart Docking Station Triple Display + Power Delivery 65W

i-tec USB-C Smart Docking Station Triple Display + Power Delivery 65W



PRODUCT DESCRIPTION

The first docking station with full remote management capability. The docking station is equipped with an IoT (Wifi and Bluetooth Mesh) module that can be connected to a corporate network and remotely control the docking station, including installing software updates, remote power on and off, controlling individual ports and monitoring status.

The docking station can be used by the user (like any other docking station) right out of the box, without any installation. Remote management integration can be done at any time, even later (remote management software license and installation is required).

The remote management docking station solution offers the possibility of significant time savings in management, as well as energy savings (for example, the docking station can be remotely switched off when not in use). Overall, this can reduce operating costs, which can be lower in an enterprise environment than operating and managing conventional docking stations.

The USB-C docking station itself supports the connection of up to three external monitors, 4 USB devices (all USB ports can transfer data at speeds of up to 10 Gbps), Internet connectivity is available thanks to the integrated LAN port, and last but not least, a combined audio and microphone port is available.

The docking station can charge a connected laptop or tablet up to 65W and supports installation behind a monitor (thanks to the separately supplied [VESA mount](#)).

PRODUCT FEATURES

- 1x USB-C port for connection to compatible devices
- [More information about remote management integration software](#)
- Docking station technology: [USB-C \(MST\)](#)
- Power Delivery: 65 W
- Video Ports:

- 2x Display Port (DP++ support)
- 1x HDMI
- Resolution:
 - USB4/Thunderbolt/USB-C with DisplayPort 1.4 support
 - 1 monitor - 1x DP or 1x HDMI - up to 4K/60Hz
 - 2 monitors - 1x HDMI + 1 DP or 1x DP + 1x DP - up to 2x 2560x1440/60Hz
 - 3 monitors - 1x HDMI + 1x DP + 1x DP - up to 3x 1920x1080/60Hz
 - USB4/Thunderbolt/USB-C with DisplayPort 1.2 support
 - 1 monitor - 1x DP or 1x HDMI - up to 4K/30Hz
 - 2 monitors - 1x HDMI + 1 DP or 1x DP + 1x DP - up to 2x 1920x1080/60Hz
 - 3 monitors - 1x HDMI + 1x DP + 1x DP - up to 3x 1920x1080/30Hz
- 1x USB-C 3.2 Gen 2 (data only)
- 2x USB-A 3.2 Gen 2
- 1x USB-A 3.2 Gen 2 with fast charging support (BC 1.2)
- 1x Ethernet GLAN RJ-45 port (Realtek RTL8153)
- 1x 3.5mm Combo Audio port
- 1x power input (20V/6.75A)
- ON/OFF switch to turn the docking station on and off
- LED indication
- Support for Kensington lock
- USB-C 3.1 cable (100 cm)
- OS: Windows 10/11, macOS, Android, Chrome OS and Linux with latest updates
- Product dimensions: 185 x 79 x 28 mm
- Product weight: 265 g
- Package dimensions: 265 x 244 x 48 mm

Hardware requirements:

- Device with a free USB4, Thunderbolt or USB-C port

Power Delivery Requirements:

- Device with a free USB4, Thunderbolt or USB-C port with "Power Delivery" support

Video Output Requirements:

- Devices with a free USB4, Thunderbolt or USB-C port with "DisplayPort Alternate Mode" support

SPECIFICATION

| Part Number | Product Description & EAN |
|----------------------------|---|
| C31SMARTDOCKPD | i-tec USB-C Smart Docking Station Triple Display + Power Delivery 65W EAN: 8595611705182 |
| C31SMARTDOCKPDUK | i-tec USB-C Smart Docking Station Triple Display + Power Delivery 65W EAN: 8595611705533 |
| Hardware | |
| Bus type | USB-C, Thunderbolt-3, Thunderbolt-4 |
| Ports/Connectors | |
| System Requirements | |
| Operating system | Windows 10 macOS X Android |

| | |
|--|---|
| | Linux Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically. |
| Other features | |
| Colour | black |
| Housing Material | ABS |
| Product Dimensions | 185 x 79 x 28 mm |
| Product Weight | 265 g |
| Package Weight | |
| Packaging Dimensions (LxWxH) | 265 x 244 x 48 mm |
| Support | |
| Warranty period | 2 years |
| Technical support | lifetime |
| Package contents | |
| Product | |
| Power adapter (DC cable 160 cm, power cord 170 cm) | |
| USB-C connection cable (100 cm) | |
| Manual | |

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro). Specifications are subject to change without notice.

Updated 9.5.2022