

HP EliteBook 840 G9 Intel® Core™ i5 i5-1235U Laptop 35.6 cm (14") WUXGA 16 GB DDR5-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver

Brand : HP Product family: EliteBook Product code: 6T1A1EA

Product name: 840 G9

- Intel® Core™ i5-1235U (up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)
- Windows 11 Pro
- 35.6 cm (14") diagonal WUXGA display
- Intel® Iris® Xe Graphics
- 16 GB memory; 256 GB SSD storage

EliteBook 840 14 inch G9 Notebook PC, 14", Windows 11 Pro, Intel® Core $^{\text{\tiny TM}}$ i5, 16GB RAM, 256GB SSD, WUXGA

HP EliteBook 840 G9 Intel® Core $^{\text{TM}}$ i5 i5-1235U Laptop 35.6 cm (14") WUXGA 16 GB DDR5-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Silver:

Redefine corporate standards

Remove barriers to hybrid work with the HP EliteBook 840. This enterprise business laptop brings new conferencing capabilities powered by HP Presence^[3], productivity, and security that is easily managed in hybrid work environments.











Design		Ports & interfaces	
Product type * Product colour * Form factor * Market positioning Introduction year Country of origin Original brand name	Laptop Silver Clamshell Premium 2022 China HP	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Charging port type USB Type-C DisplayPort Alternate Mode USB Power Delivery	2 1 2.0 USB Type-C ✓
Display		Keyboard	•
Display diagonal * 35.6 cm (14") Display resolution * 1920 x 1200 pixels Touchscreen * HD type WUXGA Panel type Anti-glare screen Display brightness 35.6 cm (14") WUXGA POUCH	Keyboard Keyboard special features Pointing device Numeric keypad * Keyboard backlit Spill-resistant keyboard Input device model	Spill-resistant Clickpad	
Display diagonal (metric)	35.6 cm	Software	
RGB colour space Colour gamut	sRGB 100%		HP Connection Optimizer; HP Image Assistant; HP Hotkey Support; HP MAC Address Manager; HP Support
Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores	Intel Intel® Core™ i5 12th gen Intel® Core™ i5 i5-1235U 10	Pre-installed software Operating system installed *	Assistant; HP Easy Člean; HP Power Manager; myHP; HP Privacy Settings; Touchpoint Customizer for Commercial; HP Notifications; HP QuickDrop; HP Quick Touch; HP PC Hardware Diagnostics Windows Windows 11 Pro
Processor threads	12	Processor special features	
Processor boost frequency Processor cache Processor cache type Configurable TDP-down	4.4 GHz 12 MB L3 12 W	Intel Flex Memory Access Intel Trusted Execution Technology Intel VT-x with Extended Page Tables (EPT)	<i>4 4</i>
Memory		Execute Disable Bit CPU configuration (max)	√ 1
Internal memory * Internal memory type Memory clock speed	16 GB DDR5-SDRAM 4800 MHz	Embedded options available Intel Virtualization Technology for Directed I/O (VT-d)	x ✓

Memory		Processor special features	
Memory form factor	SO-DIMM	Intel Virtualization Technology (VT-	√
Memory layout (slots x size)	2 x 8 GB	x)	
Memory slots	2x SO-DIMM	Brand-specific features	
Number of free internal memory expansion slots	2	HP Connection Optimizer	✓
ECC	×	HP Support Assistant	✓
Non-ECC	Ţ		Absolute persistence module; HP
	•		DriveLock and Automatic DriveLock; HP Secure Erase; HP Sure Click; HP
Storage			Sure Sense; BIOS Update via
Total storage capacity *	256 GB		Network; HP Sure Admin; HP BIOSphere Gen6; HP Client Security
Storage media *	SSD	LID Consuits to all	Manager Gen7; Secured-core PC
Total SSDs capacity	256 GB	HP Security tools	capable; TPM 2.0 embedded
Number of SSDs installed	1 256 CB		security chip (Common Criteria EAL4+ and FIPS 140-2 Level 2
SSD capacity SSD interface	256 GB PCI Express		Certified); HP Sure Start Gen7; HP
NVMe	PCI Express		Wake on WLAN; HP Tamper Lock; HP Sure Run Gen5; HP Sure Recover
Optical drive type *	×		Gen5
	^		HP Client Management Script
Graphics			Library (download); HP Driver Packs
Discrete graphics card model *	Not available	LID Management of Levels	(download); HP Manageability Integration Kit Gen4 (download); HP
On-board graphics card *	✓	HP Management tools	Image Assistant Gen5 (download);
On-board GPU manufacturer	Intel		HP Patch Assistant (download); HP Cloud Recovery; HP Connect for
Discrete graphics card *	X		Microsoft Endpoint Manager
On-board graphics card family	Intel Iris Xe Graphics	HP segment	Business
On-board graphics card model *	Intel Iris Xe Graphics	HP GTIN (EAN/UPC)	196786691324
Audio		Battery	
Audio system	B&O PLAY	Battery technology	Lithium-lon (Li-lon)
Built-in speaker(s)	✓	Number of battery cells	3
Number of built-in speakers	2	Battery capacity *	51 Wh
Speakers manufacturer	Bang & Olufsen		
Built-in microphone	√	Power	
Built-in microphone Number of microphones	2	AC adapter power	45 W
•	2	AC adapter power AC adapter frequency	50 - 60 Hz
Number of microphones	2	AC adapter power AC adapter frequency AC adapter input voltage	
Number of microphones Camera		AC adapter power AC adapter frequency	50 - 60 Hz
Number of microphones Camera Front camera	1	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM)	50 - 60 Hz
Number of microphones Camera Front camera Front camera resolution (numeric)	✓ 5 MP	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM)	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network	1	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	50 - 60 Hz 100 - 240 V ✓ 2.0
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard *	✓ 5 MP Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type	50 - 60 Hz 100 - 240 V ✓ 2.0
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection *	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax)	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User ✓ GS mark
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V 2.0 BIOS, Power on, User GS mark ENERGY STAR, TCO Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V 2.0 BIOS, Power on, User GS mark ENERGY STAR, TCO Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates Sustainability certificates	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Weight & dimensions	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Weight & dimensions Width	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Weight & dimensions Width Depth	50 - 60 Hz 100 - 240 V
Number of microphones Camera Front camera Front camera resolution (numeric) Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	✓ 5 MP Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) × 2x2 Intel Wi-Fi 6E AX211 Intel ✓	AC adapter power AC adapter frequency AC adapter input voltage Security Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Certificates Low halogen Compliance certificates Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Weight & dimensions Width	50 - 60 Hz 100 - 240 V

Packaging data				
Package width	69 mm			
Package depth	449 mm			
Package height	305 mm			
Packaging content				
Keyboard included	✓			
Stylus pen	×			
Logistics data				
Harmonized System (HS) code	8471300000			
Other features				
Number of speakers	2			









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.