



AOC P2 24P2QM LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

Brand : AOC

Product family: P2

Product code: 24P2QM

Product name : 24P2QM

Screen size (inch) 23.8, Panel resolution 1920x1080, Refresh rate 75 Hz, Panel type VA, HDMI HDMI 1.4 x 1, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 1x, DVI 1x DVI-D, Sync technology (VRR) Adaptive Sync

AOC P2 24P2QM LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black:

23.8" VA FHD monitor with an eye for comfort, with height adjustable stand and ergonomic features

The AOC 24P2QM is a 23.8" VA panel with FHD resolution and crisp and deep details, held in a three-side frameless chassis that you can adjust, pivot and tilt as needed for a comfortable user experience throughout long working hours. Easy on the eye with Anti-Glare, Low Blue Mode and Adaptive Sync to avoid blurriness. Essential but complete connectivity.



| Display | | Ports & interfaces | |
|------------------------------|-----------------------|-----------------------------------|--|
| Display diagonal * | 60.5 cm (23.8") | DisplayPort version | 1.2 |
| Display resolution * | 1920 x 1080 pixels | Headphone out * | ✓ |
| HD type * | Full HD | Headphone outputs | 1 |
| Native aspect ratio * | 16:9 | Headphone connectivity | 3.5 mm |
| Display technology * | LED | HDCP | ✓ |
| Panel type * | VA | HDCP version | 1.4 |
| Backlight type | W-LED | AC (power) in | ✓ |
| Touchscreen * | ✗ | Mobile High-Definition Link (MHL) | ✗ |
| Display brightness (typical) | 300 cd/m ² | Ergonomics | |
| Response time * | 4 ms | VESA mounting * | ✓ |
| Anti-glare screen | ✓ | Panel mounting interface | 100 x 100 mm |
| Screen shape * | Flat | Wall mountable | ✓ |
| Contrast ratio (typical) * | 3000:1 | Cable lock slot * | ✓ |
| Contrast ratio (dynamic) | 50000000:1 | Cable lock slot type | Kensington |
| Maximum refresh rate * | 75 Hz | Height adjustment * | ✓ |
| Viewing angle, horizontal | 178° | Height adjustment | 15 cm |
| Viewing angle, vertical | 178° | Pivot | ✓ |
| Display number of colours * | 16.7 million colours | Swivelling | ✓ |
| Pixel pitch | 0.2745 x 0.2745 mm | Swivel angle range | 0 - 180° |
| Pixel density | 93 ppi | Tilt adjustment | ✓ |
| Display diagonal (metric) | 60.4 cm | Tilt angle range | -5 - 35° |
| Surface hardness | 6H | On Screen Display (OSD) | ✓ |
| sRGB coverage (typical) | 129% | On Screen Display (OSD) languages | Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Ukrainian |
| NTSC coverage (typical) | 113% | Number of OSD languages | 19 |
| Adobe RGB coverage | 111% | Power | |
| DCI-P3 coverage | 103% | Power consumption (typical) * | 14.58 W |
| Performance | | Power consumption (standby) * | 0.5 W |
| NVIDIA G-SYNC * | ✗ | Power consumption (off) | 0.5 W |
| Fast charging | ✓ | | |
| VESA Adaptive Sync support | ✓ | | |
| Flicker-free technology | ✓ | | |
| Low Blue Light technology | ✓ | | |

| Performance | | Power | |
|--|-----------------------|---|-------------|
| Brand-specific features | False | AC input voltage | 100 - 240 V |
| Multimedia | | AC input frequency | 50 - 60 Hz |
| Number of speakers | 2 | Power supply type | Internal |
| RMS rated power | 4 W | European Product Registry for Energy Labelling (EPREL) code | 1310939 |
| Built-in speaker(s) * | ✓ | Weight & dimensions | |
| Built-in microphone | ✗ | Width (with stand) | 384.4 mm |
| Built-in camera * | ✗ | Depth (with stand) | 200.1 mm |
| Design | | Height (with stand) | 540.2 mm |
| Market positioning * | Home | Weight (with stand) | 4.75 kg |
| Product colour * | Black | Width (without stand) | 540.2 mm |
| Frameless design | ✓ | Depth (without stand) | 50.7 mm |
| Front bezel colour | Black | Height (without stand) | 326.4 mm |
| Detachable stand | ✓ | Packaging data | |
| Feet colour | Black | Package width | 634 mm |
| Ports & interfaces | | Package depth | 160 mm |
| Built-in USB hub * | ✓ | Package height | 513 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package weight | 7.24 kg |
| USB upstream port type | USB Type-B | Package type | Box |
| Number of upstream ports | 1 | Packaging content | |
| Number of USB Type-B upstream ports quantity | 1 | Stand included | ✓ |
| USB Type-A downstream ports quantity | 4 | Cables included | AC |
| VGA (D-Sub) ports quantity | 1 | HDMI cable length | 1.8 m |
| DVI port | ✓ | Power cable length | 1.8 m |
| DVI-D ports quantity | 1 | Other features | |
| HDMI * | ✓ | Dial point | ✗ |
| HDMI ports quantity | 1 | Compatibility | VESA-P2 |
| HDMI version | 1.4 | Exterior finish type | Matt |
| DisplayPorts quantity | 1 | Recyclable packaging material | 100% |
| | | Mean time between failures (MTBF) | 50000 h |
| | | Light effects | ✗ |



4038986140713

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.