

## Samsung LS27B800PXU computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

**Brand :** Samsung **Product code:** LS27B800PXUXXU

**Product name:** LS27B800PXU

- Screen: 3840x2160 resolution, IPS Panel, Anti-glare
- Connections: USB-C, HDMI, LAN
- Perfect for: Content creation & Productivity

27" 3840 x 2160 IPS, 5 ms, 350 cd/m2, 60  $\rm \dot{Hz}$ , Display Port, HDMI, USB-C, 615.5 x 551.9 x 196.4 mm, 6.7 kg

кg

Samsung LS27B800PXU. Display diagonal: 68.6 cm (27"), Display resolution:  $3840 \times 2160 \text{ pixels}$ , HD type: 4K Ultra HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm
HD type *	4K Ultra HD	Height adjustment *	✓
Native aspect ratio *	16:9	Height adjustment	12 cm
Display technology *	LCD	Pivot	✓
Panel type *	IPS	Pivot angle	-2 - 92°
Touchscreen *	×	Swivelling	✓
Display brightness (peak)	400 cd/m²	Swivel angle range	-30 - 30°
Display brightness (typical)	350 cd/m²	Tilt adjustment	✓
Response time *	5 ms	Tilt angle range	-2 - 25°
Screen shape *	Flat	Picture-in-Picture	✓
Contrast ratio (typical) *	1000:1	Power	
Dynamic contrast ratio marketing name	Mega DCR	Energy efficiency class (SDR) *	F
Maximum refresh rate *	60 Hz	Energy efficiency class (HDR) *	G
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	26 kWh
Viewing angle, vertical  Display number of colours *	178° 1.07 billion colours	Energy consumption (HDR) per	49 kWh
Display diagonal (metric)	68 cm	1000 hours *	25.14
High Dynamic Range (HDR)		Power consumption (typical) *	26 W
supported	✓	Power consumption (standby) *	0.5 W
High Dynamic Range (HDR)	DisplayHDR 400	AC input voltage	100 - 240 V
technology	ызріаўнык 400	European Product Registry for Energy Labelling (EPREL) code	1162861
Colour gamut	0.98%		
Performance		Operational conditions	
Flicker-free technology	✓	Operating temperature (T-T)	10 - 40 °C
Game mode	✓	Operating relative humidity (H-H)	10 - 80%
Multimedia		Weight & dimensions	
Built-in speaker(s) *	×	Width (with stand) Depth (with stand)	615.5 mm 196.4 mm
Design		Height (with stand)	551.9 mm
Market positioning *	Business	Weight (with stand)	6.7 kg
Product colour *	Black	Width (without stand)	615.5 mm

Ports & interfaces		Weight & dimensions	
Built-in USB hub * USB hub version USB Type-C downstream ports	<ul><li>✓</li><li>3.2 Gen 1 (3.1 Gen 1)</li><li>1</li><li>✓</li></ul>	Depth (without stand) Height (without stand) Weight (without stand)	42.7 mm 368.2 mm 4.7 kg
quantity USB Power Delivery		Packaging data	
USB Power Delivery up to 90 W  HDMI *  HDMI ports quantity 1	Package width Package depth Package height Package weight	686 mm 450 mm 171 mm 8.4 kg	
HDMI version DisplayPorts quantity DisplayPort version	2.0 1 1.4	Packaging content	5
Headphone out *  HDCP	√ √	Cables included  Logistics data  Harmonized System (HS) code	HDMI, USB Type-C 85285210

